



Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

The Superintending Engineer (HSG & AP-I)

NMIA Office, 3rd floor, Tower no. 10, Belapur Station complex, CBD Belapur, Navi Mumbai. -400614

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/416602/2023 dated 01 Feb 2023. The particulars of the environmental clearance granted to the project are as below.

A		FF	1-1	4:4:	4:	Al -
1	100	-	30000	tifica	TICH	IMC

2. File No.

Project Type 3.

4. Category

Project/Activity including 5. Schedule No.

Name of Project

EC23B039MH170727

SIA/MH/INFRA2/416602/2023

New

B

8(b) Townships and Area Development projects.

Pradhan Mantri Awas Yojana (PMAY) Housing Scheme at Plot No. 1, Sector 40, Village: Navade, Taloja Node, Taluka: Panvel, District: Raigad, State: Maharashtra, India by City and Industrial Development Corporation of Maharashtra Limited (CIDCO).

Name of Company/Organization 7.

8. Location of Project

TOR Date

9

CIDCO

MAHARASHTRA

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 18/05/2023

(e-signed) Pravin C. Darade, I.A.S. **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/416602/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To
City and Industrial Development
Corporation of Maharashtra Limited
(CIDCO),

Plot No. 1, Sector 40, Village: Navade,

Taloja Node, Taluka: Panvel, District: Raigad.

Subject: Environment Clearance for proposed Pradhan Mantri Awas Yojana (PMAY) Housing Scheme at Plot No. 1, Sector 40, Village: Navade, Taloja Node, Taluka: Panvel, District: Raigad, State: Maharashtra, India by City and Industrial Development Corporation of Maharashtra Limited (CIDCO).

Reference: Application no. SIA/MH/INFRA2/416602/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 196th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 258th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

S. No.	Description	Details		
1	Proposal Number	SIA/MH/INFRA	2/416602/2023	
2	Name of Project	Pradhan Mantri Awas Yojana (PMAY) Housing Scheme at plot No. 1, Sector 40, Village: Navade, Taloja Node, Taluka: Panvel, District: Raigad, Maharashtra, India.		
3	Project category	8 (b)		
4	Type of Institution	Semi-Government		
5	Project Proponent	Name	City and Industrial Development Corporation of Maharashtra Limited (CIDCO)	
		Regd. Office address		
		Contact number	9867911114	
_		e-mail	ce.nmia@cidcoindia.com	
6	Consultant ULTRA TECH			
		Certificate No: NABET/EIA/2023/RA 0194 Validity: 9 th March, 2023		
7	Applied for	New		

S. No.	Description	Details			
8	Location of the project	Plot No. 1, Sector 40, Village: Navade, Taloja Node, Taluka: Panvel, District: Raigad, Maharashtra, India.			
	T '' I IT '' I	Latitude: 19°3'	17.25"N	111111111111111111111111111111111111111	
9	Latitude and Longitude	Landide: 73°		12.00	
10	Plot Area (sq. m.)	1,32,318.17 sq			
11	Deductions (sq. m.)	0.00 sq.mt.			
12	Net Plot area (sq. m.)	1,32,318.17 sq	.mt.		
13	Ground coverage (m ²) & %	28,189,81 sq.m			
14	FSI Area (sq. m.)	5,24,664.23 sq.mt.			
	TSI Alea (Sq. III.)	84,526,68 sq.n			
15	Non-FSI (sq. m.)	6,12,190.91 sq	197 April 1984 April 1984	Total	
16	Proposed built-up area (FSI + Non FSI) (sq.m.)		**************************************		1 10 10 0000
17	TBUA (m ²) approved by Planning	Received Development permission dated 10.10.2022			
	Authority till date	from CIDCO.			CDC4 . 31031
			l construction bu	ilt up area	a (FSI + NON
		FSI): 6,12,190			
18	Earlier EC details with Total	Not Applicable			
	Construction area, if any.			T. H.	
19	Construction completed as per	Not Applicable	:		
	earlier EC (FSI + Non FSI) (sq.m.)		Ville		
20	Previous EC/ Existing Building		figuration	- 33	Reason for
	Building Configuration Height	Building 3	Configuration		Modification
	Name (m)	Name 🦠 🦸	The state of the s	(m)	/Change
			Ground + 23 floors each	69.95	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 Basements +	98.95	
			Ground + 23		- V _M
w.,			floors		
4. 4.7.a	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	6 nos. of	2 Basement +	7.05	
45		Clusters 35	Podium 1	A	
		Community	Ground + 1st	12.35	A 18
		Hall	Floor	. 25	
21	No. of Tenements & Shops	EWS Flats: 13	204 Nos.		4
		Shops, Office	Š,	400	
		Fitness Center	r/ Creche/ Society	Office in	each cluster
22	Total Population	49070 nos.		. 4	
23	Total Water Requirements CMD	6246 CMD	er en	3	
24	Under Ground Tank (UGT) location				
25	Source of water	CIDCO			
26	STP Capacity & Technology	STP: 6000 KL			
20	or Capacity & recimology	The second contract of the second contract contr		Reactor (1	MBBR)
27	STP Location	Technology: Moving Bed Bio Reactor (MBBR) Underground			
28	Sewage Generation CMD & % of				
28			arge in sewer line	: 56%	
29	sewage discharge in sewer line Solid Waste Management during		Quantity		ent/ Disposal
29	Construction Phase		(Kg/D)		
		Dry waste	30 kg/day	To	authorized

S. No.	Description	Details			
		Wet waste	20 kg/day	recyclers.	
and the second s		Excavation	3,14,126 Cum	Shall be completely	
The parties of the same	***************************************	waste		reused on site for	
		PelikapPparass	and a second	backfilling and	
-				levelling.	
		Construction	1949	Reuse/ recycle and	
	. S	waste		disposal of remaining	
				waste to the authorized	
30	Total Solid Waste Quantities with	Туре	Quantity	landfill site. Treatment / disposal	
50	type during Operation Phase &	TAbe	(Kg/d)	i realment / disposat	
	Capacity of OWC to be installed	Dry waste	12355 Kg/day	To Authorized recyclers	
		Wet waste	8237 Kg/day	Treatment in OWC	
		E-waste	233 Kg/month	Shall be stored	
				separately at a common	
		er territoria.		designated location and	
				handed over to	
				Authorized agency for	
				further disposal as per	
				E-waste (Management)	
				Rules, 2016 and as	
		CTD CI-1-		amended in 2018	
		STP Sludge (dry)		Use as manure	
31	R.G. Area in sq. m.		13,231.82 sq.mt.		
		RG provided on ground (mother earth): 8,987.62 sq.mt.			
		RG provided on podium: 4,651.06 sq.mt			
-1941		Total: 13,638.68 sq.mt.			
		Existing trees on plot: 732 Nos.			
2		Number of trees to be planted: 5852 nos.			
		a) In RG area: 2138 nos.			
		b) In Miyawaki Plantation (with area): 3714 nos. of trees (Area = 1363 sq.mt.)			
		Number of trees to be cut: 379 nos.			
		Number of trees to be transplanted: 209 Nos. Retained trees: 144 nos.			
33	Power requirement	During Opera			
-				W	
		Connected load (kW): 36.44 MW Maximum demand (kW): 21.44 MW			
34	Energy Efficiency		y saving (%): 20.		
		b) Solar energy			
35	D.G. set capacity		ets of capacity 18	80 kVA each	
1			ets of capacity 20		
		2 nos. of DG s	ets of capacity 12	5 kVA each	
26		7 nos. of DG s	ets of capacity 40		
36	No. of 4-W & 2-W Parking with	4-Wheeler: 20	33 nos.		
and the state of t	25% EV	2-Wheeler: 98		6.	
		Provision of 2	976 nos. (25% of	4-wheeler & 2-wheeler)	

S. No.	Description	Details		
110		of E-charging points.		
37	No. & capacity of Rain water	Provision of 7 nos. of Rain water harvesting tanks of		
	harvesting tanks /Pits	capacity 1940 KL		
38	Project Cost in (Cr.)	Rs. 2029.39 Cr.		
39	EMP Cost	Construction Phase: Rs. 1579.06 Lac		
		Operation Phase:		
	20kg/2	Capital cost: Rs. 3320.72 Lacs		
		Operational and Maintenance cost: Rs 460.78 Lacs/		
		annum		
40	CER Details with justification if			
	anyas per MoEF & CC circular			
	dated 01/05/2018			
41	Details of Court Cases/ litigations	No litigation is pending against the project or land		
	w.r.t the project and project location,			
	if any.			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 258th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions thereunder as per the circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
 - 2. PP to obtain following NOCs & remarks:

 a) Water supply; b) Final CFO NOC; c) Tree NOC.
 - 3. Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.
 - 4. PP to obtain remarks for proposed construction with respect to High Flood Line of Kasardi river from Water Resources Department.
 - 5. PP to submit detail plan for disposal of excess treated water; PP to reduce discharge of treated water up to 35%.; PP to submit plan/undertaking from concern authority/third party for use of excess treated water.
 - 6. PP to submit plan/details of plantation of balance 3635 nos. of trees & include the cost of same in EMP.
 - 7. PP to shift UGTs of commercial building to first basement such that their top should flush to the ground level.

8. PP to explore to relocate club house away from the proposed STP to avoid nuisance of foul smell to the residents. PP to provide net/sieve over Open to Sky area of STP to avoid mishap.

9. PP to provide adequate mitigation measures as suggested in shadow analysis report & include the cost of same in EMP.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI -527664.23 m2, Non FSI-84226.68 m2, Total BUA-612190.91m2. (Plan approval No.CIDCO/Sr, Arch.(BH-IHP)/BH-IHP-143/2022/642, dated-10.10.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use

- of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated

- effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100% treatment to sewage /Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Raigad.
- 6. Commissioner, Panvel Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Navi Mumbai.