






PARKING AREA STATEMENT						
TENEMENTS SIZE CARPET AREA IN SQM.	NO. OF TENEMENTS	REQUIRED PARKING RATE	REQUIRED PARKING SPACES		PROPOSED PARKING SPACES	
			NO. OF CAR 12.50 SQM. 4=(2X) 2.50)	NO. OF SCOOTER 2.00 SQM. 5=(4X) 1.01X)	NO. OF CAR 12.50 SQM. 6=(4X) 12.50	NO. OF SCOOTER 2.00 SQM. 7=(6X) 2.00
(1)	(2)	(3)	(4)	(5)	(6)	(7)
UPTO 35 SQM	49.00	4 tenements having carpet area upto 35 sq m. each.	153.13	15.32	12.00	8.00
35 TO 45	0.00	2 tenements having carpet area 35 to 45 sq m. each.	0.00	0.00	0.00	0.00
45 TO 60	20.00	1 tenement having carpet area 45 to 60 sq m. each.	250.00	25.00	20.00	13.00
ABOVE 60	0.00	1/2 tenement having carpet area above 60 sq m. each.	0.00	0.00	0.00	0.00
SHOPPING CARPETAAREA	0.00	2 car parking space for every 100 sqm. Carpet area or fraction thereof.	0.00	0.00	0.00	0.00
TOTAL			403.13	40.32	32.00	21.00
VISITOR PARKING 10% OF ABOVE			40.32	5.00	4.00	3.00
SCOOTER CONVERTED TO CAR PARKING					2.00	-12.00
TOTAL PARKING REQUIRED					38.00	12.00
TOTAL PARKING PROVIDED				LARGE CARS	39.00	
				SMALL CARS	24.00	12.00
				TOTAL CARS	57.00	



Permissible Built Up Area of Final Plot No. 17 of TPS - 61 & Final Plot No. 427A & 427B of TPS - 04				
Sr. No.	Particulars	Plot Area (sq.m)	Area (sq.m)	Remarks
1	Original Plot (OP)	39	3160.00	
	Original Plot (OP)	407	2000.00	
	Original Plot (OP)	408	490.00	
	Total Area of Original Plot (OP)		3840.00	
2	Final Plot (FP)	17	1408.00	
	Final Plot (FP)	427A	80.00	
	Final Plot (FP)	427B	192.00	
	Total Area of Final Plot (FP)		1680.00	
3	Permissible FSI of Final Plot Area of Original Plot Area of Final Plot		2.286	
4	Permissible Built Up area as per Base FSI (2 X 3)		3840.00	
AREA STATEMENT				
5	Final Plot (FP No. 17, as property card)			
a	Area of Plot (as per, partly certified and NA order)			1680.00
b	Area of Plot as per TILR (by triangulation method at true scale)			1683.51
c	Area of Plot as per Physical Survey			1680.59
d	Area of plot considered (least of a), (b) and c):			1680.00
a	Permissible Base FSI			2.286
b	Permissible Ancillary FSI (4 x 0.65)			1.371
7	Permissible Built Up area with reference to Base FSI			3840.00
				2304.00
Proposed Built Up Area				
a	Proposed Base Built Up Area (P-Line)			3840.00
c	Consumed Ancillary FSI (Max 60% or 80%)			381.917
Proposed Built up area Details				
Built up area Details		Comm.	Resi.	Total BUA
a	Total Proposed BUA (P-Line)	0.000	4221.917	4221.917
b	Net Proposed BUA (Excluding Ancillary)	0.000	3940.000	3940.000
c	Permissible Ancillary BUA (Max 60% or 80%)	0.000	2304.000	2304.000
d	Permissible P-Line area (60 + 3c)	0.000	6144.000	6144.000
e	Balance Ancillary BUA (3c - 3b)	0.000	381.917	381.917
f	Balance Ancillary BUA (3c - 3e)	0.000	1922.083	1922.083
10	Proposed Built Up Area (P-Line Area)			4221.917
11	Balanced Built Up Area (Bd - 10)			1922.083
12	Total Base FSI Consumed (60%)			2.286



FORM OF CERTIFICATE						
(I, AR, DEEPAK THAKARE) HAVE BEEN EMPLOYED BY THE APPLICANT AS HIS ARCHITECT . I HAVE EXAMINED THE BOUNDARIES AND THE AREA OF THE PLOT AND I DO HEREBY CERTIFY THAT I HAVE PERSONALLY VERIFIED AND CHECKED ALL THE STATEMENTS MADE BY THE APPLICANT WHO IS THE OWNER LESSEE IN POSSESSION OF THE PLOT AS IN THE ABOVE FORM AND FOUND THEM TO BE CORRECT. DATE: 15/02/2024						
ADDRESS: SEEE NAGD CHAM BAO, A-506, PLOT NO 95, SECTION 11, C-10-BEHOVE, BHAMBURDA, ROAD 14, DEEPAK NAGD CHAM						
SIGNATURE OF LICENCED ARCHITECT						
DATE	JOIN NO.	DRG NO.	SCALE	DRAWN BY	CHECKED BY	
31/01/2025	NAN/A	01	AS SHOWN AS	DEEPAK	RAHAR	
SIGNATURE, NAME OF LICENSED ARCHITECT			ADDRESS OF LICENSED ARCHITECT			

SEPTIC TANK REQUIREMENT														
BUILDING NUMBER	NUMBER OF TENEMENT	ADDITIONAL TOILET	POPULATION	WATER REQUIREMENT						FLOW TO SEWER			TOTAL FLOW TO SEPTIC TANK	
				FLUSHING	FLUSHING	DOMESTIC	TOTAL	FLUSHING	DOMESTIC	TOTAL	LPD	LITER	METER	CAPACITY
				LPD	LPD	LPD		LPD	LPD					
1	2	3	4 = 2 X (5)	5	6 = 4 X 5	7	8 = 3 X 7	9	10 = 9 X 4	11 = 9+10	12 = 6X100%	13 = 100X8%	14 = 12X13	15
1	89.00	72.00	345.00	54.00	19830.00	36.00	2592.00	135.00	46675.00	65205.00	19830.00	36568.75	58218.75	58218.75
TOTAL			345.00	54.00	19830.00	36.00	2592.00	135.00	46675.00	65205.00	19830.00	36568.75	58218.75	58218.75
NOTE: I. LPD = LITER PER DAY. II. LPD = LITER PER DAY. III. FOR SEPTIC TANK CAPACITY FLUSHING & DOMESTIC FLOW TO SEWER WILL BE 100% & 80% RESPECTIVELY. IV. SIZE OF SEPTIC TANK IS EXCLUDING FREEBOARD.														


WATER STORAGE CAPACITY CALCULATION									
BUILDING NUMBER	TOTAL NUMBER OF UNITS	ADDITIONAL TOILET	POPULATION	WATER REQUIREMENT (IN LITER)			UNDERGROUND WATER TANK PROVIDED		
				ADDITIONAL TOILET	POPULATION	TOTAL	TANK NUMBER	SIZE/DIMENSION	CAPACITY
1	2	3	4 = 2 X 5	5 = 3 X 180	6 = 4 X 180	7 = (5+6) X 1.5	8	METER	LITER
1	89.00	72.00	345.00	12860.00	65205.00	117247.50	1.00	5.10 X 5.80 X 3.00	89880.00
FIRE FIGHTING				75000.00			1.00	11.70 X 4.30 X 3.00	150930.00
TOTAL				12860.00	65205.00	192247.50	2.00		239810.00
NOTE: I. FOR RESIDENTIAL UNIT 5 PERSON PER TENEMENT. II. WATER REQUIREMENT PER CAPITA = 135 (DOMESTIC) + 54 (FLUSHING) = 189 LITER PER CAPITA. III. WATER REQUIREMENT FOR ADDITIONAL TOILET = 180 LITER PER TENEMENT. IV. SIZE OF WATER TANK IS EXCLUDING THE FREEBOARD.									

OVERHEAD WATER TANK CAPACITY CALCULATION						
BUILDING NUMBER	USE	WATER CAPACITY (LITER)	WATER REQUIRED (LITER)	OVERHEAD WATER TANK PROVISION		
				TANK SIZE (METER)	NUMBER	CAPACITY (LITER)
1	2	3	4	5	6	7
1	RESIDENTIAL	117247.50	58623.75	7.80 X 5.97 X 1.50	1.00	68100.00
2	FIRE FIGHTING	25000.00	25000.00	4.48 X 3.75 X 1.50	1.00	25300.00
TOTAL		142247.50	83623.75		2.00	93400.00
NOTE: I. OVERHEAD TANK CAPACITY SHALL BE MINIMUM 50% OF WATER REQUIREMENT. II. OVERHEAD TANK CAPACITY SHALL BE MINIMUM 50% OF WATER REQUIREMENT.						

SCHEDULE OF LIGHT AND VENTILATION					
ROOM	TENEMENT NUMBER	CARPET AREA	WINDOW TYPE	L&V REQUIRED	L&V PROVIDED
1	2	3	4	5 = 3/4	6
LIVING	101	18.394	W	3.066	4.960
LIVING	103	11.605	W1	1.934	4.593
LIVING	105	11.894	FD1	1.962	6.243
LIVING	104	12.918	FD2	2.153	5.947
BED ROOM 1	101	11.223	W2	1.871	4.375
KITCHEN	105	6.510	W3	1.085	2.422
TOILET	103	2.820	V	0.470	0.540
DRIVER'S ROOM	GROUND FLOOR	9.340	W3	1.557	2.422
SOCIETY OFFICE ROOM	8TH FLOOR	17.000	W1	2.833	4.593

LEGENDS		
ITEM	SITE PLAN	BUILDING PLAN
PLOT LINES		
EXISTING STREET		
FUTURE STREET		
BUILDING LINE		
FSI LINE		
MARGINAL OPEN SPACES	NO COLOUR	NO COLOUR
PROPOSED WORK		
DRAINAGE & SEWERAGE WORK		
WATER SUPPLY WORK		
RWH LINE		
S.W. DRAIN		
RECREATIONAL OPEN SPACES		
CAR PARKING		
TWO WHEELER PARKING		

This Commencement Certificate is approved subject to the conditions mentioned in this office Letter / Certificate vide No. CIDCO / NAINA / Panvel / Akurli / BP- 00732 / CC / 2025 / 1466 Dated: 14 Nov 2025.



NO. OF UNIT PROPOSED	
a) RESIDENTIAL	69
b) COMMERCIAL	0

PROFORMA - II
CERTIFICATE OF AREA

CERTIFIED THAT THE PLOT UNDER REFERENCE WAS SURVEYED BY ME ON AND THE DIMENSIONS OF SIDES ETC. OF PLOT STATED ON PLAN ARE AS MEASURED ON SITE AND THE AREA SO WORKED OUT TALLIES WITH THE AREA STATED IN DOCUMENT OF OWNERSHIP T.P. SCHEME RECORDS/ LAND RECORDS DEPARTMENT/CITY SURVEY RECORDS.

AR. DEEPAK THAKARE
SIGNATURE OF LICENSED ARCHITECT

DEVELOPMENT PERMISSION FOR PROPOSED RESIDENTIAL BUILDING ON FINAL PLOT NO. 17 OF TPS-1, 427A & 427B OF TPS-4, VILLAGE- AKURLI, TALUKA- PANVEL, DISTRICT- RAIGAD.

NAME OF OWNER
M/s. VISHESH SUPREME PROJECTS LLP.
BUILDING NO. 306, GROUND TO 3RD FLOOR, MILLENNIUM BUSINESS PARK, GHANSOLI, RABALE, THANE- 400701
For,
M/s. VISHESH SUPREME PROJECTS LLP.
Partner, Shri. Vinay Shrivankumar Agrawal & other 4.

FORM OF CERTIFICATE

I, (AR. DEEPAK THAKARE) HAVE BEEN EMPLOYED BY THE APPLICANT AS HIS ARCHITECT. I HAVE EXAMINED THE BOUNDARIES AND THE AREA OF THE PLOT AND I DO HEREBY CERTIFY THAT I HAVE PERSONALLY VERIFIED AND CHECKED ALL THE STATEMENTS MADE BY THE APPLICANT WHO IS THE OWNER/ LESSEE IN POSSESSION OF THE PLOT AS IN THE ABOVE FORM AND FOUND THEM TO BE CORRECT.
DATE: 15/02/2024

ADDRESS: SHREE NAND-DHAM BLDG., A-509, PLOT NO 50, SECTOR-11, C.I.D. BEARER, NAVAMANGAL, 400114, dptthakare@gmail.com PH: 9820562336		SIGNATURE OF LICENSED ARCHITECT	
DATE 31/10/2025	JOB NO. NAINA/	DWG NO. 81	SCALE AS SHOWN AS
SIGNATURE, NAME OF LICENSED ARCHITECT		CHECKED BY RAKH	
		ADDRESS OF LICENSED ARCHITECT	

AR. DEEPAK THAKARE
CA/92/14485

DPT DEEPAK P. THAKARE
ARCHITECTS & PLANNERS

SHREE NAND-DHAM BLDG., A-509, PLOT NO 50, SECTOR-11, C.I.D. BEARER, NAVAMANGAL, 400114, dptthakare@gmail.com
PH: 9820562336

CONTENT : GROUND & 1ST FLOOR PLAN, AREA DIAGRAM, AREA CALCULATION, FRONT ELEVATION, & SECTION B-B.

STAMP OF APPROVAL




This Commencement Certificate is approved subject to the conditions mentioned in this office Letter / Certificate vide No. CIDCO / NAINA / Panvel / Akuri / BP-00732 / CC / 2025 / 1466 Dated: 14 Nov 2025.

SCHEDULE OF LIGHT AND VENTILATION					
ROOM	TENEMENT	CARPET AREA	WINDOW TYPE	LAV. REQUIRED	LAV. PROVIDED
1	2	3	4	5	6
LIVING	101	18.364	W1	3.086	4.960
LIVING	102	11.605	W1	1.934	4.960
LIVING	105	11.894	FD1	1.982	6.345
LIVING	104	12.919	FD2	2.153	5.947
BED ROOM 1	101	11.223	W2	1.871	4.375
KITCHEN	105	8.910	W3	1.085	2.422
TOILET	103	2.820	V	0.470	0.540
DRIVER'S ROOM	GROUND FLOOR	9.340	W3	1.557	2.422
SOCIETY OFFICE ROOM	8TH FLOOR	17.000	W1	2.833	4.960

SCHEDULE OF DOORS & WINDOWS					
TYPE	WIDTH (METER)	HEIGHT (METER)	AREA (SQM)	DESCRIPTION	
1	2	3	4	5	6
D	1.000	2.270	2.270	0.000	T.W. FRAMED PANELED DOOR
D1	0.900	2.270	2.043	0.000	T.W. FRAMED PANELED DOOR
D2	0.750	2.270	1.703	0.000	T.W. FRAMED PANELED DOOR
W	0.750	1.670	1.253	0.000	ALUMINUM SLIDING WINDOW
W1	2.750	1.670	4.593	0.000	ALUMINUM SLIDING WINDOW
W2	2.830	1.670	4.735	0.000	ALUMINUM SLIDING WINDOW
W3	1.400	1.670	2.320	0.000	ALUMINUM SLIDING WINDOW
FD	2.870	2.270	6.542	0.000	ALUMINUM SLIDING FRENCH WINDOW
FD1	2.750	2.270	6.243	0.000	ALUMINUM SLIDING FRENCH WINDOW
FD2	2.820	2.270	6.407	0.000	ALUMINUM SLIDING FRENCH WINDOW
V	0.600	0.900	0.540	1.370	ALUMINUM COVERED WINDOW
PRD	1.800	2.270	4.086	0.000	FIRE RATED DOOR
AJ	1.500	1.800	2.700	0.400	R.C.C. JALI

BUILDING - 1					
1ST FLOOR AREA CALCULATION					
SR. NO.	NUMBER	NUMBER OF DEDUCTION	1/2	BASE	HEIGHT
				(M)	(M)
				5	8
					(7) = (5)(X)4/(X)5(X)6
BUILDING - 1: 1ST FLOOR					
1	A	1.00	1.00	23.290	25.700
TOTAL ADDITION					
DEDUCTION					
2	1	2.00	1.00	2.770	1.700
3	2	1.00	1.00	3.270	2.800
4	3	1.00	1.00	0.680	1.700
5	4	1.00	1.00	3.130	0.550
6	5	1.00	1.00	2.780	2.800
7	6	1.00	1.00	0.230	1.700
8	7	1.00	1.00	1.070	3.800
9	8	1.00	1.00	0.330	5.600
10	9	1.00	1.00	0.650	2.050
11	10	1.00	1.00	0.980	2.050
12	11	1.00	1.00	2.250	0.080
13	12	1.00	1.00	3.100	3.270
14	13	2.00	1.00	0.080	1.950
15	14	1.00	1.00	3.150	3.000
16	15	1.00	1.00	2.100	0.080
17	16	1.00	1.00	3.150	3.430
18	17	1.00	1.00	2.580	0.080
19	18	1.00	1.00	3.430	3.270
20	19	1.00	1.00	3.700	4.600
21	20	1.00	1.00	2.000	2.500
22	21	2.00	1.00	1.000	2.200
23	22	1.00	1.00	1.000	1.300
24	23	1.00	1.00	0.850	1.350
25	24	2.00	1.00	2.000	2.000
26	25	1.00	1.00	4.030	4.600
27	26	1.00	1.00	4.950	1.070
28	27	1.00	1.00	3.620	0.230
29	28	1.00	1.00	4.680	3.070
30	29	2.00	1.00	0.750	3.000
31	30	1.00	1.00	5.030	1.070
32	31	1.00	1.00	3.950	0.230
33	32	1.00	1.00	4.280	3.070
34	33	1.00	1.00	2.870	0.080
35	34	2.00	1.00	0.950	1.150
36	35	1.00	1.00	2.950	0.080
37	36	1.00	1.00	0.480	5.430
38	37	2.00	1.00	2.850	0.600
39	38	2.00	1.00	2.150	0.600
TOTAL DEDUCTION					
NET BUILT UP AREA @ 1ST FLOOR					
408.233					

BUILDING - 1					
GROUND FLOOR AREA CALCULATION					
SR. NO.	NUMBER	NUMBER OF TRIANGLE	1/2	BASE	HEIGHT
				(M)	(M)
				5	8
					(7) = (5)(X)4/(X)5(X)6
BUILDING - 1: GROUND FLOOR					
1	A	1.00	1.00	15.720	19.300
TOTAL ADDITION					
DEDUCTION					
2	1	1.00	1.00	5.760	0.900
3	2	1.00	1.00	2.680	0.900
4	3	1.00	1.00	1.480	0.900
5	4	1.00	1.00	1.300	0.300
6	5	1.00	1.00	1.150	1.400
7	6	1.00	1.00	2.430	4.300
8	7	1.00	1.00	5.410	3.400
9	8	1.00	1.00	0.040	8.000
10	9	1.00	1.00	7.450	7.450
11	10	1.00	1.00	6.680	6.510
12	11	1.00	1.00	3.560	2.950
13	12	1.00	1.00	2.000	2.500
14	13	1.00	1.00	1.000	1.200
15	14	2.00	1.00	2.000	2.000
16	15	1.00	1.00	2.350	4.540
17	16	1.00	1.00	1.230	4.450
18	17	1.00	1.00	1.960	2.020
19	18	1.00	1.00	1.120	2.100
20	19	1.00	1.00	1.810	3.000
21	20	1.00	1.00	1.060	3.000
22	21	1.00	1.00	1.060	0.800
23	22	2.00	1.00	5.900	0.500
24	23	1.00	1.00	0.330	0.800
DEDUCTION					
NET BUILT UP AREA @ GROUND FLOOR					
100.501					
DRIVER'S ROOM					
25	A	1.00	1.00	0.300	0.900
26	B	1.00	1.00	1.300	0.600
27	C	1.00	1.00	0.300	1.400
28	D	1.00	1.00	4.380	3.400
TOTAL AREA OF DRIVER'S ROOM					
16.362					
SERVANT'S TOILET					
29	C	1.00	1.00	1.300	2.900
TOTAL AREA OF DRIVER'S ROOM					
3.770					

1ST FLOOR PLAN
SCALE 1:100FRONT ELEVATION
Scale 1:1001ST FLOOR AREA DIAGRAM
SCALE 1:100GROUND FLOOR PLAN
SCALE 1:100GROUND FLOOR AREA DIAGRAM
SCALE 1:100

NO. OF UNIT PROPOSED		69
a) RESIDENTIAL		0
b) COMMERCIAL		0
LEGENDS		
ITEM	SITE PLAN	BUILDING PLAN
PLOT LINES		
EXISTING STREET		
FUTURE STREET		
BUILDING LINE		
FSI LINE		
DESCRIPTION OF PROPOSAL AND PROPERTY		
DEVELOPMENT PERMISSION FOR PROPOSED RESIDENTIAL BUILDING ON FINAL PLOT NO. 17 OF TPS-1, 427A & 427B OF TPS-4, VILLAGE-AKURI, TALUKA-PANVEL, DISTRICT- RAIGAD.		
NAME OF OWNER		
M/s. VISHESH SUPREME PROJECTS LLP.		
BUILDING NO. 306, GROUND TO 3RD FLOOR, MILLENNIUM BUSINESS PARK, GHANSOLI, RABALE, THANE-400704		
For		
M/s. VISHESH SUPREME PROJECTS LLP.		
Partner, Shri. Vinay Shrivankumar Agrawal & other 4.		
DATE	JOB NO.	DRG NO.
31/10/2025	NAINA	01
SCALE	DRAWN BY	CHECKED BY
AS SHOWN AS	RANOR	RANOR
SIGNATURE, NAME OF LICENSED ARCHITECT	ADDRESS OF LICENSED ARCHITECT	
AR. DEEPAK THAKARE	CA/52/14468	

STAMP OF APPROVAL

This Commencement Certificate is approved
subject to the conditions mentioned in this
office Letter / Certificate vide No. CIDCO /
NAINA / Panvel / Akurli / BP-00732 / CC /
2025 / 1466 Dated: 14 Nov 2025.

SCHEDULE OF LIGHT AND VENTILATION									
ROOM	TERMINAL	CARPET	WINDOW	LAV	LAV				
NUMBER	AREA	TYPE	TYPE	REQUIRED	PROVIDED				
1	2	3	4	5	6				
LIVING	101	16.384	W	3.066	4.960				
LIVING	103	11.605	W1	1.934	4.593				
LIVING	105	11.884	FD1	1.982	8.243				
LIVING	104	13.918	FD2	2.153	5.947				
BED ROOM 1	101	11.223	W2	1.871	4.375				
KITCHEN	105	6.510	W3	1.085	2.422				
TOILET	103	2.820	V	0.470	0.540				
ORDER'S ROOM		5.340	W3	1.857	2.492				
SOCIETY OFFICE ROOM	8TH FLOOR	17.000	W1	2.833	4.593				

SCHEDULE OF DOORS & WINDOWS									
TYPE	WIDTH	HEIGHT	AREA	BILL	DESCRIPTION				
(M)	(M)	(M ²)	(M ²)	(M ²)					
1	2	3	4	5	6				
D	1.000	2.270	2.270	0.000	T.W. FRAMED PANELED DOOR.				
D1	0.900	2.270	2.043	0.000	T.W. FRAMED PANELED DOOR.				
D2	0.750	2.270	1.703	0.000	T.W. FRAMED PANELED DOOR.				
W	2.370	1.870	4.430	0.000	ALUMINUM SLIDING WINDOW				
W1	2.370	1.870	4.430	0.000	ALUMINUM SLIDING WINDOW				
W2	2.370	1.870	4.430	0.000	ALUMINUM SLIDING WINDOW				
W3	1.450	1.870	2.702	0.000	ALUMINUM SLIDING WINDOW				
FD	2.370	2.270	5.374	0.000	ALUMINUM SLIDING FRENCH WINDOW				
FD1	2.370	2.270	5.374	0.000	ALUMINUM SLIDING FRENCH WINDOW				
FD2	2.370	2.270	5.374	0.000	ALUMINUM SLIDING FRENCH WINDOW				
W	0.600	0.900	0.540	1.370	ALUMINUM GLAZED WINDOW				
FD	1.500	2.270	3.405	0.000	FIRE RATED DOOR.				
RJ	1.500	1.800	2.700	0.490	R.C.C. JAIL				

BUILDING - 1 TYPICAL 2ND TO 6TH & 8TH TO 10TH FLOOR AREA CALCULATION									
SR. NO.	NUMBER	NUMBER OF DEDUCTION	1/2	BASE	HEIGHT	AREA			
(M)	(M)	(M)	(M)	(M)	(M)	(SQM)	(T)	(X)	(X)
1	2	3	4	5	6	7	8	9	10
BUILDING - 1: 2ND TO 6TH & 8TH TO 10TH FLOOR									
1	A	1.00	1.00	23.290	26.700	621.843			
TOTAL ADDITION						621.843			
DEDUCTION									
2	1	2.00	1.00	2.770	1.700	9.418			
3	2	1.00	1.00	5.030	5.850	29.426			
4	3	1.00	1.00	1.450	0.550	0.798			
5	4	1.00	1.00	2.760	2.950	7.220			
6	5	1.00	1.00	0.230	1.700	0.391			
7	6	1.00	1.00	1.070	3.800	3.852			
8	7	1.00	1.00	0.330	5.600	1.848			
9	8	1.00	1.00	0.850	2.550	1.533			
10	9	1.00	1.00	0.980	2.950	2.890			
11	10	1.00	1.00	2.250	0.080	0.180			
12	11	1.00	1.00	3.100	3.270	10.137			
13	12	2.00	1.00	0.080	1.950	0.312			
14	13	1.00	1.00	3.150	3.000	9.450			
15	14	1.00	1.00	2.100	0.080	0.168			
16	15	1.00	1.00	3.150	3.430	10.805			
17	16	1.00	1.00	2.580	0.080	0.206			
18	17	1.00	1.00	3.430	3.270	11.216			
19	18	1.00	1.00	3.700	4.400	16.280			
20	19	1.00	1.00	2.000	2.900	5.800			
21	20	2.00	1.00	1.000	1.200	2.400			
22	21	2.00	1.00	1.000	1.200	2.400			
23	22	1.00	1.00	1.000	1.300	1.300			
24	23	1.00	1.00	0.850	1.350	1.148			
25	24	2.00	1.00	2.000	2.000	4.000			
26	25	1.00	1.00	4.000	4.000	16.000			
27	26	1.00	1.00	4.950	1.070	5.297			
28	27	1.00	1.00	3.620	0.230	0.833			
29	28	2.00	1.00	4.500	3.070	14.368			
30	29	1.00	1.00	0.750	3.000	2.250			
31	30	1.00	1.00	5.030	1.070	5.382			
32	31	1.00	1.00	3.950	0.230	0.909			
33	32	1.00	1.00	4.280	3.070	13.140			
34	33	1.00	1.00	2.870	0.080	0.230			
35	34	2.00	1.00	0.950	1.150	2.185			
36	35	1.00	1.00	0.480	5.430	2.606			
37	36	2.00	1.00	2.850	0.600	3.420			
38	37	2.00	1.00	2.150	0.600	2.580			
39	38	1.00	1.00	8.610	1.000	8.610			
40	39	1.00	1.00	5.530	2.250	12.443			
41	40	1.00	1.00	8.130	1.000	8.130			
TOTAL DEDUCTION						207.060			
NET BUILT UP AREA @ 2ND TO 6TH & 8TH TO 10TH FLOOR						414.783			

REFUGUE AREA CALCULATION						
REFUGUE AREA @ 7TH FLOOR						
1	R1	1.00	1.00	5.180	1.795	9.316
2	R2	1.00	1.00	0.150	0.642	0.097
3	R3	1.00	1.00	5.030	4.150	20.875
TOTAL OF REFUGUE AREA						30.288
REFUGUE AREA CALCULATION						
REQUIRED REFUGUE AREA (A)						
8TH & 9TH FLOOR	7	X	2	14	NOS	
7TH FLOOR	6	X	1	6	NOS	
TOTAL FLATS				20	NOS	
1 FLAT = 5 PERSON	20	X	5	100	NOS	
1 PERSON REQUIRE 0.30 SQ. M.						
REQ. REFUGUE AREA	100	X	0.3	30.00	SQM.	
REFUGUE AREA CALCULATION AS PER OCCUPANT LOAD (B)						
TOTAL NO. OF PERSON ABOVE FLOORS						
REFUGUE AREA REQUIRED @ 7TH FLOOR		GROSS AREA		X FLOORS		TOTAL IN SQ. M.
8TH & 9TH FLOOR	414.783	X	2			829.566
7TH FLOOR	394.919	X	1			394.919
TOTAL AREA						1224.484
OCCUPANT LOAD 12.5						97.959
REQ. 0.30 SQ. MT. PER PERSON						0.300
REFUGUE AREA REQUIRED @ 7TH FLOOR						29.388
ADDITIONAL 0.90 SQ. M FOR 1 WHEEL CHAIR FOR 200 PERSON						0.900
TOTAL REFUGUE AREA REQUIRED @ 7TH FLOOR						30.288
REFUGUE AREA REQUIRED LARGER OF A & B						30.288
REFUGUE AREA PROPOSED @ 7TH FLOOR						30.288

BUILDING - 1 7TH FLOOR AREA CALCULATION									
SR. NO.	NUMBER	NUMBER OF DEDUCTION	1/2	BASE	HEIGHT	AREA			
				(M)	(M)	(SQM)	(T)	(X)	(X)
1	2	3	4	5	6	7	8	9	10
BUILDING - 1: 7TH FLOOR									
1	A	1.00	1.00	23.290	26.700	621.843			
TOTAL ADDITION						621.843			
DEDUCTION									
2	1	2.00	1.00	2.770	1.700	9.418			
3	2	1.00	1.00	5.030	5.850	29.426			
4	3	1.00	1.00	1.450	0.550	0.798			
5	4	1.00	1.00	2.760	2.950	7.220			
6	5	1.00	1.00	0.230	1.700	0.391			
7	6	1.00	1.00	1.070	3.800	3.852			
8	7	1.00	1.00	0.330	5.600	1.848			
9	8	1.00	1.00	0.850	2.550	1.533			
10	9	1.00	1.00	0.980	2.950	2.890			
11	10	1.00	1.00	2.250	0.080	0.180			
12	11	1.00	1.00	3.100	3.270	10.137			
13	12	2.00	1.00	0.080	1.950	0.312			
14	13	1.00	1.00	3.150	3.000	9.450			
15	14	1.00	1.00	2.100	2.800	0.188			
16	15	1.00	1.00	3.130	3.430	10.805			
17	16	1.00	1.00	2.260	2.000	0.206			
18	17	1.00	1.00	3.430	3.270	11.216			
19	18	1.00	1.00	3.700	4.900	18.130			
20	19	1.00	1.00	2.000	2.500	5.000			
21	20	2.00	1.00	1.000	1.500	2.250			
22	21	1.00	1.00	1.000	1.300	1.300			
23	22	1.00	1.00	0.850	1.350	1.148			
24	23	2.00	1.00	2.000	2.000	8.000			
25	24	1.00	1.00	4.030	4.900	19.747			
26	25	1.00	1.00	4.850	1.070	5.287			
27	26	1.00	1.00	3.820	0.230	0.833			
28	27	1.00	1.00	0.600	3.070	1.938			
29	28	2.00	1.00	0.750	3.000	2.250			
30	29	1.00	1.00	5.030	5.200	5.362			
31	30	1.00	1.00	3.850	5.200	9.235			
32	31	1.00	1.00	4.290	3.970	13.140			
33	32	1.00	1.00	2.870	0.080	0.230			
34	33	1.00	1.00	2.950	0.080	0.238			
35	34	2.00	1.00	5.050	1.150	2.125			
36	35	1.00	1.00	6.480	5.430	2.568			
37	36	2.00	1.00	2.850	0.800	3.420			
38	37	2.00	1.00	2.150	0.600	2.580			
39	38	1.00	1.00	8.610	1.000	8.610			
40	39	1.00	1.00	8.130	1.000	8.130			
DEDUCTION						228.034			
NET BUILT UP AREA @ 7TH FLOOR						394.919			
SOCIETY OFFICE									
43	A	1.00	1.00	1.450	2.050	2.973			
44	B	1.00	1.00	4.400	1.900	4.400			
45	C	1.00	1.00	0.230	5.850	0.207			
46	D	1.00	1.00	5.550	2.250	12.443			
TOTAL AREA OF SOCIETY OFFICE						20.023			