

City and Industrial Development Corporation of Maharashtra Ltd.

DRAFT DEVELOPMENT PLAN FOR

NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)

REPORT

NOVEMBER 2016

SPECIAL PLANNING AUTHORITY NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA

Appointed by Government of Maharashtra under Section 40(1)(b) of MR and TP Act 1966 on 10th January 2013

PREAMBLE

The Government of Maharashtra has decided to develop a site for International Airport at Navi Mumbai. One of the conditions laid down by the Ministry of Environment and Forests (MoEF), Government of India, while granting Environmental Clearance (EC) and Coastal Regulation Zone (CRZ) clearance to the Navi Mumbai International Airport (NMIA) that the Development Plan for Navi Mumbai shall be revised and recast in view of the proposed airport development so as to avoid haphazard development around the airport. City and Industrial Development Corporation of Maharashtra Ltd.(CIDCO) submitted a proposal to the Government vide letter No. CIDCO/PLNG/CP/2012/18 dated 17th January 2012 requesting for its appointment as Special Planning Authority under section 40(I)(b) of the said Act for an area around the proposed International Airport. The Government of Maharashtra, Urban Development Department by its notification No.TPS-1712/475/CR-98/12/UD-12 dated 10th January 2013 notified the Navi Mumbai Airport Influence Notified Area (NAINA) and appointed CIDCO as Special Planning Authority for the notified area under section 40(1)(b) of the Maharashtra Regional and Town Planning Act, 1966. CIDCO acting as Special Planning Authority for NAINA is hereafter referred to as SPA – NAINA.

SPA-NAINA in exercise of powers conferred by Section 40 of Maharashtra Regional and Town Planning Act 1966 and all other powers enabling it in this behalf has prepared and published the Draft Development Plan of NAINA in the said notified area and has prepared Draft Development Plan Report for implementation of the Draft Development Plan.



TABLE OF CONTENTS

CONTENTS

LIST OF ABBREVIATIONSxiv		
1.	INTRODUCTION	1
1.1	BACKGROUND	1
1.2	NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)	2
1.3	NEED FOR DEVELOPMENT PLAN	3
2.	EXISTING PROFILE	6
2.1	LOCATION	6
2.2	REGIONAL SETTING	7
2.2.1	TOPOGRAPHY	7
2.2.2	SOIL CONDITIONS	7
2.2.3	GEOMORPHOLOGY	8
2.2.4	CLIMATE	8
2.3	DEMOGRAPHIC PROFILE	9
2.3.1	POPULATION AND IT'S GROWTH	9
2.3.2	POPULATION DENSITY	9
2.3.3	SEX RATIO	10
2.3.4	SC & ST POPULATION	10
2.3.5	LITERACY RATE	11
2.3.6	ECONOMIC BASE	11
2.3.7	MAJOR ECONOMIC ACTIVITES	11
2.3.8	OCUPATIONAL STRUCTURE AND WPR	13
2.3.9	EMPLOYMENT PATTERN	13
2.4	EXISTING TRANSPORTATION NETWORK	13
2.4.1	REGIONAL ROAD NETWORK	13
2.4.2	REGIONAL AND SUBURBAN RAIL NETWORK	16
2.4.3	REGIONAL CONNECTIVITY UNDER ACTIVE CONSIDERATION	18
2.4.4	LOCAL ROAD NETWORK	21
2.4.5	BUS SYSTEM	21
2.4.6	LOCAL SUBURBAN RAILWAY NETWORK	22
247	OTHER MEANS OF TRANSPORT	22



2.4.8	PARKING FACILITIES	23
2.4.9	SUMMARY	23
2.5	SOCIAL INFRASTRUCTURE	24
2.5.1	EDUCATIONAL FACILITIES	24
2.5.2	HEALTH FACILITIES	25
2.5.3	COMMERCIAL FACILITIES	26
2.5.4	SOCIO-CULTURAL FACILITIES	26
2.5.5	RECREATIONAL FACILITIES	27
2.5.6	SUMMARY	27
2.6	PHYSICAL INFRASTRUCTURE	28
2.6.1	WATER SUPPLY	28
2.6.2	SEWERAGE	28
2.6.3	STORM WATER DRAINAGE	29
2.6.4	SOLID WASTE MANAGEMENT	29
2.7	SOCIO-ECONOMIC SURVEY	30
2.7.1	HOUSING	30
2.7.2	INFRASTRUCTURE	32
2.7.3	ECONOMIC STANDARD	34
2.7.4	CASTE AND RELIGION	39
3.	EXISTING LANDUSE	41
3.1	SURVEY METHODOLOGY	41
3.1.1	DATA COLLECTION	43
3.1.2	BENCH MARK SURVEY	43
3.1.3	GCP COLLECTION	43
3.1.3.1	BASE STATION	44
3.1.3.2	ROVER	44
3.1.3.3	GCP DATA PROCESSING	44
3.1.4	IMAGE PROCESSING	44
3.1.5	DIGITIZATION AND DATA PROCESSING	44
3.1.6	METHOD OF FIELD SURVEYS	45
3.1.7	CADASTRAL DATA PROCESSING	45
3.1.8	LIDAR DATA PROCESSING	45
3.1.9	QA AND QC PROCESS ADOPTED	46
3.1.10	GRID FORMULATION	46
3.2	EXISTING LAND USE	48
3.2.1	ENVIRONMENTALLY SIGNIFICANT AND NON-DEVELOPABLE AREAS	48



3.2.1.1	FORESTS	48
3.2.1.2	WATER BODIES	48
3.2.1.3	HILLS	48
3.2.1.4	MARSHY/SHRUBS AREA	48
3.2.1.5	SALT PANS	48
3.2.2	EXISTING BUILT-UP AREAS (REDEVELOPABLE LAND)	49
3.2.2.1	RESIDENTIAL LAND USE	49
3.2.2.2	COMMERCIAL LAND USE	49
3.2.2.3	INDUSTRIAL AND WAREHOUSING LAND USE	49
3.2.2.4	MIXED LAND USE	50
3.2.2.5	PUBLIC AND SEMI-PUBLIC UTILITIES AND AMENITIES	50
3.2.2.6	TRANSPORTATION LAND USE	50
3.2.2.7	VEGETATED AREAS	50
3.2.2.8	FARM HOUSE	50
3.2.2.9	RECREATIONAL LAND USE	50
3.2.3	LAND AVAILABLE FOR DEVELOPMENT	51
3.2.3.1	AGRICULTURAL LAND USE	51
3.2.3.2	VACANT LANDS	51
3.2.3.3	QUARRY	51
3.3	ECO-SENSITIVE ZONE AROUND KARNALA SANCTUARY	55
3.4	WESTERN GHATS ECO-SENSITIVE ZONE	55
3.5	IDENTIFICATION OF POTENTIAL DEVELOPABLE AREAS	56
4.	VISION AND STRATEGY	.58
4.1	VISION FOR NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA	58
4.2	STRATEGY	59
4.2.1	PHASING	59
4.2.2	DEVELOPMENT MODEL	60
4.2.3	RAISING FINANCES	61
4.2.4	TRANSPORT	61
4.2.5	ENVIRONMENT SUSTAINABILITY	62
5.	DEMOGRAPHIC PROJECTIONS	.63
5.1.	POPULATION FORECAST - NAINA	63
5.1.1.	METHODOLOGY	63
5.1.2.	POPULATION DISTRIBUTION WITHIN DIFFERENT JURISDICTIONS	64
5.1.3.	NAINA'S POPULATION FORECAST BY SHIFT AND SHARE METHOD	66
5.1.4.	POPULATION ESTIMATION WITHIN NAINA	



5.1.5.	DENSITY IN DP AREA	70
6.	REQUIREMENT OF PUBLIC AMENITIES	71
6.1.	PLANNING NORMS	71
6.2.	DISTRIBUTION OF SOCIAL FACILITIES AND PUBLIC AMENITIES	72
6.3.	POPULATION DISTRIBUTION AND ESTIMATION OF RESERVATIONS	74
6.4.	SECTOR WISE ESTIMATION OF RESERVATION	75
6.5.	PROVISION OF FACILITIES IN BALANCE PHASE-I	75
6.5.1.	EDUCATIONAL FACILITIES	76
6.5.2.	HEALTH FACILITIES	77
6.5.3.	SOCIAL AND CULTURAL FACILITIES AND MARKET / DAILY BAZAAR	77
6.5.4.	PUBLIC UTILITIES	78
6.5.5.	PARKS AND PLAY GROUNDS	78
6.5.6.	PROVISION OF INFRASTRUCTURE IN PHASE-II	78
7.	TRANSPORT	79
7.1	APPROACH AND STRATEGY	79
7.2	TRANSIT ORIENTED DEVELOPMENT (TOD)	85
7.3	DETAILED ROAD NETWORK PLAN OF NAINA	86
8.	PROPOSED LAND USE	93
8.1	IMPORTANT CONSIDERATIONS	93
8.1.1	ECONOMIC NODES IN AND AROUND DP AREA	93
8.1.2	CONCEPTUAL DEVELOPMENT STRUCTURE	93
8.1.3	INTEGRATION OF EXISTING LAND USE	95
8.2	FLEXIBLE, INTEGRATED AND HOLISTIC LAND USE PLANNING	96
8.3	PROPOSED LAND USE	97
8.3.1	ALLOCATION OF LAND USES	97
9.	PHYSICAL INFRASTRUCTURE	103
9.1	GENERAL	103
9.2	WATER SUPPLY	103
9.2.1	ADOPTED NORMS AND STANDARDS	104
9.2.1.1	NORMS FOR DOMESTIC WATER DEMAND	104
9.2.1.2	NORMS FOR EMPLOYMENT POPULATION	105
9.2.1.3	HORTICULTURE WATER DEMAND	105



9.2.1.4	FIRE-FIGHTING DEMAND	105
9.2.1.5	RECYCLING AND REUSE OF WATER	105
9.2.2	GROSS WATER DEMAND	105
9.2.3	AVAILABLE SOURCES OF WATER	107
9.2.4	PROPOSED WATER SUPPLY SYSTEM	107
9.2.5	BLOCK COST ESTIMATE	113
9.3	SEWERAGE COLLECTION, TREATMENT AND RECYCLING SYSTEM	114
9.3.1	ESTIMATION OF SEWAGE GENERATION	114
9.3.2	SEWAGE COLLECTION SYSTEM	116
9.3.3	SEWAGE TREATMENT AND TERTIARY TREATMENT PLANT	117
9.3.4	REUSE OF TERTIARY TREATED WATER	117
9.3.5	BLOCK COST ESTIMATE	118
9.4	RIVERS, STORM WATER DRAINAGE AND FLOOD CONTROL	120
9.5	SOLID WASTE MANAGEMENT	121
9.5.1	COMPOSITION OF WASTE	121
9.5.2	SOURCES AND TYPES OF SOLID WASTE GENERATION	121
9.5.3	ESTIMATION OF SOLID WASTE GENERATION	121
9.5.4	STAGES OF WASTE MANAGEMENT	122
9.5.4.1	WASTE COLLECTION	122
9.5.4.2	SEGREGATION OF WASTE AT SOURCE	123
9.5.4.3	TRANSPORTATION	124
9.5.4.4	TREATMENT AND DISPOSAL	124
9.5.4.5	LAND REQUIRED FOR DISPOSAL SITE	125
9.5.5	BLOCK COST ESTIMATE	126
9.5.6	METHODOLOGY FOR IDENTIFICATION OF LANDFILL SITES	126
9.5.6.1	BIOMEDICAL WASTE	129
9.5.6.2	HAZARDOUS WASTE	129
9.6	POWER SUPPLY REQUIREMENT	130
9.6.1	DEMAND ESTIMATION	130



9.6.2	POWER DISTRIBUTION	131
9.6.3	BLOCK COST ESTIMATE	131
10	LAND DEVELOPMENT MODEL – NAINA SCHEME	132
10.1	APPROACHES FOR PLANNED DEVELOPMENT	132
10.1.1	SUMMARY	133
10.2	EXISTING REAL ESTATE SCENARIO	133
10.3	PROPOSED LAND DEVELOPMENT MODEL FOR DEVELOPMENT PLAN	134
10.3.1	PROVISION OF LOCAL INFRASTRUCTURE	135
10.3.2	DEVELOPMENT GUIDELINES FOR GROWTH CENTRE LANDS	135
11.	SALIENT FEATURES OF DEVELOPMENT CONTROL AND PROMOTI	ION
REGU	ULATIONS	136
11.1	OPTIONS FOR DEVELOPMENT	136
11.1.1	DEVELOPMENT IN GAOTHANS	136
11.1.2	URBAN VILLAGES	136
11.1.3	NAINA-SCHEME	137
11.1.4	NON-NAINA DEVELOPMENT	138
11.2	FEES, CHARGES AND PREMIUMS	138
11.3	TRANSFERABLE DEVELOPMENT RIGHTS	139
11.4	OTHER SALIENT FEATURES	139
12.	ENVIRONMENT SUSTAINABILITY AND TOURISM	140
12.1	EXISTING LAND USE	140
12.2	PROPOSED ZONING	140
12.3	PROVISIONS OF ENVIRONMENTAL SUSTAINABILITY IN DCPRS	141
12.4	INFRASTRUCTURE DEVELOPMENT	141
12.5	TOURISM	142
12.5.1	ECOTOURISM	142
12.5.2	ADVENTURE TOURISM	143
12.5.3	RURAL/FOLK TOURISM	144
12.5.4	FILM CITY	144
12.5.5	HEALTH AND WELLNESS	144
12.5.6	ECO-PARK	144
13.	BLOCK ESTIMATES & FINANCING DEVELOPMENT	146
13 1	INTRODUCTION	146



13.1.1	COST OF DEVELOPMENT	.146
13.2	REVENUE SOURCES	.147
13.2.1	REVENUE FROM DEVELOPMENT CHARGE	.147
13.2.2	REVENUE FROM OTHER SOURCES	.148
13.2.3	SALE OF LAND IN GROWTH CENTRES	.148
13.2.4	REVENUE FROM SALE OF SOCIAL PLOT	.148
13.2.5	FSI LINKED PREMIUM (FLP)	.148
13.3	IMPLEMENTATION STRATEGY	
13.3.1	INFRASTRUCTURE BY CIDCO	.148
13.3.2	INFRASTRUCTURE BY OTHER GOVERNMENT AGENCIES	.148
13.4	DYNAMICS OF REVENUE	.149

List of Annexures

ANNEXURE 1-1 NAINA ENGLISH GAZETTE NOTIFICATION	150
ANNEXURE 1-2 MIDC 9 VILLAGES NOTIFICATION	157
ANNEXURE 1-3 MSRDC SPA NOTIFICATION	208
ANNEXURE 1-4 MSRDC NOTIFICATION REVISED	213
ANNEXURE 1-5: LIST OF VILLAGES IN NAINA DP	217
ANNEXURE 2 -1: TOPOGRAPHY OF NAINA	222
ANNEXURE 2 -2: VILLAGE POPULATION IN NAINA	223
ANNEXURE 2 -3: EXISTING ROAD NETWORK IN NAINA	224
ANNEXURE 2 -4: QUESTIONNAIRE FOR SOCIO-ECONOMIC SURVEY	225
ANNEXURE 3-1: LEGEND FOR EXISTING LAND USE	230
ANNEXURE 6-1: RANGE OF NORMS & STANDARDS, AND ADOPTED STANDARDS	231
ANNEXURE 6-2: VILLAGE WISE RESERVATION LIST	232
ANNEXURE 13-1: BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS	261



List of Tables

TABLE 1-1: PROCEDURE FOR PREPARATION OF DEVELOPMENT PLAN AS PER MR&TP ACT 1966	4
TABLE 2-1: MAJOR ROAD NETWORK DETAILS IN NAINA (EXCLUDING IDP)	14
TABLE 2-2: EDUCATIONAL FACILITIES AVAILABLE NAINA	24
TABLE 2-3: HEALTH FACILITIES IN NAINA	25
TABLE 2-4: DRINKING WATER SOURCE	28
TABLE 2-5: HOUSING TYPE	30
TABLE 2-6: HOUSE OWNERSHIP	31
TABLE 2-7: TYPE OF HOUSE CONSTRUCTION	31
TABLE 2-8: TALUKAWISE NUMBER OF ROOMS	32
TABLE 2-9: DURATION OF STAY IN HOUSE	32
TABLE 2-10: AVAILABILITY OF TOILET FACILITY	33
TABLE 2-11: WATER SOURCE FOR DOMESTIC CONSUMPTION	33
TABLE 2-12: AVAILABILITY OF ELECTRICITY CONNECTION	34
TABLE 2-13: HOUSEHOLD INCOME	34
TABLE 2-14: EXPENDITURE PATTERN OF HOUSEHOLDS	36
TABLE 2-15: NUMBER OF EARNERS IN HOUSEHOLD	36
TABLE 2-16: PREDOMINANT COOKING FUEL	37
TABLE 2-17: VEHICLE OWNERSHIP	37
TABLE 2-18: AVAILABILITY OF PARKING	38
TABLE 2-19: ASSET OWNERSHIP	39
TABLE 2-20: CASTE IN NAINA	39
TABLE 2-21: RELIGION IN NAINA	40
TABLE 3-1: VERIFICATION OF COORDINATE SYSTEM ADOPTED BY SURVEY AGENCIES	43
TABLE 3-2: EXISTING LAND USE IN DP AREA	52
TABLE 3-3: VILLAGES AND REFERENCE POINTS	56
TABLE 3-4: SUMMARY OF DEVELOPABLE AREA	56
TABLE 5-1: URBAN POPULATION WITHIN MMR AND MAHARASHTRA	64



TABLE 5-2: SHARE AND SHIFT IN URBAN POPULATION OF MMR IN MAHARASHTRA FROM 1971 TO 2011	65
TABLE 5-3: POPULATION PROJECTION (MAHARASHTRA TOTAL) POP IN LACS	66
TABLE 5-4: POPULATION PROJECTION OF NAINA THROUGH SHIFT AND SHARE METHOD	68
TABLE 5-5: POPULATION PROJECTION OF PARTS OF NAINA	70
TABLE 5-6: DENSITY IN DP AREA	70
TABLE 6-1: STANDARDS ADOPTED FOR PROVISION OF PUBLIC FACILITIES IN NAINA	72
TABLE 6-2: GROUP-WISE AMENITIES & UTILITIES SHOWN IN BALANCE PHASE-I OF DP AREA	73
TABLE 6-3: ABBREVIATIONS, COLOR CODING AND DIVISION OF SOCIAL AMENITIES ACROSS CITY/ PERIPHERAL/	
TABLE 6-4: STANDARDS CONSIDERED FOR PROVISION OF FACILITIES IN BALANCE PHASE-I	75
TABLE 6-5: ESTIMATED DEMAND AND AREA REQUIREMENT OF EDUCATIONAL FACILITIES, 2034	76
TABLE 6-6: ESTIMATED DEMAND AND AREA REQUIREMENT OF HEALTH FACILITIES, 2034	77
TABLE 6-7: ESTIMATED DEMAND AND AREA REQUIREMENT OF SOCIAL AND CULTURAL FACILITIES AND MARKE	
TABLE 6-8: ESTIMATED DEMAND AND AREA REQUIREMENT OF PUBLIC UTILITIES, 2034	78
TABLE 6-9: ESTIMATED DEMAND AND AREA REQUIREMENT OF PARKS AND PLAY GROUNDS, 2034	78
TABLE 7-1: NMT COVERAGE	84
TABLE 7-2: LENGTH OF PROPOSED ROADS WITH ROW IN BALANCE PHASE-I AND PHASE-II OF DP AREA	87
TABLE 7-3: DETAILS OF RESERVATIONS FOR DEPOTS FOR METRO/ BRTS/ BUS AND AREAS IDENTIFIED FOR INT	
TABLE 7-4: TYPE OF INTERSECTIONS AND JUNCTIONS PROVIDED	88
TABLE 8-1: AREA STATEMENT FOR PROPOSED LAND USE IN DP AREA	.100
TABLE 9-1: ESTIMATED POPULATION FOR VARIOUS PHASES IN NAINA	.103
TABLE 9-2: NORMS FOR DOMESTIC WATER DEMAND AS PER CPHEEO MANUAL	.104
TABLE 9-3: WATER DEMAND FOR BALANCE PHASE-1	.106
TABLE 9-4: CLUSTER WISE WATER DEMAND FOR PLAN HORIZON YEAR	.106
TABLE 9-5: WATER DEMAND FOR THE PROPOSED PROJECTS	.107
TABLE 9-6: DETAILS ABOUT GRAVITY FEEDER FOR BALANCE PHASE-1 (AROUND IDP & KSC)	.109
TABLE 9-7: ZONAL DEMAND & CAPACITY OF SERVICE RESERVOIRS	.110
TARLE 9-8: DETAILS OF PLIMPING MACHINERY	110



TABLE 9-9: ZONE WISE LENGTH OF DISTRIBUTION PIPE LINE PROPOSED	112
TABLE 9-10: ABSTRACT OF BLOCK COST ESTIMATE WATER SUPPLY INCLUDING COST OF SOURCE DEVELOPME	NT
	113
TABLE 9-11: ZONE WISE CAPACITY OF PROPOSED STPS AND TTPS	114
TABLE 9-12: SIZE OF PIPES IN PROPOSED COLLECTION SYSTEM	117
TABLE 9-13: ABSTRACT OF BLOCK COST ESTIMATE FOR SEWERAGE SYSTEM, TREATMENT & RECYCLING	118
TABLE 9-14: COMPOSITION OF SOLID WASTE	121
TABLE 9-15: PROJECTED QUANTITY OF SOLID WASTE GENERATION	122
TABLE 9-16: NORMS FOR STREET SWEEPING	123
TABLE 9-17: SUMMARY OF LAND REQUIRED FOR DISPOSAL SITE	125
TABLE 9-18: CALCULATION OF LAND REQUIRED FOR COMPOSTING	126
TABLE 9-19: BLOCK COST ESTIMATE FOR SOLID WASTE MANAGEMENT	126
TABLE 9-20: AREA STATEMENT OF PROPOSED LANDFILL SITES	127
TABLE 9-21: ESTIMATION OF BIO-MEDICAL WASTE GENERATION	129
TABLE 9-22: ESTIMATION OF POWER REQUIREMENT	130
TABLE 9-23: BLOCK COST ESTIMATE OF POWER SUPPLY	131
TABLE 11-1: FSI INCENTIVES IN NAINA SCHEME	137
TABLE 13-1: COST OF DEVELOPMENT	147
TABLE 13-2: SLIMMARY OF REVENUE AND COST (NET PRESENT VALUE)	149



List of Figures

FIGURE 1-1: LOCATION OF NAINA IN MMR	1
FIGURE 1-2: MIDC AND MSRDC AREA AS PER NOTIFICATIONS	2
FIGURE 1-3: FINAL MSRDC AREA AS PER AMENDED NOTIFICATION	3
FIGURE 2-1: GEOGRAPHICAL LIMITS OF NAINA	6
FIGURE 2-2: REGIONAL LOCATION OF NAINA	7
FIGURE 2-3: POPULATION AND ANNUAL AVERAGE GROWTH RATE OF POPULATION IN NAINA	9
FIGURE 2-4: SEX RATIO	10
FIGURE 2-5 SC AND ST POPULATION	10
FIGURE 2-6: LITERACY RATE IN NAINA	11
FIGURE 2-7: PEOPLE ENGAGED IN AGRICULTURE AND ALLIED ACTIVITIES	11
FIGURE 2-8: SMALL SCALE AND AGRO INDUSTRIES IN PEN TALUKA, NAINA	12
FIGURE 2-9: INDUSTRIES/WAREHOUSING ALONG NH -17	12
FIGURE 2-10: WORKFORCE PARTICIPATION IN NAINA	13
FIGURE 2-11: EXISTING ROAD CONDITION IN NAINA	14
FIGURE 2-12: EXISTING ROAD NETWORK IN NAINA	15
FIGURE 2-13: EXISTING RAILWAY NETWORK WITHIN DP AREA	17
FIGURE 2-14: PROPOSED REGIONAL NETWORK IN NAINA	20
FIGURE 2-15: EXISTING CONDITION OF VILLAGE ROADS IN NAINA	21
FIGURE 2-16: EXISTING CONDITION OF VILLAGE ROADS IN THE INTERIORS	21
FIGURE 2-17: BUS TRANSPORT IN NAINA	22
FIGURE 2-18: OTHER MEANS OF TRANSPORT	22
FIGURE 2-19: PARKING FACILITIES	23
FIGURE 2-20: SCHOOLS IN VILLAGES	24
FIGURE 2-21: HEALTH FACILITIES IN VILLAGES	25
FIGURE 2-22: COMMERCIAL FACILITIES IN VILLAGES	26
FIGURE 2-23: SOCIO-CULTURAL FACILITIES IN VILLAGES	27
FIGURE 2-24: STATUS OF RECREATIONAL FACILITIES	27



FIGURE 2-25: A WOMAN OF BORZE VILLAGE SHOWS HER ELECTROMAGNETIC 'ATW' CARD	28
FIGURE 2-26: UNORGANIZED SOLID WASTE DUMPING	29
FIGURE 3-1: METHODOLOGY OF TOPOGRAPHIC AND EXISTING LAND USE SURVEY FOR NAINA	42
FIGURE 3-2: MAP SHOWING DIGITIZED FEATURES ON SATELLITE IMAGERY	45
FIGURE 3-3: AREA UNDER SURVEY AGENCIES AND GRID STRUCTURE FOR NAINA	47
FIGURE 3-4: EXISTING LAND USE DISTRIBUTION IN DP AREA	53
FIGURE 3-5: EXISTING LAND USE DISTRIBUTION IN DP AREA, 2014-15	54
FIGURE 3-6: REFERENCE POINTS ON OUTER BOUNDARY OF WESTERN GHAT ESZ	55
FIGURE 3-7: LANDS AVAILABLE FOR DEVELOPMENT IN DP AREA	57
FIGURE 4-1: DEVELOPMENT STRATEGY FOR NAINA	59
FIGURE 4-2: PHASING OF NAINA	59
FIGURE 4-3: TRANSPORT ORIENTED DEVELOPMENT IN NAINA	61
FIGURE 4-4: EVOLVING BALANCE BETWEEN NATURE AND SMART URBAN DEVELOPMENT	62
FIGURE 5-1: MAP SHOWING PHASING OF NAINA	69
FIGURE 7-1: REGIONAL CONNECTIVITY IN DP AREA	80
FIGURE 7-2: METRO AND SUBURBAN RAIL NETWORK IN DP AREA	82
FIGURE 7-3: NMT COVERAGE WITHIN DP AREA	84
FIGURE 7-4: PROPOSED HIERARCHICAL ROAD NETWORK IN DP	89
FIGURE 7-5: PROPOSED ROAD AND TRANSIT NETWORK IN DP	90
FIGURE 7-6: IDENTIFIED AREAS FOR DEPOTS FOR METRO/ BRTS/ BUS AND AREAS IDENTIFIED FOR INTER-CITERMINALS AND TRUCK TERMINALS	
FIGURE 7-7: TYPICAL CROSS SECTIONS FOR MAJOR ROADS PROPOSED IN DP	92
FIGURE 8-1: CONCEPTUAL DEVELOPMENT STRUCTURE	94
FIGURE 8-2: PROPOSED LAND USE DISTRIBUTION IN DP	101
FIGURE 8-3: PROPOSED LANDUSE IN DEVELOPMENT PLAN AREA	102
FIGURE 9-1: MAP SHOWING BALGANGA WS PROJECT WITH AND PROPOSED TAPPING FROM VAHAL MBR AI	
FIGURE 9-2: PROPOSED NETWORK OF CLEAR WATER RISING MAINS	111
FIGURE 9-3: PROPOSED SEWERAGE / INDUSTRIAL EFFLUENT ZONES WITH LOCATION OF ETP /STPS	115



FIGURE 9-4: PUSHCART WITH CONTAINERS	123
FIGURE 9-5: TYPES OF VEHICLES FOR SOLID WASTE TRANSPORTATION	124
FIGURE 9-6: MAP SHOWING ALL MANDATORY BUFFERS FOR IDENTIFYING LAND FILL SITE	128
FIGURE 12-1: KESZ BIRD SANCTUARY	142
FIGURE 12-2: MANGROVES AT DADAR	143
FIGURE 12-3: TREK TO MATHERAN	143
FIGURE 12-4: IDOL MAKING IN PEN AREA	144
FIGURE 12-5: AYURVEDIC VII LAGE AND STUDENTS EXPLORING PLANTS AT SMART ECO-PARK	145



List of Abbreviations

AMC Ambarnath Municipal Council

AKBSNA Ambarnath, Kulgaon-Badlapur Surrounding Notified Area

CBD Central Business District

CIDCO City and Industrial Development Corporation of Maharashtra Ltd

CR Central Railway

CRZ Coastal Regulation Zone

CSIA Chhatrapati Shivaji International Airport

CTS Comprehensive Transport Study (known as TransForm)

DCR Development Control Regulations

DEA Department of Economic Affairs

DFC Dedicated Freight Corridor

DMICD C Delhi Mumbai Industrial Corridor Development Corporation

DMRC Delhi Metro Rail Corporation

DP Development Plan

DPR Detailed Project Report

ELU Existing Land Use

EIA Environmental Impact Assessment

ES Environmental Status

FOB Foot Over Bridge

FSI Floor Space Index

FY Financial Year

GA Growth Area

GIS Geographical Information Systems

Gol Government of India

GoM Government of Maharashtra

GPS Global Positioning System

HA Hectare

JNPT Jawaharlal Nehru Port Trust

KMCL Karjat Municipal Council

KDMC Kalyan Dombivli Municipal Corporation

KHMCL Khopoli Municipal Council



KNTNA Khopta New Town Notified Area

LDZ Limited Development Zone

MMC Multi-Modal Corridor

MMCL Matheran Municipal Council

MCGM Municipal Corporation of Greater Mumbai

MIDC Maharashtra Industrial Development Corporation

MESZ Matheran Eco-Sensitive Zone

MISEZ Mumbai Integrated Special Economic Zone

MJP Maharashtra Jeevan Pradhikaran

MJPRCL Mumbai-JNPT Port Road Company Limited

Mld Million Litres/day

MMB Maharashtra Maritime BoardMMR Mumbai Metropolitan Region

MMRDA Mumbai Metropolitan Regional Development Authority

MoEF Ministry of Environment & Forest

MPC Metropolitan Planning Committee

MR&TP

Maharashtra Regional and Town Planning Act, 1966

Act

MSEDCo Maharashtra State Electricity Distribution Company Ltd

MSRDC Maharashtra State Road Development Corporation Limited

MSRTC Maharashtra State Road Transport Corporation

MTHL Mumbai Trans Harbour Link

MWSSB Maharashtra Water Supply and Sewerage Board

MLRC Maharashtra Land Revenue Code

MRVC Mumbai Rail Vikas Corporation

MTHL Mumbai Trans Harbor Link

MUD Ministry of Urban Development

MUIP Mumbai Urban Infrastructure Project

MUTP Mumbai Urban Transport Project

NH National Highway

NMIA Navi Mumbai International Airport

NMMC Navi Mumbai Municipal Corporation

NMSEZ Navi Mumbai Special Economic Zone



NAINA Navi Mumbai Airport Influence Notified Area

NSDP Net State Domestic Product

NSSO National Sample Survey Organization

NTDA New Town Development Authority

NUTP National Urban Transport Policy

O&M Operations and Maintenance

OD Origin Destination

PLU Proposed Land Use

PPP Public Private Partnership

PAMCL Panvel Municipal Council

PMCL Pen Municipal Council

PU Phase/ Planning Unit

R&R Resettlement & Rehabilitation

RP Regional Plan

RTS Rapid Transit System

SEZ Special Economic Zone

SH State Highway

SPA Special Planning Authority

TBD Theme Based Development

TBR Theme Based Reservations

TMC Thane Municipal Corporation

TPS Town Planning Scheme

TPD Tonnes per day

TRB Transport Board

UMTA Unified Metropolitan Transportation Authority

ULB Urban Local Body

WFPR Work Force Participation Rate



1. INTRODUCTION

1.1 BACKGROUND

CIDCO is in the process of developing Navi Mumbai since 1970 as a counter-magnet to Mumbai. The existing airport at Mumbai, is fast reaching saturation and scope for further enhancement appeared very limited in terms of passenger and cargo handling facilities, aircraft maintenance and city side facilities. The air travel demand forecast indicated that demand will grow from 30 million passengers per annum in the year 2012-13 to over 100 million passengers per annum by the year 2030-31.

It was therefore imperative to build a second Airport in MMR. To meet the growing demands of air travel, following the policy of Greenfield airports, CIDCO initiated studies for locating the airport within Navi Mumbai and selected a location close to the mouth of Panvel Creek. The apprehension about the possibility of haphazard development around proposed airport, if sufficient care is not taken led to the declaration of area



Figure 1-1: Location of NAINA in MMR

around proposed airport as NAINA. Refer **Figure 1-1: Location of NAINA in MMR** for the location of proposed airport and NAINA in MMR



1.2 NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)

CIDCO successfully sought approvals for the proposed International Airport in Navi Mumbai from Government of Maharashtra, Ministry of Civil Aviation and Ministry of Environment, Forest & Climate Change (MoEFCC), Government of India. While granting the Environmental and Coastal Regulations Zone (CRZ) clearances to the proposed Greenfield airport on 22nd November, 2010, Ministry of Environment, Forest & Climate Change (MoEFCC), Government of India, expressed concern about unplanned and haphazard development within 20 km of the Airport. In pursuance of these concerns, Government of Maharashtra identified the area around the proposed airport that was not under any urban governance mechanism (i.e. urban local body (ULB)/ special planning authority/ new town development authority etc.) and notified it as "Navi Mumbai Airport Influence Notified Area (NAINA)" and appointed CIDCO as the Special Planning Authority (SPA) under Section 40(1) (b) of MR&TP Act, 1966 by Govt. Notification No. TPS-1712/475/CR-98/12/UD-12 dated 10th January, 2013. In this notification NAINA comprised total 270 revenue villages from Uran, Panvel, Karjat, Khalapur, and Pen Talukas of Raigad district and Thane Taluka of Thane district of Maharashtra. As per this notification NAINA is approximately 55792 Ha (558 km²). For details of notification refer Annexure 1-1. Subsequently due to Notification of Matheran Eco-sensitive zone, by Ministry of Environment and Forests dated 4th February 2003, two villages (Karambali Tarf Taloje and Sangatoli) which were part of NAINA were stood to be part of MESZ. Therefore the total numbers of villages in NAINA reduced to 268. Further, by Government of Maharashtra corrigendum notification dated 14th July 2015, Rode village was deleted and Nevali village was added in NAINA.

The process of preparation of Development Plan for NAINA was under progress and Existing Land Use map was prepared and submitted to Government of Maharashtra in November 2015. Meanwhile, Government of Maharashtra, vide its notification No. IDC. 2007/(718)/IND-14 dated 22nd September 2015, appointed **MIDC** (Maharashtra Industrial Development Corporation) as the Special Planning Authority (SPA) for eight villages in Khalapur Taluka. As per the said notification, three villages (namely Wangni, Kelavali and Kandroli Tarf Boreti) are fully under MIDC jurisdiction whereas five villages are partly in MIDC and NAINA. The fact that notification mentioned name of villages with series of survey numbers, it is assumed that the Gaothans engulfed within the list of survey numbers also fall under MIDC jurisdiction. Refer Figure 1-2: MIDC and MSRDC area as per **Notifications**




Figure 1-2: MIDC and MSRDC area as per Notifications

Later, Government of Maharashtra vide Notification no. TPS-1815/UOR/78/15/UD-13 dated 17th February 2016, appointed MSRDC as SPA for 84 villages (67 villages from Khalapur Tahsil and 17 villages from Panvel Tahsil). As per the notification MSRDC was SPA for the area between Mumbai-



Pune Expressway & Mumbai-Pune old Highway (NH4), and for the land within the two km south-west from Mumbai-Pune Expressway (excluding the area of Pune district and IDP in NAINA). The copy of MIDC and MSRDC notifications are given as **Annexure 1-2** and **Annexure 1-3** respectively. Refer **Figure 1-2**: **MIDC and MSRDC area as per Notifications**

Due to above mentioned notification, the 11 villages of NAINA which had signed MOU in 'Make in India' week on 17th February 2016, were separated from NAINA and became part of MSRDC area. Due to initiatives and steps already taken for development of Khalapur Smart City (KSC), on request of CIDCO, Government of Maharashtra decided to remove these 11 villages from MSRDC jurisdiction, and issued amended Notification No. TPS-1815/UOR/78/15/UD-13 on 18th March 2016. The revised list comprised of 71 villages. Out of theses 71 Villages, 41 villages are from NAINA. For notification refer **Annexure 1-4**. Refer **Figure 1-3: Final MSRDC area as per amended Notification**.

After considering the areas excluded for MSRDC, MIDC and MESZ, NAINA now comprises of 224 villages with an area of 47409.3 Ha (474 km²); the final list of 224 villages is given in **Annexure 1-5**.




Figure 1-3: Final MSRDC area as per amended Notification

1.3 NEED FOR DEVELOPMENT PLAN

Development Plan indicates the manner in which the use of land shall be regulated, and also indicate the manner in which the development of land shall be carried out. It defines the use of land in term of activities such as residential, commercial, industrial, agricultural, recreational, public utilities, physical and social infrastructure.

For SPA, it is mandatory to prepare Development Plan (DP) within 3 years from the date of its appointment under Section 21 of MR&TP Act, 1966. Given the extensive area of NAINA and the content and procedure of preparing Development Plan as laid down in the MR&TP Act, 1966 the preparation of full-fledged Development Plan requires considerable time.

In addition to above, CIDCO considered the following factors:

Existing Land Use: Preparing an existing landuse survey is the first mandatory step in formulating a Development Plan. Due to vast area considerable time is required to prepare Existing Land Use (ELU) map.

Testing of Innovative Land Development Model: An innovative concept that promotes voluntary land assembly, contributes land for public purposes, finances infrastructure development, has been developed by CIDCO for NAINA. However, this concept needs to be tested quickly in the real world, with regard to its applicability and acceptability by the landowners and developers in NAINA.



Development Pressure: At present in NAINA, development is guided by provisions of development control regulations of the MMR Regional Plan (RP), which permits limited development around Gaothans. However, due to its proximity to Panvel town, emerging major railway station and the proximity to proposed airport, area around Panvel is experiencing relatively accentuated activity. To manage such development pressures, provisions of MMR RP are not adequate and legal provisions by way of Development Plan (DP) and Development Control and Promotion Regulations (DCPR) are considered to be necessary.

Preparation of Interim Development Plan (IDP): Based on the above considerations, CIDCO decided to prepare an Interim Development Plan (IDP) on priority for an area under pressure of development as per the provisions of section 32 read with section 26 of the MR&TP Act, 1966.

Meanwhile Existing Land Use (ELU) survey was continued for the balance area. ELU was prepared and submitted to Government of Maharashtra in November 2015. Now the DP is prepared and the same is ready for inviting objection and suggestion and then it will be submitted to Government of Maharashtra for approval.

Accordingly, IDP was prepared for 23 villages of NAINA, as per all the procedure as laid down in MRTP Act and submitted to Government for sanction in September, 2015.

Now the DP is prepared for the remaining 201 villages following the procedure laid down in the MRTP Act. The objection and suggestion are invited on the same, after conducting the hearing by Planning Committee and incorporating the report of Planning Committee, the Development Plan will be submitted to Government of Maharashtra for approval.

The detailed timeline of Development Plan as per MRTP Act, 1966 is given in **Table 1-1**: **Procedure for preparation of Development Plan as per MR&TP Act 1966**

Table 1-1: Procedure for preparation of Development Plan as per MR&TP Act 1966

SN	MRTP Act	Description	Date
	Clause No		As per Act
1.	40 (1) (b)	Appointment of SPA for Notified Area	DOA
2.	21 (2)	Within 3 years from the date of appointment of SPA.	DOA + 3Y
3.		Declaration of Intention for preparation of Development Plan	
4.		Preparation of Development Plan	
5.		Submission of DP to Government for sanction	
6.	21 (3)	If required, seek Time Extension from Government	Extension Possible - NO LIMIT
7.	23 (1)	Date of Declaration of Intention for preparation of DP	DOI
8.		By board resolution	
9.		Before carrying out survey Send copy of resolution with DP boundary to State Govt.	
11.		Publish in Official Gazette and In Local newspaper (one or more)	
13.		Invite suggestion/ objection from public minimum for 60 days	DOI + 2 M
14.	23 (2)	Copy of Plan to be made available for public inspection	DOI
15.	24	Appointment of TPO,	DOI
16.		Resolve to appoint TPO by Board Resolution along with declaration of intention for preparation of DP	
17.		Appoint TPO with prior approval of Government	



MRTP Act		Deceriation	Date			
SN	Clause No	Clause No Description				
18.	25	Carry out survey and Prepare Existing Land Use (ELU)	DOI +6 M			
19.		Within six months from the date of declaration of intention				
20.		If required, extension upto 12 months from Govt. DOI+6				
21.	26 (1)	Prepare & Publish Draft DP	DOP			
22.		DP to be prepared within 2 yrs from declaration of Intention u/s 23(1)				
23.		Subject to provisions of Section 21 and				
24.		Publish a notice in official gazette stating where plan would be available for inspection				
25.		Make plan available for inspection by public				
26.		Copy of plan, Report extracts and DCR to be available on sale				
27.		Invite suggestion/ objection from public minimum for 30 days	DOP + 1 M			
28.		If required, extension be taken from Government (6 M maximum)	DOI+2Y+6 M			
29.	26 (2)	Publication of Draft Development Plan Notice with following:				
30.		Copies available on sale				
31.		Report on ELU and the Survey				
32.		Maps, charts and Report explaining the provisions of DP				
33.		Map showing Planning Unit/sector unalterable till revision of DP				
34.		Report on stages of Development				
35.		Approximate cost of land acquisition and cost of Works.				
36.	28(1)	Consideration of suggestion objection received by SPA within time limit	DOP + 6 M			
37.		Receiving of Suggestion/ Objection	DOP + 1 M			
38.	28(2)	SPA to constitute Planning Committee (PC)				
39.		SPA to Forward Suggestion/ Objection to PC				
40.	28(3)	PC to give hearing & prepare Report and submit to SPA within 2 M				
41.		SPA to incorporate PC Report within 2 M from date of its receipt				
42.		SPA to Publish Modified Draft DP and Submit to Govt. for approval DOP + 6 M				
43.	30(1)	Submission of Draft DP to Govt for approval within 6 M from DOP	DOP + 6 M			
44.		submission can be extended maximum by 6M	DOP+6M+ 6M			
DOA	DOA - Date of Appointment of SPA					
DOI - Date of Declaration of Intention for preparation of Development Plan U/S 23(1)						
DOP - Date of publication of Draft Development Plan U/S 26 (1)						
NS - N	lot Specified					
6 M	implies 1	83 days				



2. EXISTING PROFILE

The chapter presents the existing profile of the project area. It describes its location, regional context and provides details of physiography such as topography, soil conditions, climate, geomorphology and current demographic characteristics. The chapter presents availability of social infrastructure such as education, health, socio-cultural facilities in NAINA etc. Besides, status of existing physical infrastructure has been assessed such as water supply, sewerage, storm water drainage, solid waste management etc. An overview of the key economic activities is also given. The chapter also presents the summary on the socio-economic profile.

Furthermore, existing connectivity of NAINA with MMR has also been presented. Navi Mumbai is one of the vibrant sub-regions in MMR in terms of population and employment growth. MMRDA,

CIDCO, MSRDC, etc. have planned number of transportation projects to provide the regional connectivity to Navi Mumbai which is between NAINA and Mumbai. Some of the major projects planned through various past studies which are relevant for the area are also discussed.

2.1 LOCATION

As mentioned in Chapter-1, NAINA comprises 224 villages and admeasures 474 Km². In terms of geographical location, NAINA stretches from 72°58' East to 73°20' East (longitude) and 18°41' North to 19°09' North (latitude). The villages are from Thane Taluka of Thane district and Karjat, Khalapur, Panvel, Pen, and Uran Talukas of Raigad district. Location of NAINA is shown in Figure 2-1: Geographical Limits of NAINA




Figure 2-1: Geographical Limits of NAINA



2.2 REGIONAL SETTING

NAINA shares its boundary with Thane Municipal Corporation (TMC) and Ambernath Kulgaon Badlapur Special Notified Area (AKBSNA) in north, Matheran Ecosensitive Zone on east, Khopoli and Kajat Municipal Council, area under MSRDC as SPA, Pen Municipal Council on south and Dharmtar creek, Khopta New Town, Navi Mumbai (CIDCO) and Navi Mumbai Municipal Corporation on west. In terms of geography, NAINA extends from Goteghar, Nitalas, Wangani Tarf Taloje and Maldunge villages in the North to Shirki Chawl, Wave, and Dhawate in the south west side and Shengaon, Mahad and Nimbode to the south-east. The eastwest spread is about 30 km from Dighode to Varne. The region is a mix of flat and hilly areas with Kalundre, Kirki, Gadhi, Kalun, and Patal Ganga rivers passing through and other




Figure 2-2: Regional location of NAINA

natural water bodies existing within the project area. Refer Figure 2-2: Regional location of NAINA

2.2.1 TOPOGRAPHY

NAINA is situated on Western Ghats, a mountain range that runs parallel to the western coast of the Indian peninsula. The location therefore offers number of hills and undulating geography within the project area. The prominent ones are - along Nitalas and Chorambhe; south of Pale Budruk, Valap, Hedutane and Kanpoli; around Chirvat, Chinchavan, Mosare and Patnoli; Karnala fort and hill, Shirdhon and Akulwadi to the west of Project area; around Talegaon and all along eastern side of NAINA along Matheran Eco-Sensitive Zone. In the south east part hills are along Palasdhari, Talavali in Karjat Taluka and Kalote Mokashi, Vavandhal, Vinegaon, Gohdivali etc in Khalapur Taluka. The highest elevation in NAINA is in Palasdhari Village in the southeast part which is around 480 m above MSL. Refer Annexure 2-1 for Topography of NAINA

2.2.2 SOIL CONDITIONS

Soils in DP area are formed from the Deccan trap. Depending on the topographical location, various types of soils are grouped as khar or salt, coastal alluvial and lateritic soils. The soil quality here is favourable for the yield of valuable forest products such as teak-wood, Hirda (Myrobalan), Beheda, etc. However, these soils are heavily eroded due to grazing and cutting of the forest trees.

Major part of NAINA is covered by the rice fields, which are loamy in texture; yellowish or reddish-grey in colour, neutral in reaction and almost devoid of lime. They are formed from the



trap rock from Sahayadri ranges under heavy rainfall and humid climatic conditions. The sub-soil water level is around 3 to 5 m deep. The salt contents of the well water are high due to the proximity of the sea; but due to excellent drainage, its use has not produced any deleterious effects.

2.2.3 GEOMORPHOLOGY

Raigad region has predominantly dark volcanic lava flows and laterites. These are spread out in the form of horizontal sheets or beds and constitute the innumerable spurs, hills and hill ranges; bold, flat topped ridges; lofty peaks and plateaus with impressive cliffs. These hill ranges and plateaus form a part of the Western Ghats. In the plains and valleys the lava flows occur below a thin blanket of soil of variable thickness. Because of their dominantly basaltic composition and the tendency to form flat-topped plateau, the lava are termed plateau basalts. Since these basaltic lava flows cover an extensive region in the Deccan and frequently present step-like appearance to the hills and ridges they are commonly termed as "Deccan traps". The traps attain a thickness of nearly 750 to 850 m around Matheran and Raigad plateaus, respectively. In Thane Taluka as well Basalt flows, result in the predominant formation. It is capped by laterite on a few high plateaus.

2.2.4 CLIMATE

The general climatic regime is fairly equitable since seasonal fluctuations of temperature are not significantly large. The moderating effects of the nearby sea and fairly high amount of relative humidity in the atmosphere have restricted the variability. According to Department of Agriculture, Government of Maharashtra, the state is divided into 9 agro-climatic zones. Thane and Raigad Districts form part of the North Konkan agro-climatic zone with following climatic conditions:

Temperature: Average daily temperature varies from 22°C to 30°C. Minimum temperature varies from 17°C to 27°C. Humidity is 98% in rainy season and 60% in winter.

Rainfall: Majority of the rainfall in the region is from the South–West monsoon between June and September. The average annual rainfall is 2607 mm. Maximum rainfall is received in the month of July.



2.3 DEMOGRAPHIC PROFILE

The demographic profile covers both quantitative and qualitative aspects of human population. Quantitative aspects include composition, density, growth, and qualitative aspects include sociological factors such as education, religion and health.

The demographic profile of any area is the socio-economic characteristics of that area expressed in terms of various factors such as population, age, gender, income levels, sex ratio, literacy rate, employment, religion, caste etc. Only the key aspects are discussed below for which information from the census is available. The planning consultants also carried out a socio-economic survey for about 6613 households. This covered various aspects such as income level, vehicle ownership, type of housing, travel pattern etc. Demographic profile given in the chapter is for entire NAINA i.e. for all 224 villages of NAINA.

2.3.1 POPULATION AND IT'S GROWTH

As per 2011 census, NAINA has a population of 2.8 lakhs with an annual average growth rate (AAGR) of 3.33% for the decade 2001-2011. This AAGR has increased from that of 2.0% in 1991-2001. The population growth as shown in **Figure 2-3** has increased rapidly in previous decades probably due to urban influence.




Figure 2-3: Population and Annual Average Growth Rate of Population in NAINA

2.3.2 POPULATION DENSITY

Population distribution within the area varies significantly due to geographical context and provision of infrastructure. The gross density of the NAINA is around 5.8 persons per hectare. Though there are no urban areas within NAINA, there are 2 Census Towns (CT) as per 2011 census, namely Pali Devad (Panvel Taluka, situated in IDP), and Dadar (Pen Taluka). The villages such as Kalave and Shilottar Raichur (in IDP area) are densely populated with population density of 188 and 112 Persons per Hectare (PPH) respectively. Due to fact that IDP is well connected and is relatively in close proximity to Navi Mumbai, the density in general is high in and around IDP area. Village wise Population Density Map is given in **Annexure 2-2.**



2.3.3 SEX RATIO

The average sex ratio of the NAINA is 919 (number of female population per 1000 male population). This is lower than the National average of 933, state average of 929 as well as the Raigad district average of 959. The sex ratio in NAINA ranges from 560 of Dolavali village to 1221 of Kanhoba village. There are 51 villages with sex ratio of 1000 or more and 158 villages with sex ratio less than 1000, excluding 15 uninhabited villages. The sex ratio in




Figure 2-4: Sex Ratio

Kanhoba, Shiravali tarf boreti, Wangani tarf taloje, Mohope, Shitole and Pohi villages is remarkably high i.e 1221, 1148, 1124, 1121, 1120 and 1105 respectively.

2.3.4 SC & ST POPULATION

The share of Scheduled Castes (SCs) Scheduled Tribes (STs) population account for 4.15% and 14.54% respectively. Amongst all villages, Pali Devad in Panvel Taluka has the highest share of SC population 1142 persons (12 % of that village's population), followed by Vichumbe with 1012 persons (16 % of that village's population).




Figure 2-5 SC and ST Population

There are about 93 villages without any SC population.

Amongst STs, Dhodani village in Panvel Taluka has the highest share 1644 persons (99 % of village's population) followed by Waredi in Pen Taluka with 1335 persons (64 % of that village's population). Further there are 57 villages with no ST population.



2.3.5 LITERACY RATE

NAINA has an average literacy rate of 68.7 %, which is less than the State and higher than National average literacy rates of 72% and 64.8% respectively as per 2011census. Among all villages, Pohi in Uran Taluka has highest literacy rate of 95% followed by Odhangi in Pen Taluka at 92.3%. The villages with lowest literacy rates are Pali Budruk in Panvel Taluka at 24.77% and Wangni in Khalapur Taluka at 25.75%.




Figure 2-6: Literacy Rate in NAINA

2.3.6 ECONOMIC BASE

The villages located near Panvel area and along NH-17 and NH-4, have some service and manufacturing industries. This section presents brief information on major economic activities, occupational structure, workforce participation rate and employment pattern of villages in NAINA as observed during site visits and also as per census 2011.





Figure 2-7: People engaged in agriculture and allied activities

2.3.7 MAJOR ECONOMIC ACTIVITES

Jawaharlal Nehru Port Trust, the highest container handling port of India, is in proximity of the NAINA, This port and the major transportation networks (NH-17, NH-04, MPE, Diva-Panvel rail line, Panvel – Karjat rail link and Panvel – Goa rail link etc.) passing through NAINA have created opportunities for development of non-agricultural economic activities. The major non-agricultural economic activities in the area are logistic hubs, warehousing, industries, service industries and commercial activities such as hotels, restaurants and resorts.

Restaurants, hotels, banks, brick kilns have developed on either side of the Panvel-Matheran road near Palidevad and Shilottar Raichur villages. A number of resorts have developed along the NH-17 near the Karnala Wildlife Sanctuary, along NH-4 (for example Ayush Resort at Bhingarwadi) and few hotels and lodges near Wadkhal in Pen Taluka and Mahad in Khalapur Taluka.



Part of Rasayani, Rees and Lodhivali were important industrial area within NAINA, but now it is under MSRDC jurisdiction. Only part of Rasayani is in NAINA. Rasayani has two major industries namely Hindustan Organic Chemicals (HOCL) and Hindustan Insecticides Limited (HIL). These are Government of India Undertaking. HOCL has closed down and HIL is still functional. The villages of Washi, Shinganvat, Masad Budruk of Pen Taluka, have salt pans. However as informed by the locals, salt yield has reduced drastically in the recent years.

Pen Taluka is famous for household and agro industries such as, rice mills, poha and papad making. Pen Taluka is also famous for Ganpati Idol making. The main market for Ganesh Idol is Mumbai and surrounding. The villages of Hamrapur, Tambadshet, Dhondepada, Johe etc have large number of idol making workshops.

Khopoli and Pen Municipal Councils do not form part of NAINA however they are located adjoining NAINA. Khopoli has a few medium and large manufacturing industries such as Enpac India Pvt. Ltd., Hercules Hoists Ltd., Innovassynth Technologies, Kamani Oil Industries, Tata Hydro Power Station, Zenith Steel Industries Limited, Wartsila, Alta Labs etc.





Ganpati Idol Making, Hamrapur Village

Rice mill at Mothe Bhal

Figure 2-8: Small scale and agro industries in Pen Taluka, NAINA

Taloja Industrial Estate is adjoining to the northern part of NAINA. Due to its influence, some industries have come up in the vicinity of this industrial estate. Adjoining to NAINA boundary in Pen Taluka, JSW steel plant is located in Dolvi village. The jetty being used by JSW steel plant is situated in Wave village within NAINA. The areas close to JNPT have warehousing and logistics use. Most of the container yards are located along the NH-17 around villages such as Palaspe, Shirdhon etc.



Figure 2-9: Industries/Warehousing along NH -17



The above described activities provide economic base and employment for the villages in NAINA.

2.3.8 OCUPATIONAL STRUCTURE AND WPR

The Workforce Participation Rate (WPR) in NAINA is nearly 41% with a total of 1,13,648 workers as per 2011 census.

Masad Khurd and Masad Beli villages in Pen Taluka have the highest WPR at 79% and 75% respectively. Lowest WPR is seen in Borgaon Bk and Wajapur villages in Khalapur and Panvel Taluka with 26% and 27% respectively as per 2011 census.




Figure 2-10: Workforce participation in NAINA

Among the total workers, 76% are main workers and remaining 24% are marginal workers.

2.3.9 EMPLOYMENT PATTERN

Of the total workers of 1,13,648 in NAINA, 17 % of workers are engaged in cultivation, 9 % of workers are agricultural labourers, 2.6 % are household workers and 48 % are others. The 2011 census has detailed classification of workers into agriculture (including hunting and forestry), fishing, mining & quarrying, manufacturing & repairs, wholesale & retail trade, etc numbering up to 17 categories.

2.4 EXISTING TRANSPORTATION NETWORK

2.4.1 REGIONAL ROAD NETWORK

The area is well connected by inter-city roads (NHs, SHs, MDRs/ ODRs) with various Municipal Corporations/Councils and villages located within MMR. Existing road network of NAINA and connectivity with MMR is shown in **Figure 2-12**. National Highways, State Highways provide fast transport connectivity within the DP Area. Mumbai-Pune Expressway provides fast transport connectivity with Pune and Mumbai.

NAINA has about 93 km of major road network which constitute NH-4 and NH-17 and nine State highways traversing through it. In addition, Mumbai-Pune Expressway also passes through the area. Thus the area has good regional connectivity with Greater Mumbai, Pune and rest of MMR.

The Mumbai-Pune Expressway, NH-4 and NH-17 are very good maintained major regional roads. The State Highways are fairly maintained. However, the most important state highway within NAINA is Panvel – Sukhapur Road (SH-103) which is narrow and inconsistently maintained. The other state highway i.e. Kon – Savla road (SH-105) connecting Rasayani, Rees Lodhivali area is well maintained but has few encroachments. The list of State Highways traversing through the area is given below:



SH 76: Khopoli – Pen Road

SH 93 : Khopoli Road

SH 103: Panvel - Sukhapur - Matheran Road

MSH 104: Chirner to Mankul

SH 105: Kon - Savla Road

SH107: Apta – Dand Phata Road

SH 79 : Karjat – Kopri Road

SH 85 : Panvel – Nitalas Road

SH 88 : Pen – Alibag Road

Of the total road network, National Highways (NH-4 and NH-17) together constitute nearly 36 km (6.3%) while State Highways make up for about 57 km (10%) of the total length. Mumbai-Pune Expressway accounts for 0.88 km (0.2%). Major District roads constitute for 76.79 km (13.5 %), Other district roads measure 29.89 km (5.2%) and other roads aggregating to a length of about 369.92 km (64.8%). A detailed breakup of the transportation network is presented in **Table 2-1**.

Table 2-1: Major Road Network Details in NAINA (excluding IDP)

Road Category	Length of Road in km	% of Total road length
Expressway	0.88	0.2%
National Highway	36.06	6.3%
State Highway	57.01	10.0%
Major District Road	76.79	13.5%
Other District Road	29.89	5.2%
Other Road/ Village Roads	369.92	64.8%
Grand Total	570.56	100.0%





Existing Condition of NH - 04

Figure 2-11: Existing Road Condition in NAINA






Figure 2-12: Existing Road Network in NAINA



2.4.2 REGIONAL AND SUBURBAN RAIL NETWORK

The rail network of Central Railway connecting Mumbai Goa and Mumbai –Pune via Panvel passes through NAINA. In addition to this Panvel Diva line also passes through 14 villages of Thane district within NAINA. The railway stations within NAINA are Chikale, Mohape, Rasayani, Apte, Hamrapur halt, Hamrapur.

NAINA does not have direct connectivity with suburban network of Central Railway. Central Railway provides suburban services between Mumbai and Navi Mumbai through harbour line. Panvel is the terminal station for suburban services to Mumbai CST and Thane.

Total length of railway traversing through the area is about 48.3 km. The existing Panvel-Karjat line is about 14.4 km, Diva-Panvel line measuring 2.9 km, Panvel-Wadkhal line is about 29.9 km, and Wadkhal to Goa line is about 1 km. Thus NAINA is served by very limited suburban railway network (see **Figure 2-13**).






Figure 2-13: Existing Railway Network within DP Area



2.4.3 REGIONAL CONNECTIVITY UNDER ACTIVE CONSIDERATION

Following are the important proposed/ committed transport projects which would directly impact NAINA (see Figure 2-14: Proposed Regional Network in NAINA).

Proposed Road Network: NAINA will have an enhanced regional road network connecting several parts of MMR and beyond with the following proposed/ committed road network;

- Mumbai-Vadodara spur: The alignment of Mumbai-Vadodara spur in MMR is under implementation by NHAI which starts in Virar and ends in Panvel. This corridor has been planned for fast movement of port related inter-city traffic (JNPT);
- Multi-Modal Corridor (MMC): One of the major recommendations of Comprehensive Transport Study of MMR was development of MMC in MMR starting from Virar and terminating at Alibag. MMRDA has taken up implementation of MMC (about 140 km).
 Part of the MMC traverses through NAINA and it will provide good regional connectivity to NMIA as well as other parts of MMR.

Proposed Transit (Suburban and Metro) Network

- Metro Rail: Presently, there is no Metro line operational in the area. Metro lines proposed in Navi Mumbai will impact the growth and connectivity of NAINA. CIDCO has undertaken construction of the first Metro line in Navi Mumbai from Belapur to Pendhar which is proposed to be extended southwards up to NMIA. Also additional metro corridor between Mankhurd and Ghatkopar has been proposed which will be extended up to Panvel via NMIA, thus providing a fast metro connectivity between eastern suburbs of Mumbai and Panvel.
- Suburban Rail Connectivity: Existing Diva-Panvel line and Panvel-Ka rjat-Khopoli line are proposed to have regular suburban commuter service as part of priority projects by MRVC. Anticipating huge population and employment growth in Navi Mumbai and surrounding areas and upcoming NMIA, MRVC has carried out detailed techno-economic feasibility for suburban operations from Vasai to Diva and Diva to Panvel. In addition to above, MRVC has carried out in-house technical feasibility study for the operation of suburban rail services from Panvel to Karjat. In the long run, suburban services are expected to be available on Panvel Pen route after completion of doubling and electrification of the line.

Proposed MTHL: The proposed Mumbai Trans Harbour Link (MTHL), which connects Sewri (in Island city of Mumbai) to Nhava Sheva (Main land) is planned with the basic objective of (a) development of land across creek and reducing pressure on Mumbai City; and (b) facilitate decongestion efforts by improving connectivity between Island city and land across creek . MTHL along with Eastern Freeway would provide fast connectivity to NMIA and NAINA from Mumbai.

Proposed NMIA: Potential catchment of the NMIA is expected to be mainly MMR and areas neighbouring MMR. The pressure on Mumbai airport is not likely to reduce in the coming years and Pune and Nagpur airports have very limited international flights. Thus the inflow of passengers to the NMIA is expected to be high and as a result the surrounding areas will have increased potential for development.



DFC: Government of India (GoI) envisages developing dedicated freight corridor (DFC) between Delhi and Mumbai (originating from JNPT). DFC is passing through NAINA (14 Villages in Thane Taluka)

Proposed Mumbai – **Sawantwadi Coastal Road:** The existing State Highway from Chirner to Dadar will be upgraded to Major State Highway-104 and extended to Mankul from Dadar via Sonkhar as a new road. This will be further extended to Sawantwadi as a coastal road.






Figure 2-14: Proposed Regional Network in NAINA



2.4.4 LOCAL ROAD NETWORK





Figure 2-15: Existing Condition of village roads in NAINA

The local road network is primarily formed by the village roads that connect the existing Gaothan settlements to each other. These roads are not more than 6 m wide in most cases. Within the settlements, vehicular roads are minimal and pedestrian pathways form the network. Village level road network is shown in **Annexure 2-3.**







Figure 2-16: Existing Condition of village roads in the interiors

Some village roads, in the intensely developed areas near the major regional roads are well-developed and well-maintained. Village roads that are in the interior areas away from major regional roads are mostly narrow kuccha/pucca roads. In Pen taluka the accessibility of *padas* and smaller hamlets is difficult in rainy season due to water logging and marshy conditions.

2.4.5 BUS SYSTEM

The bus service is provided by Maharashtra State Road Transport Corporation (MSRTC). MSRTC has prime responsibility to ensure connectivity of village settlements with nearby Taluka head quarter. The level of bus service required to facilitate transit movement like an urban area is missing. MSRTC has bus depots in Panvel, Pen and Khopoli all outside but close to NAINA. These depots serve the long-distance bus routes as well as inter-village routes.

However, the area near to Panvel is relatively more urbanised and uses bus service from Panvel Bus Depot and NMMT for commuting to Navi Mumbai/ Mumbai.

Palaspe Phata Bus Stop in Kolkhe village is a major location for bus services within NAINA. The services from Palaspe Phata Bus stop provide connectivity for Kolkhe and Kon villages along



NH-4 and Palaspe along NH-17. The bus services from New Panvel provide services to some villages along Panvel Matheran Road Such as Shilottar Raichur, Palidevad, Koproli and Nere.

The Khopoli Municipal Transport runs a few buses between Khopoli and Vashi, Navi Mumbai.

Some of the large companies such as JSW, Reliance etc have their own bus service for their employees which pass through NAINA.





MSRTC Bus

JSW Employee Bus

Figure 2-17: Bus transport in NAINA


2.4.6 LOCAL SUBURBAN RAILWAY NETWORK

The existing railway lines do not provide suburban rail services within NAINA. Suburban rail services are proposed along Panvel-Karjat and Panvel- Apte lines.

2.4.7 OTHER MEANS OF TRANSPORT

The six-seater rickshaws are the most favoured means of Intermediate Public Transport (IPT) between villages. These have a fixed area of service and run on per seat basis. The villages of Dadar, Sonkhar, Kaleshri etc are interspersed with creeks. Small jetties constructed on the creeks are used by fishing boats as well as means of transport in absence of bridges over the creeks. Refer **Figure 2-18** for other means of transport.







Jetty in Pen Taluka

Figure 2-18: Other means of transport



2.4.8 PARKING FACILITIES

There are no formal public parking spaces in NAINA. Private vehicles such as cars and two-wheelers are parked within private plots of the owners, And during the vehicles being used, these are parked on roads adding to congestion. Privately owned/ maintained truck parking facilities available in Palaspe and Kolkhe villages. The JSW at Beneghat has its own truck parking and bus parking.





Localised parking areas within villages

Two wheelers parked in crematorium

Figure 2-19: Parking facilities

2.4.9 SUMMARY

It is expected that, once the Navi Mumbai International Airport is developed, which is going to trigger the growth of the area, the traffic characteristics are expected to undergo a major change. In addition, the development within the area would need further development of transport network and enhanced regional transport connectivity through suburban rail expansion, metro corridors, and highway corridors.



2.5 SOCIAL INFRASTRUCTURE

2.5.1 EDUCATIONAL FACILITIES

The information available from census 2011 on various educational facilities such as pre-primary schools, primary schools, middle schools, senior secondary schools, colleges and vocational training institutes are assessed. It is observed that the area is fairly well served as far as schools up to middle and secondary level are concerned. It also shows that few of these facilities are provided by the private sector.





Zilla Parishad Secondary School in Vitthalwadi Village

Zilla Parishad Primary School in Dadar Village

Figure 2-20: Schools in villages

Facilities for higher education such as colleges, engineering, medical and management institutes are not available in the area and the people are dependent on nearby urban centres of Panvel, Thane, Khopoli, Uran and Pen for these facilities. Number of educational facilities available within DP Area is given in Table 2-2.

Table 2-2: Educational facilities available NAINA

Sr. No.	Educational Facility	Government owned (Nos.)	Private (Nos.)
1	Pre - Primary School (Nursery/LKG/UKG)	390	0
2	Primary School	356	10
3	Middle School	117	7
4	Secondary School	42	12
5	Senior Secondary School	13	1
6	Arts and Science Degree College	0	0
7	Engineering College	0	0
8	Medical College	0	0
9	Management Institute	0	0
19	Polytechnic	0	1
11	Vocational Training School/ ITI	0	0



Sr. No.	Educational Facility	Government owned (Nos.)	Private (Nos.)
12	Non - formal training center	0	0
13	School for disabled	0	0
15	Others	0	54

Source: Compiled from District Census Handbook Raigad and Thane, 2011.

2.5.2 HEALTH FACILITIES

Assessment has been carried out with respect to health facilities such as dispensaries, primary health sub-centres; primary health centres (PHCs) and hospitals. Health facilities have been assessed with an intention to understand the adequacy of health facilities for 2011 population. The analysis is based on the information collected from Census 2011.





PHC at Chowk Village

Private Clinic at Vadkhal Village

Figure 2-21: Health facilities in villages

There are 6 PHCs and 36 PH Sub-centres located in NAINA. As far as higher order health facilities are concerned there are 6 hospitals. Several private clinics are located, apart from the 7 government dispensaries. The nearby urban areas have both private and government hospitals. Number of available health facilities is given in **Table 2-3**.

Table 2-3: Health facilities in NAINA

Sr. No.	Category	Numbers									
1	Community Health Centre	0									
2	Primary Health Centre	6									
3	Primary Health Sub-centre	36									
4	Maternity & Child Welfare Centre	6									
5	TB Clinic	6									
6	Hospital Allopathic	6									
7	Hospital Alternative Medicine	0									
8	Dispensary	7									
9	Veterinary Hospital	5									



Sr. No.	Category	Numbers
10	Mobile Health Clinic	1
11	Family Welfare Centre	6
12	Non-government facilities Out patients	99
13	Non-government facilities In and Out Patients	4
14	Non-government medicine shops	19

Source: District Census Handbook Raigad and Thane, 2011.

2.5.3 COMMERCIAL FACILITIES

Small scale commercial establishments selling commodities of daily consumption are present in almost all the villages. Commercial establishments such as grocery shops, medical shops, flour mills, vegetable shops are observed in villages. Apart from these, the major commercial activities such as banks, hotels, resorts and restaurants are located along the National and State Highways. Vendors selling vegetables, fruits, fish and other such necessities are seen along the NH - 17 at some locations, at junction of major roads and on internal roads within villages. There are no designated markets.





Local shops at Adai village

Local shop at Shinganwat Village

Figure 2-22: Commercial facilities in villages

2.5.4 SOCIO-CULTURAL FACILITIES

Socio-cultural facilities such as cinema theatres, sports complexes, and clubs are not observed within the villages of NAINA. However, other socio-cultural facilities such as community halls, school playgrounds, gymnasium etc. are available. Panvel, Khopoli and Uran are the nearest destination for major cultural activities.







Gymnasium in Kolave village

Community Recreational space in front of temple in Vihighar village

Figure 2-23: Socio-cultural facilities in villages

2.5.5 RECREATIONAL FACILITIES

Recreational areas such as neighbourhood parks and city scale parks are not located within this area. However, the major open spaces are school grounds. Some of the Zilla Parishad schools and private schools have playgrounds attached. Some of the residential colonies, societies and housing complexes maintain their own parks and play grounds within their premises.



Private School and Playground, Vadkhal Lack of organized open spaces, people using Village crematorium as sit out space, Dadar Village

Figure 2-24: Status of recreational facilities

2.5.6 SUMMARY

NAINA being rural in nature does not have a well-developed social infrastructure. Though the facilities seem to be sufficient for 2011 census population, there is need to improve the social facilities in view of the anticipated growth in population due to planned urban development.



2.6 PHYSICAL INFRASTRUCTURE

2.6.1 WATER SUPPLY

There are 176 villages have tap water as source which is either treated or untreated. 94 villages have treated tap water source, 82 villages have untreated tap water and 16 villages have both. The other sources of water are covered well, uncovered well, tube wells/ boreholes, untreated tap water, hand pumps, tanks/ponds/lake, river/canal and springs. The details of drinking water source are given in **Table 2-4.** It is observed that nearly 44% villages have treated tap water and 30 % have untreated tap water as source. But the Taluka wise distribution is skewed as most villages having tap water as source are in Panvel Taluka followed by Pen and Khalapur.

No.	Water Source	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
	Tap Water-Treated	1	9	50	32	1	1	94
1	Percentage to total no. of villages	0.6%	5.1%	28.4%	18.0%	0.6%	0.6%	53.4%
	Tap Water Untreated	1	18	22	39	0	2	82
2	Percentage to total no. of villages	0.6%	10.2%	12.5%	22.2%	0.0%	1.1%	46.6%

Table 2-4: Drinking Water Source

Source: District Census Handbook Raigad and Thane, 2011.

WATER: News in Times of India dated 19th December 2015

The villagers of Borze, Pen Taluka have set up a water ATM to dispense purified drinking water at Rs. 10 for 20 litres. The Grampanchayat has tied up with private company Mascot solutions which uses the water from a local pond and supplies it to villager through the water dispenser after purifying it. This is the first time in the district that a local gram panchayat has set up such a hi-tech gizmo and also distributed more than 400 electromagnetic ATW cards, which look like regular ATM swipe cards.



Figure 2-25: A woman of Borze village shows her electromagnetic 'ATW' card.

2.6.2 SEWERAGE

NAINA is rural in character. Census 2011 indicates that 127 villages (i.e. 56%) have open drains. The data further states that 83 villages have sewerage treatment plants (Thane -6, Uran -2,



Panvel – 36 Karjat – 5, Khalapur-17 and Pen 17). In other villages there is no sewerage system, generally, the toilets are connected to individual septic tanks and the effluent is disposed-off in the nearby drains, waterbodies or open areas.

2.6.3 STORM WATER DRAINAGE

The drainage in NAINA has not been a major issue, due to the peculiar location. It has hills on one side where the rain fall received is drained with high speed of water flowing through rivulets, nallas, valleys, and rivers into the sea, falling on the other side of the area.

After development, the area would be susceptible for flooding because the area receives very heavy rain fall. Chitale committee report ("Fact Finding Committee Report on Mumbai Floods") explains that the annual rainfall of the meteorological sub division of Konkan and Goa (2,980 mm) is heavy. There have been instances when as much as half of the annual rainfall was recorded in a single day. It can be understood that NAINA will be prone to flooding after development if adequate measures are not taken in advance. Urban flooding is fundamentally different from rural flooding, as catchments area gets flooded in a short time. CIDCO has appointed engineering consultants to study the area and propose engineering details for water supply, sewerage, solid waste management and storm water management.

2.6.4 SOLID WASTE MANAGEMENT

In India we have poor solid waste management system in urban area and it is almost absent in rural area. NAINA is predominantly rural and follows the same national trend. As observed during site visits, there is no systematic solid waste management system in villages. The waste generated in the rural area is disposed-off/ dumped along the roads, near waterbodies and open areas in the vicinity. The census 2011 also records that there is no organized waste collection system in the area and the solid waste is dumped along roads and streets. However, with urbanization, the scale of waste generation is likely to increase and this issue cannot be left unattended.





Figure 2-26: Unorganized solid waste dumping



2.7 SOCIO-ECONOMIC SURVEY

A socio-economic survey for NAINA was carried out during the period Dec 2014 – Jul 2015. The total number of households in NAINA is 62829. 10% of 62829 households is 6283. A total of 6613 Households of NAINA were surveyed for various parameters such as income range, house type, house ownership, vehicle ownership, caste, religion etc. The questionnaire for socio-economic survey is enclosed as **Annexure 2-4**.

The sample size contains 10% of the households; the population can be divided into two districts; hence 10% of the households from each district were selected at random. The districts are further divided into talukas; the sample chosen from each district was taken from each of these talukas.

The lowest heterogeneous group is village/pada for rural area. Accordingly 10% of the households were selected randomly from each of these units i.e. pada / village. Every 10th household in a village was surveyed. The results are presented below:

2.7.1 HOUSING

The various aspects covered included housing type, type of construction, period of residence and ownership.

Housing Type: The various options provided in the survey were Apartment/ flat, Independent house, Chawls, Slum type and Wadi. This was based on the general housing typologies found in the Raigad district of Konkan Region close to Mumbai. The survey reveals that 92% of the people stay in independent houses, followed by 4% in Chawls, 4 % in flats and 1 % in Wadi. Refer **Table 2-5**

Independent Apartment Slums **Total** Wadi Chawls **Total** / flat House **Type** Taluka No. of % (HH (HH (HH (HH (HH **HHs %** % % **%** % No.) No.) No.) No.) No.) 0 0 70 0 0% 81 Karjat 0% 86% 0% 11 14% 1% 87% 0 8 Khalapur 11 2% 532 60 10% 0% 1% 611 9% **Panvel** 208 6% 2958 89% 151 5% 3 0% 10 0% 3330 50% 97% Pen 14 2013 19 1 0% 39 2% 2086 1% 1% 32% **Thane** 1% 405 99% 0 0% 0 0% 0 0% 411 Uran 2 2% 89 95% 3 3% 0 0% 0 0% 94 1% 241 92% 233 4% 4 0% 68 1% **Total** 4% 6067 6613 100%

Table 2-5: Housing type

Source: Socio-Economic Survey



House ownership: Three options were provided in the survey for house ownership – owned, rented and employer provided. 91% respondents stay in their owned house, 9% in rented housing and 1% in employer provided housing. Employer provided housing is observed in Khalapur and Panvel Taluka. Maximum rented accommodation of 15% is observed in Panvel Taluka. Karjat and Thane Taluka have 100% owned accommodation. Refer **Table 2-6**

Table 2-6: House ownership

T. 1. 1	Owned		Rente	Rented		Provided	Total No.	Total
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	of HHs	%
Karjat	81	100%	0	0%	0	0%	81	100%
Khalapur	577	94%	11	2%	23	4%	611	100%
Panvel	2804	84%	509	15%	17	1%	3330	100%
Pen	2043	98%	41	2%	2	0%	2086	100%
Thane	411	100%		0%		0%	411	100%
Uran	88	94%	4	4%	2	2%	94	100%
Total	6004	91%	565	9%	44	1%	6613	100%

Source: Socio-Economic Survey

Type of Construction: The options provided in the survey for type of construction were – *pucca*, *semi-pucca*, *kutcha* and others. The survey shows that 81% of the houses are *pucca*, *semi-pucca* is 13% and *kutcha* is 5% other is only 1%. Maximum 35% of *semi-pucca* houses are observed in Karjat Taluka and maximum 14% of kutcha houses are observed in Khalapur Taluka. Thane has maximum *pucca* houses 90%.

Table 2-7: Type of house construction

	Pucca		Semi Pucca		Kutcha		Other		Total	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	Total %
Karjat	45	56%	28	35%	8	10%	0	0%	81	100%
Khalapur	395	65%	109	18%	87	14%	20	3%	611	100%
Panvel	2898	87%	330	10%	88	3%	14	0%	3330	100%
Pen	1603	77%	359	17%	109	5%	15	1%	2086	100%
Thane	371	90%	38	9%	2	0%	0	0%	411	100%
Uran	55	59%	27	29%	11	12%	1	1%	94	100%
Total	5367	81%	891	13%	305	5%	50	1%	6613	100%

Source: Socio-Economic Survey



Household size: The average household size as per the survey is 4.3 and as per census 2011 the average household size is 4.4.

Number of rooms: The average number of rooms per household in NAINA is 2.6. Maximum number of rooms (2.8) is found in Thane Taluka and minimum number of rooms at 2.3 is found in Khalapur Taluka.

Duration of stay: The categories for duration of stay in years were 1-20, 21-40, 41-60, 61-80, 81-100 and 100+. The survey reveals that most people have been staying for more than 20 years which is 92% of the households. There are 8% households which have shifted in last 20 years. It varies across talukas. In this category, Panvel has maximum i.e. 14%. It can

Table 2-8: Talukawise Number of rooms

Taluka	Avg. No. of Rooms
Karjat	2.4
Khalapur	2.3
Panvel	2.8
Pen	2.4
Thane	2.8
Uran	2.4
Average	2.6

Source: Socio-Economic Survey

therefore be summarized that there has been in-migration in PanvelTalukas. This could be due to availability of employment in the nearby urban areas of Navi Mumbai/ Mumbai near Panvel Taluka.

Table 2-9: Duration of stay in house

	1-20		21	21-40		-60	61-80		81-100		100)+	Total	Total
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	%
Karjat	0	0%	30	37%	39	48%	12	15%	0	0%	0	0%	81	100%
Khalapur	24	4%	268	44%	236	39%	79	13%	4	1%	0	0%	611	100%
Panvel	455	14%	1285	39%	1280	38%	296	9%	14	0%	0	0%	3330	100%
Pen	38	2%	684	33%	909	44%	421	20%	33	2%	1	0%	2086	100%
Thane	3	1%	194	47%	174	42%	35	9%	5	1%	0	0%	411	100%
Uran	5	5%	41	44%	37	39%	11	12%	0	0%	0	0%	94	100%
Total	525	8%	2502	38%	2675	40%	854	13%	56	1%	1	0%	6613	100%

Source: Socio-Economic Survey

2.7.2 INFRASTRUCTURE

The infrastructure details covered few basic aspects such as availability of toilets, water source, availability of electricity etc.



Toilet Facility: The survey shows 71% households have toilets within the house, 19 % use open land, and 10 % use public toilet. Panvel Taluka has maximum household having toilets within house (75%) and Karjat has the lowest in the same category at (57%). Public toilets are used maximum in Uran Taluka at (15%) and minimum in Panvel Taluka (2%). Maximum number of households in Thane, Karjat and Khalapur Taluka use open land at 30% each and minimum number for the same is Uran Taluka 14%.

Table 2-10: Availability of toilet facility

	Within	House	Public T	oilet	Open l	Land	Total No.	Total
Taluka	(HH No.)	%	(HH No.) %		(HH No.)	%	of HHs	%
Karjat	46	57%	11	14%	24	30%	81	100%
Khalapur	368	60%	58	9%	185	30%	611	100%
Panvel	2501	75%	326	10%	503	15%	3330	100%
Pen	1435	69%	234	11%	417	20%	2086	100%
Thane	277	67%	9	2%	125	30%	411	100%
Uran	67	71%	14	15%	13	14%	94	100%
Total	4694	71%	652	10%	1267	19%	6613	100%

Source: Socio-Economic Survey

Water Source for Domestic Consumption: The main source for water is tap connection for 61% households, followed by bore-well 23% and well 8%. Tap is seen maximum in Uran Taluka 72%. Maximum well (22%) and bore-well (68%) are used in Thane taluka.

Table 2-11: Water source for domestic consumption

Ta	luka	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Тар	HH No.	19	387	2077	1441	12	68	4004
Тар	%	23%	63%	62%	69%	3%	72%	61%
Stand	HH No.	2	10	12	10	10	0	44
Post	%	2%	2%	0%	0%	2%	0%	1%
Well	HH No.	7	89	89	208	89	20	502
VV CII	%	9%	15%	3%	10%	22%	21%	8%
Hand	HH No.	1	12	40	13	20	5	91
pump	%	1%	2%	1%	1%	5%	5%	1%
Bore	HH No.	43	67	1048	107	278	1	1544
well	%	53%	11%	31%	5%	68%	1%	23%
Pond	HH No.	3	14	10	20	0	0	47
1 onu	%	4%	2%	0%	1%	0%	0%	1%
River	HH No.		1	4	20	1	0	26
KIVEI	%	0%	0%	0%	1%	0%	0%	0%



Taluka		Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Others	HH No.	6	31	50	267	1	0	355
Others	%	7%	5%	2%	13%	0%	0%	5%
Total HH	HH No.	81	611	3330	2086	411	94	6613
Total %	%	100%	100%	100%	100%	100%	100%	100%

Source: Socio-Economic Survey

Electricity connection: The area is well served in terms of electric connection where 92% households have an electric connection. Households in Thane and Pen Taluka have maximum electricity connections with 98% and 94% respectively. Khalapur Taluka has the maximum number of households without power supply 25% followed by Karjat 9%.

Table 2-12: Availability of electricity connection

Taluka	With Electric	Connection		Electric ection	Total No. of HHs	Total %
	(HH No)	%	(HH No)	%	1113	
Karjat	74	91%	7	9%	81	100%
Khalapur	458	75%	153	25%	611	100%
Panvel	3098	93%	232	7%	3330	100%
Pen	1971	94%	115	6%	2086	100%
Thane	401	98%	10	2%	411	100%
Uran	84	89%	10	11%	94	100%
Total	6086 92%		527	8%	6613	100%

Source: Socio-Economic Survey

2.7.3 ECONOMIC STANDARD

The standard of living was judged from the factors such as income range, asset ownership, vehicle ownership and use of cooking fuel.

Income level: People are often reluctant to divulge information on income, hence instead of asking a direct figure different ranges for income were provided in the questionnaire. Certain other aspects such as number of persons employed by the household, number of earning members, expenditure and asset ownership were collected to get an idea of the standard of living of the residents. It is evident from the survey that 2% of the households refused to reply this question and 97% of the households earn less than Rs 25001/- per month. 1% of the households earn between 25,001 to 40,000 per month. The maximum number of households (40%) has income in the range Rs. 8001 – 16000 followed by 32% the range of Rs. 5001 – 8000 at 32%. The highest range of income category is Rs. 40001 – 60000 which is observed only in 0.2 % of is only 0.2% of the total households.



Table 2-13: Household Income

Income Range	HH No.			7	Faluka			
in Rs./Month	& %	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
A	(HH No.)	27	151	453	524	51	21	1227
Upto 5,000	%	33%	25%	14%	25%	12%	22%	19%
В	(HH No.)	37	160	985	762	153	44	2141
5,001-8,000	%	46%	26%	30%	37%	37%	47%	32%
C	(HH No.)	14	223	1556	633	165	27	2618
8,001-16,000	%	17%	36%	47%	30%	40%	29%	40%
D	(HH No.)	2	61	199	84	24	1	371
16,001-25,000	%	2%	10%	6%	4%	6%	1%	6%
E	(HH No.)	1	13	47	8	10	0	79
25,001-40,000	%	1%	2%	1%	0%	2%	0%	1%
F	(HH No.)	0	1	8	3	3	0	15
40,001-60,000	%	0%	0%	0%	0%	1%	0%	0%
G	(HH No.)	0	0	1	0	0	0	1
60,001-80,000	%	0%	0%	0%	0%	0%	0%	0%
Н	(HH No.)	0	0	0	0	0	0	0
80,001-1 lakh	%	0%	0%	0%	0%	0%	0%	0%
I	(HH No.)	0	0	0	0	0	0	0
(Above 1 lakh)	%	0%	0%	0%	0%	0%	0%	0%
No Response	(HH No.)	0	2	81	72	5	1	161
No Kesponse	%	0%	0%	2%	3%	1%	1%	2%
Total No. of	f HHs	81	611	3330	2086	411	94	6613
Total %	⁄o	100%	100%	100%	100%	100%	100%	100%

Source: Socio-Economic Survey



Expenditure pattern: An attempt was made to assess the expenditure pattern of the households in NAINA. The total expenditure under each head was grouped and the expenditure for each head was then worked out for each household. Maximum expenditure is on food at Rs. 3335 per household, followed by clothing at Rs.1477 and maintenance at Rs.1031. Maintenance includes utility bills, property tax etc mainly related to property.

Earners in household: Maximum number of household (84%) have single earner, 11% households have two earners and 3%. Uran Taluka is having maximum single earner 98%. Among two earners in a household, maximum (16%) of households are in Karjat. Khalapur, Pen

Table 2-14: Expenditure pattern of households

	Average	expenditure							
	per HH in	Rs							
Education	ϵ	551							
Food	3	335							
Maintenance	1	031							
Phone	2	245							
Clothing	1477								
Entertainment	1	81							
Instalment	1	107							
Medical	7	761							
Transport	1	002							
Others	2	206							
Savings		36							
Average	9032								
Source: Socio-E	conomic Sur	vey							

and Panvel Taluka all have two earners at about 12% of households

Table 2-15: Number of earners in household

				Nun	nber of	Earne	rs in H	ouseh	old				
Taluka	0		1		2	2			4		More than 4		Total No. of
	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HHs
Karjat	0	0%	66	81%	13	16%	2	2%	0	0%	0	0%	81
Khalapur	1	0%	522	85%	76	12%	12	2%	0	0%	0	0%	611
Panvel	39	1%	2810	84%	377	11%	88	3%	9	0%	7	0%	3330
Pen	23	1%	1718	82%	249	12%	82	4%	9	0%	5	0%	2086
Thane	14	3%	362	88%	28	7%	6	1%	1	0%	0	0%	411
Uran	0	0%	92	98%	2	2%	0	0%	0	0%	0	0%	94
Total	77	1%	5570	84%	745	11%	190	3%	19	0%	12	0%	6613

Source: Socio-Economic Survey

Predominant Cooking Fuel: Most of the households (68%) use gas for cooking, followed by wood (27%). Coal and Kerosene are used by negligible 2 % and 3% households. Among households using gas as cooking fuel, the number is highest in Panvel and Pen Taluka at 70% and is lowest in Khalapur Taluka at 52%. Among the number of households using wood as cooking fuel the percentage is maximum in Khalapur at 38%, folloed by 35% in Karjat and Thane Taluka each and lowest (23%) in Panvel Taluka.

Table 2-16: Predominant cooking fuel



Taluka	Wood ka		Co	Coal Kerosene		Ga	Gas		ar IS	Others		Total No.	Total	
	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	of HHs	%
Karjat	28	35%	6	7%	1	1%	45	56%	1	1%	0	0%	81	100%
Khalapur	235	38%	28	5%	15	2%	316	52%	1	0%	16	3%	611	100%
Panvel	757	23%	66	2%	155	5%	2336	70%	2	0%	14	0%	3330	100%
Pen	565	27%	23	1%	26	1%	1464	70%	3	0%	5	0%	2086	100%
Thane	145	35%	5	1%	5	1%	256	62%	0	0%	0	0%	411	100%
Uran	31	33%	0	0%	0	0%	55	59%	0	0%	8	9%	94	100%
Total	1761	27%	128	2%	202	3%	4472	68%	7	0%	43	1%	6613	100%

Source: Socio-Economic Survey

Vehicle ownership: In NAINA 66% of the households do not own vehicle. Among 34% HHs owning vehicle majority i.e. 85% own one vehicle and only 15% own more than one vehicle. Among vehicle owners 83% own two wheelers and 11% own car. 2% own Bicycle 4% own other type of vehicles like Tractor, Bullock cart etc.

Table 2-17: Vehicle ownership

	No.				Taluka			
Туре	& %	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Cars/Vans	No.	1	10	217	19	35	0	282
Cars/ valis	%	13%	5%	12%	6%	12%	0%	11%
2 -wheelers	No.	7	184	1444	263	235	12	2145
2 - wheelers	%	88%	94%	81%	88%	83%	100%	83%
Bicycles	No.	0	1	37	6	0	0	44
Dicycles	%	0%	1%	2%	2%	0%	0%	2%
Other	No.	0	1	84	12	13	0	110
other	%	0%	1%	5%	4%	5%	0%	4%
Total No. of Vehi	cles	8	196	1782	300	283	12	2581
HH not owning	No.	75	436	1818	1817	166	82	4394
vehicles	%	93%	71%	55%	87%	40%	87%	66%
HH owning at	No.	6	175	1512	269	245	12	2219
least one Vehicles	%	7%	29%	45%	13%	60%	13%	34%
Total HH	No.	81	611	3330	2086	411	94	6613
HH owning more	No.	2	25	233	27	37	0	324
than one vehicles	%	2%	4%	7%	1%	9%	0%	5%

Source: Socio-Economic Survey



Parking availability: Almost all the vehicles have parking within premises; only 4% vehicles are parked outside the premises.

Table 2-18: Availability of parking

			Parki	ng wi	thin Pı	remises	3]	Parkin	g Outsi	de		
Taluka	Cars	/Vans	2- whee		Otl	ners	To	otal		rs/Va ns		2- elers	Otl	ners	To	tal
	No.	%	No.	%	No.	%	No.	%	N.	%	No.	%	No.	%	No.	%
Karjat	1	13%	7	88 %	0	0%	8	100%	0	0%	0	0%	0	0%	0	0%
Khalapur	10	5%	184	94 %	2	1%	196	100%	1	50%	1	50%	0	0%	2	100 %
Panvel	241	14%	1370	81 %	90	5%	1701	100%	10	14%	41	56%	22	30%	73	100 %
Pen	22	8%	245	88 %	13	5%	280	100%	1	6%	10	59%	6	35%	17	100 %
Thane	39	14%	231	83 %	10	4%	280	100%	0	0%	1	100 %	0	0%	1	100 %
Uran	0	0%	10	83 %	2	17%	12	100%	0	0%	0	0%	0	0%	0	0%
Total	313	13%	2047	83 %	117	5%	2477	100%	12	13%	53	57%	28	30%	93	100 %

Source: Socio-Economic Survey

Assets in Household: Television is the maximum owned asset with 44% families having it followed by mobile phone 36%. Landline phone is now out of the fashion as only 1% Households own Land line. Amongst Talukas, Thane has lowest TV ownership with 39% and Pen has the highest with 48%. Mobile ownership is maximum in Karjat Taluka at 39% and lowest in Thane Taluka at 32%.



Table 2-19: Asset ownership

	TV	V	Refrigerator		Mob	oile	Landli	ne	Total	Т-4-1
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	Total %
Karjat	66	47%	20	14%	55	39%	0	0%	81	100%
Khalapur	433	43%	205	20%	355	35%	10	1%	611	100%
Panvel	2970	43%	1448	21%	2477	36%	71	1%	3330	100%
Pen	1866	48%	524	14%	1459	38%	31	1%	2086	100%
Thane	389	39%	287	29%	320	32%	1	0%	411	100%
Uran	54	45%	19	16%	45	38%	1	1%	94	100%
Total	5778	44%	2503	19%	4711	36%	114	1%	6613	100%

Source: Socio-Economic Survey

2.7.4 CASTE AND RELIGION

The Other Backward Classes (OBC) constitutes a major stratum of the area with 50% of population. General category is next at 16%. The others category includes people who either do not know their caste or do not fall under any of the specified categories. The scheduled Caste and Schedule Tribes are 3% and 5% respectively. Vimukata Jati (de-notified tribes) and Nomadic Tribes (VJNT) are 1%. Amongst the Talukas Uran has the highest population of general category at 76%, OBC are maximum in Thane Taluka at 73% followed by Pen at 55%. Scheduled Tribes are highest in Khalapur Taluka at 8% and Scheduled Castes are highest in Panvel and Karjat Taluka at 5%. VJ & NT are highest in Karjat at 2%.

Table 2-20: Caste in NAINA

	Gen	eral	OB	SC	S	С	S'	T	VJ 8	k NT	Oth	ers	Tota	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	l No. of HHs	Total %
Karjat	28	35%	9	11%	4	5%	2	2%	2	2%	36	44%	81	100%
Khalapur	179	29%	179	29%	13	2%	50	8%	1	0%	189	31%	611	100%
Panvel	426	13%	1667	50%	161	5%	221	7%	45	1%	810	24%	3330	100%
Pen	273	13%	1143	55%	14	1%	14	1%	0	0%	642	31%	2086	100%
Thane	57	14%	299	73%	10	2%	27	7%	0	0%	18	4%	411	100%
Uran	71	76%	12	13%	0	0%	2	2%	0	0%	9	10%	94	100%
Total	1034	16%	3309	50%	202	3%	316	5%	48	1%	1704	26%	6613	100%

Source: Socio-Economic Survey



As far as religion is concerned 93% are Hindus followed by Muslims 5% and rest as Christians and others. Muslim and Christian population is high in Uran Taluka at 23% and 31% respectively.

Table 2-21: Religion in NAINA

	Hind	lu	Muslim		Christ	ian	Other	·s	Total	Total
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	%
Karjat	77	95%	4	5%	0	0%	0	0%	81	100%
Khalapur	602	99%	8	1%	0	0%	1	0%	611	100%
Panvel	3147	95%	136	4%	20	1%	27	1%	3330	100%
Pen	1890	91%	167	8%	2	0%	27	1%	2086	100%
Thane	406	99%	5	1%	0	0%	0	0%	411	100%
Uran	43	46%	22	23%	29	31%	0	0%	94	100%
Total	6165	93%	342	5%	51	1%	55	1%	6613	100%

Source: Socio-Economic Survey

Summary: The various factors of the survey indicate that Karjat area is most rural as it has maximum *wadi* type housing, maximum household size of 4.9, no employer provided housing. In this aspect, Khalapur, Uran and Panvel are trending towards urbanization with maximum number of housing type as flats, small household size 4.3 and smaller average number of rooms of 2.6.

As regards standard of living Karjat is lowest on most counts such as least number of households having toilets within the house, least number having electricity connection, income level between Rs. 5000-8000, low ownership of vehicles and household assets. Highest income levels of Rs. 16001-Rs. 25000, highest vehicle ownership and maximum tap connections are seen in Panvel and Khalapur Taluka. The other Talukas of Pen, Uran and Thane situate in between Karjat and Panvel &Khalapur.



3. EXISTING LANDUSE

The Existing Land Use (ELU) is a basis for preparation of development plan, which is also mandatory as per section 25 of MR&TP Act, 1966 for the preparation of Development Plan. This chapter presents NAINA ELU and its survey methodology.

In order to expedite the Existing Land Use Survey work, NAINA was divided into two parts and separate survey agencies were appointed for each part. At the end of the work, survey agencies submitted final report documenting activities of their scope of work and detailing out various aspect of the survey. This chapter briefly explains the methodology adopted by the survey agencies. Detailed information is available in the reports submitted by each survey agency to CIDCO.

3.1 SURVEY METHODOLOGY

The methodology in short has three parts. The first part is procurement of satellite images, its processing, landuse classification and digitisation. The second part is Lidar survey i.e. capturing details by Laser scanning, processing and topographic feature extraction. Third part is cadastral mapping which includes procurement of village maps, scanning, geo-referencing and digitisation. The flow chart of methodology is given in **Figure 3-1**.






Figure 3-1: Methodology of Topographic and Existing Land Use Survey for NAINA



3.1.1 DATA COLLECTION

For the purpose of preparation of Development Plan, CIDCO procured satellite imagery and provided the same to survey agencies. CIDCO collected forest land information from MMRDA, which was compiled by MMRDA and ratified by Forest department at the time of revision of first Regional Plan for Mumbai Metropolitan Region. Later CIDCO also procured forest land information directly from Forest Department and the same was incorporated.

The data of development permission was collected from ADTP Thane/ Raigad. The information regarding Government land was downloaded from the website of Government of Maharashtra and also procured from Collector Raigad and Thane. The Survey Agencies procured cadastral maps (village revenue maps) from the office of DILR/ TILR.

3.1.2 BENCH MARK SURVEY

CIDCO provided Temporary Bench Mark (TBM) Point to survey agencies. This TBM is located near a well in front of Rakhumai Temple, Kalundre (about 500 meters from ONGC Kalundre bus stop towards west). Taking this as a reference location, survey agencies established their Bench Mark (BM) points for survey.

3.1.3 GCP COLLECTION

The survey was carried out in two phases by two survey agencies. The first survey agency carried out field work for Part -1 from March 2014 to July 2014 and for Part - 2 the second survey agency carried out field work from January 2015 to June 2015. Areas covered by individual survey agencies and grid structure for NAINA is given in **Figure 3-3:** Area under Survey agencies and Grid Structure for NAINA). For integration, it was necessary to follow the same coordinate system over whole of NAINA. It was achieved by establishing three Horizontal Control Points (HCP-1, HCP-2 and HCP-3) over Part -1 and Part -2 area. These three control points' coordinates were obtained from Part -1 area surveyed agency and the same control coordinates were used to establish the Part -2 area control network. The Part -2 team carried out observation at all three HCPs and post processing results were compared with Part -1 team results. The coordinate comparison of HCPs between Part 1 & 2 survey agencies are mentioned in **Table 3-1: Verification of coordinate system adopted by survey agencies**.

Table 3-1: Verification of coordinate system adopted by survey agencies

Base Line	Distance by Survey Agency-1	Distance by Survey Agency-2	Diff (D)	Accuracy	Order
HCP 1 - HCP 2	14611.299	14611.329	-0.030	1:478112	1-Class
HCP 2 - HCP 3	15487.429	15487.396	0.033	1:466796	1-Class
HCP 3 - HCP 1	12597.898	12597.945	-0.0473	1:266277	1-Class

Ground Control Points were collected at several locations of NAINA, to accurately find out the coordinate of physical features. Such features include road intersections, corners of open field or boundary etc.



3.1.3.1 BASE STATION

Two DGPS receivers were deployed as base station by each survey agencies. Initially observation was made for about 8 to 10 hours to get the precise coordinates of the base stations. Thereafter, these precisely known locations were used as base stations and were used during the daily field operation.

3.1.3.2 ROVER

DGPS receivers were deployed as rover. It was set up on or nearby planned location for 30 to 35 minutes to acquire GPS signals. The base station receiver calculates its position based on satellite signals and compares this location to the precisely known location. The difference is applied to the GPS data recorded by the roving GPS receiver to improve the accuracy.

3.1.3.3 GCP DATA PROCESSING

The recorded DGPS observations were post processed and network adjustment was performed. The network adjusted geo-coordinates were provided in UTM projection system with WGS 84 spheroid and WGS 84 datum.

3.1.4 IMAGE PROCESSING

The unprocessed ortho ready satellite images were provided by CIDCO to survey agencies. The data validation and image processing was carried out by survey agencies to ensure the completeness and quality of data. Multi spectral imagery of 2 meter spatial resolution and Panchromatic of 0.5 meter resolution were fused to generate a colour composite imagery at the spatial resolution of PAN imagery (0.5 m). Geo-referencing of satellite imagery was carried out with reference of GCP.

The details of satellite image are given below:

• Imagery date - 3rd Nov 2012, 3rd Dec 2012, 29th Jan 2013

• Product - Panchromatic (black and white) AND Multi spectral

• Bit depth - 16 bit

• Ground sample distance (Resolution) – 0.5 m (Panchromatic & Pan sharpened)

Spatial reference system

o Projection - UTM Zone 43N

Datum - WGS 84Units - Meter

3.1.5 DIGITIZATION AND DATA PROCESSING

CIDCO provided a map showing the extent of area to be covered in survey along-with list of villages. CIDCO also provided satellite imagery and administrative boundaries. Survey Agencies procured the cadastral (village revenue) maps from DILR/TILR office. The revenue village maps were digitised and geo-referenced using about 5 ground control points per village. Administrative boundaries received from CIDCO were geo-referenced by the survey agencies. Basic digitization is carried out and the information is classified into different layers. Thereafter, field surveys were conducted. See **Figure 3-2: Map showing digitized features on satellite imagery**.





Figure 3-2: Map showing digitized features on satellite imagery

3.1.6 METHOD OF FIELD SURVEYS

Field surveys were carried out by the survey agencies to verify the existing land use and base map on ground. The entire area was divided into grids of 1:1600 scale. The surveyors were deployed in field to capture the attribute details.

For each structure/ building foot print, the land use category was classified and at the same time the geographical features such as water bodies, hills and vegetation were observed and marked on the map. Addition/ deletion of features such as roads, buildings were carried out. All the attributes were marked in a separate code on the satellite imagery and detail information was then plotted into the attribute sheet. After completion of field surveys the digitization/ drafting of all corrections were carried out.

Geo-database structure was prepared by planning consultants in consultation with CIDCO. This was used by the survey agencies.

3.1.7 CADASTRAL DATA PROCESSING

The cadastral map prescribes land parcel numbers, classification of land category, the boundaries and ownerships of land parcels. The survey agencies have collected cadastral map from land record department of Thane / Raigad district. The cadastral maps were scanned. Satellite images were georectified and the projection was set to Universal Transverse Mercator (UTM) projection system, zone 43N. The nearest neighbourhood Re-sampling technique was used to re-sample the cadastral map into a pixel size of quick-bird image during the image-to-map registration. Scanned revenue maps were georeferenced using satellite imagery. All land parcels were digitized.

3.1.8 LIDAR DATA PROCESSING

Contour lines are the most common method of showing relief and elevation on a standard topographic map. A contour line represents an imaginary line on the ground, above or below mean sea level. All points on the contour line are at the same elevation. The elevation represented by contour lines is the vertical distance above or below mean sea level. Digital Elevation Model (DEM) has been generated based on the filtered and edited LiDAR data / (bare earth) incorporating streams and break lines and points. The contours at 1 meter, 2 meter and 5 meter interval have been derived from the DEM.

Cartographically, the intermediate contours and every fifth contour have been drawn with different thickness and contour values at appropriate distances to enhance contour readability and indicating the index contour. Starting at zero elevation or mean sea level, every fifth contour line is a heavier line. Each index contour line is numbered at its centroid indicating the elevation of that line. This number is the elevation of that contour line.



3.1.9 QA AND QC PROCESS ADOPTED

The QA and QC process adopted by survey agencies includes manual checks as well as automated routines. Automated process includes the verification of no duplication of lines or symbols, no object with more than one unique identifier, no breaks in graphic connectivity. All graphic files were checked manually with reference to original source map.

3.1.10 GRID FORMULATION

The entire surveyed area has been divided into grids for easy referencing and coordination of survey. The grids are numbered alphabetically from A to V on vertical axis and 1 to 13 on horizontal axis. The typical grid references are a combination of vertical and horizontal reference nos i.e. A4, H13 etc. A village may fall in one or more grid. For example Village Vichumbe, Taluka Panvel falls in one grid H6 and Village Koproli Taluka- Pen falls in four grids namely S3, S4, T3, T4. Grid Structure is shown in **Figure 3-3**.






Figure 3-3: Area under Survey agencies and Grid Structure for NAINA



3.2 EXISTING LAND USE

The existing land use study given in this chapter is limited to DP area i.e. NAINA excluding IDP. The total area therefore refers to total area of NAINA excluding the area of IDP. The area is predominantly rural in nature intermitted with settlements mostly within Gaothans and Padas. However the settlements are also seen sometimes on the out skirt of Gaothans/Padas and along existing roads. The existing developed area is around 7% of the total area (NAINA excluding IDP), this developed area constitutes residential, commercial, industrial, mix use, transport, public & semi- public, public utility, recreational, farmhouses and vegetated areas etc. The major land use is agriculture (43%) followed by forest (20.7%). For existing land uses refer **Table 3-2: Existing Land use**.

3.2.1 ENVIRONMENTALLY SIGNIFICANT AND NON-DEVELOPABLE AREAS

Forest, water bodies, hills, wetlands and salt-pans are the environmentally significant areas. It constitutes 46.2% of the total area. This high percentage of environmentally significant area emphasises the need of environmental considerations in Planning of DP area. The environmentally significant areas are discussed below:

3.2.1.1 FORESTS

DP area is falling in foothill of Sahyadri range. The area witnesses the presence of protected, reserved and few unclassified forests. Forest lies in Balance Phase-I as well as in Phase-II. The forest area in balance phase-I is 1094 and in phase-II it is 7965 Ha. Hence a total area of 9059 Ha is under forests, which is 20.7% of DP area.

3.2.1.2 WATER BODIES

Total area of water bodies including area under revenue water bodies and water bodies within forests constitutes about 3096 Ha (approximately 7.1%) which includes rivers, creeks, lakes, ponds and perennial streams and area under revenue water bodies and within forests. The major rivers flowing through NAINA are Kalundre, Gadhi, Kirki and part of Patalganga. There are several creeklets penetrating into land in Pen Taluka.

3.2.1.3 HILLS

Hills are classified as non-developable. The hill areas with slope greater than 1:5 are considered steep and hence non-developable. The hills in DP area constitute 5305 Ha which is about 12.1% of the total area.

3.2.1.4 MARSHY/SHRUBS AREA

Wetlands are lands observed to be saturated with water at the time of survey. Wetlands are found only in villages of Pen Taluka near creek. As classified above area under marshy/shrubs is 2402 Ha which is about 5.5 % of the total area. These are not wetlands as stipulated in the MoEFCC notification of November 2010.

3.2.1.5 **SALT PANS**

Salt production is noticed only in villages of Pen Taluka. The area under salt pans is 320 Ha which is about 0.7 % of the total area. Some of the villages that have salt pans area are Vashi, Shinganvat, Bori Fata and Kolave. Salt production is on decline and this activity may be discontinued in future.



3.2.2 EXISTING BUILT-UP AREAS (REDEVELOPABLE LAND)

There are certain areas within DP area which are already developed. The existing settlements and structure in the form of residential, commercial, industrial and warehousing, mixed use, public and semi-public amenities, public utilities, transportation, vegetated and farm houses came up organically in the past. However majority of such built-up areas are not in very good condition or not optimally designed. These areas therefore can be redeveloped efficiently. These areas are discussed further in detail.

3.2.2.1 RESIDENTIAL LAND USE

The dense residential areas are located within and sometimes around the Gaothans. The developments prominently located outside of Gaothans are observed in villages close to New Panvel. In other parts of DP, residential area mainly consists of Gaothans, Padas and sometimes ribbon development along existing roads. The areas developing/ developed under Special Township Policy and Rental Housing Schemes have been accounted in residential development. The area under residential land use is about 1403 Ha (approximately 3.2%) of the total area.

3.2.2.2 COMMERCIAL LAND USE

Commercial activities are concentrated along Highways NH-4 & 17 and SH 79 & 105. The major activities noticed are showrooms, hotels, eating houses, auto repair/service stations, fuel filling stations etc. Few commercial uses were also observed along Panvel-Matheran State Highway. The total land under commercial use is 131 Ha (0.3%) of the total area.

3.2.2.3 INDUSTRIAL AND WAREHOUSING LAND USE

DP area has very limited industrial activity. This is also evident from the industrial/warehousing landuse which accounts for 648 Ha (1.5%) only. Villages in Pen Taluka have Ganpati Idol making workshops. Villages have brick kilns on their outskirts and these area are included in industrial landuse.

The only Industrial Estate which was falling within DP is Rasayani. It is spread over Posari, Turade, Savale and Wasambe village. However, major part of this industrial estate is now under jurisdiction of another special planning authority i.e. MSRDC.

Taloja Industrial Estate is adjoining to the northern part of NAINA. Due to its influence, some industries have come up in the vicinity of this industrial estate. Few industrial developments have also been noticed along Highways i.e. NH-4, NH-17, and SH-105.

Adjoining to DP boundary, JSW steel plant is located in Dolvi village. The jetty being used by JSW steel plant is situated in Wave village within NAINA.

Jawaharlal Nehru Port Trust which is the highest container handling port of India, it is in proximity of NAINA. This proximity of JNPT has led to development of warehousing and logistics activities in NAINA. Most of these activities are observed along transport corridors i.e. mainly along NH-17 around villages Palaspe, Shirdhon, Chinvat, along NH-4 around villages Kolkhe, Derawali, (although major part of NH4 and surrounding area is now under MSRDC, but indirect impact of industrial and economic activities can be observed in NAINA) and along SH-82 in village Kasalkhand etc. Due to its prominence as economic activity, this use has been categorized separately.



3.2.2.4 MIXED LAND USE

The mixed land use includes the combination of residential and commercial activities or residential and household industry. Land under such use aggregates to 27 Ha which is 0.1% of DP area.

3.2.2.5 PUBLIC AND SEMI-PUBLIC UTILITIES AND AMENITIES

The public and semi-public land use includes educational, health, socio-cultural facilities and religious places. The total land under these uses aggregates to 180 Ha which is approximately 0.4% of total DP area.

3.2.2.6 TRANSPORTATION LAND USE

The transportation network in the area includes the road network and railway network. The total area under transportation land use is 528 Ha, which is approximately 1.2% of the area.

3.2.2.7 VEGETATED AREAS

These are areas where there is substantial green cover either naturally or through plantations. Such areas admeasure 83 Ha and are about 0.2% of the total area.

3.2.2.8 FARM HOUSE

These are few farm houses also within DP area. Areas under Farm houses admeasure 67 Ha and are about 0.2% of the total area.

3.2.2.9 RECREATIONAL LAND USE

The area of land under recreational use such as playgrounds, parks, gardens, water parks, tot lots etc aggregates to 76 Ha, which amounts to 0.2 % of the area.



3.2.3 LAND AVAILABLE FOR DEVELOPMENT

The other land uses which would be available for development are agricultural, vacant lands, vegetated areas, recreational and quarries. These are described below:

3.2.3.1 AGRICULTURAL LAND USE

Agricultural land use is predominant and area aggregates to about 18809 (43%). The agriculture land use is present in almost all villages. Crop lands, fallow lands, plantations, poultry farms/ cattle sheds, nurseries and fish farms are the sub-categories considered under agricultural land use.

3.2.3.2 VACANT LANDS

Vacant land is classified where no particular activities is noticed/ taking place during the site visit. The area has fairly large parcels of land under this category i.e. 1526 Ha, which amounts to 3.5 % of the area.

3.2.3.3 QUARRY

Area under quarries is approximately 67 Ha, which is about 0.2% of DP area.

Refer Table 3-2: Existing Land use for Existing Landuse chart and Figure 3-4: Existing Land Use Distribution in DP area.

Refer Figure 3-5: Existing Land Use Distribution in DP Area, 2014-15 for Existing Land Use Map of DP



Table 3-2: Existing Land use in DP area

	Existing Land Use										
Sl. No.	Land Use Category	Bal Phase- I (Ha)	Phase-II (Ha)	Total	% of Total Area						
A	Area not available for development										
1	Forest	1094	7965	9059	20.7%						
2	Waterbody (Within Forest)	5	53	58	0.1%						
3	Waterbody	161	2485	2646	6.1%						
4	Waterbody (Revenue)	69	323	392	0.9%						
5	Hills (slope more then 1:5)	174	5131	5305	12.1%						
6	Marshy/Shrubs	3	2398	2402	5.5%						
7	Salt pan	0	320	320	0.7%						
A	Sub-Total	1507	18675	20181	46.2%						
В	Existing Built-up Area (Redevelopable Lands)										
7	Residential	302	1101	1403	3.2%						
8	Commercial	37	94	131	0.3%						
9	Industrial and Warehousing	119	528	648	1.5%						
10	Mixed Use	5	22	27	0.1%						
11	Public and Semi-Public Utilities and Amenities	51	129	180	0.4%						
12	Transport Network	139	389	528	1.2%						
13	Vegetated	2	81	83	0.2%						
14	Farm House	16	50	67	0.2%						
15	Recreational	47	28	76	0.2%						
В	Sub-Total	718	2424	3142	7.2%						
C	Total Non-Developable Land (A+B)	2225	21098	23323	53.3%						
D	Lands available for development										
16	Agricultural	3975	14834	18809	43.0%						
17	Vacant Land	493	1033	1526	3.5%						
18	Quarry	24	43	67	0.2%						
D	Sub-Total (Developable)	4493	15910	20403	46.7%						
E	Total Area (A+B+D)	6718	37008	43726	100.0%						

Legend used for showing existing land use is shown in **Annexure 3-1**.






Figure 3-4: Existing Land Use Distribution in DP area






Figure 3-5: Existing Land Use Distribution in DP Area, 2014-15



3.3 ECO-SENSITIVE ZONE AROUND KARNALA SANCTUARY

The Ministry of Environment, Forests and Climate Change by its notification S.O. 230(E) dated 22nd January 2016 has identified an Eco-Sensitive Zone (ESZ) ranging from 0 - 8 km around the Karnala Wildlife Sanctuary. It includes 18 villages from Panvel and Uran Taluka.

The area of KESZ (including Karnala Bird Sanctury) is about 12.10 sq.km. as per MoEFCC notification dated 22 June, 2015. This is considered as area not available for development. Existing uses in KSEZ will be continued and have been considered in already developed areas. Karnala ESZ constitutes mostly forest and hills (gradient >1:5).

As per the notification, a Monitoring Committee to monitor compliance of the notification has been constituted under the chairmanship of Collector Raigad District and representative of SPA NAINA as one of the members of the committee.

3.4 WESTERN GHATS ECO-SENSITIVE ZONE

The Ministry of Environment, Forests and Climate Change by its notification S.O. 733(E) dated 10th March 2014 has identified Eco-Sensitive Zones (ESZ) in the Western Ghats hills in the states of Gujarat, Maharashtra, Goa, Karnataka and Tamil Nadu. Raigad District is one of the districts in Maharashtra which has some villages in the ESZ. The said notification gives the list of villages which are wholly or partly included in the ESZ along with the latitude and longitude of the external boundary of ESZ.

As far as NAINA is concerned certain villages appear in the ESZ list as given in Table 3-3: Villages and Reference points. However the latitude – longitude of the external boundary of villages when transferred on map show different locations than those cited in the table and the villages of NAINA at these coordinates do not appear in the list of ESZ notification. Thus there is a discrepancy in the boundary of ESZ and this issue is required to be sorted out with MoEFCC. It is subjected to the final notification by MoEF, which after




Figure 3-6: Reference points on outer boundary of Western Ghat ESZ

publishing will be applicable in DP area. The **Figure 3-6: Reference points on outer** boundary of Western Ghat ESZ shows the map with location of outer boundary marked as per lat-long of reference point given in the notification (shown in **Table 3-3: Villages and Reference points**).



Table 3-3: Villages and Reference points

		Table 3-3. VIII
Sr. No	Taluka	Village
1	Karjat	Palasdari
2	Karjat	Talawli
3	Khalapur	Sondewadi
4	Khalapur	Warose T. Wankhal
5	Khalapur	Nadhal
6	Khalapur	Kalote Mokashi
7	Khalapur	Nigdoli
8	Khalapur	Kalote Rayati

Reference point in Notification	Latitude - Longitude
41	73.4258, 19.4225
43	73.5123, 19.2406
44	73.4137, 19.068
45	73.3746, 18.8911
46	73.3242, 18.7207
47	73.2432, 18.6505
48	73.0729, 18.534
113	73.5363, 18.7441

3.5 IDENTIFICATION OF POTENTIAL DEVELOPABLE AREAS

The main purpose of the existing land use preparation is to know the extent of area already developed and to estimate the land available for development.

Environmentally significant areas such as water bodies, forests (including KESZ), salt pans and wetlands areas are excluded from developable lands. Physically undevelopable areas such as hills with steep slope (greater than 1:5) are also excluded from developable areas. Land under existing transportation network, existing built-up areas are excluded from the developable lands. Refer **Table 3-4: Summary of developable area**.

The agricultural and vacant lands are predominant areas available for new developments and they can be considered as "areas available for development". Large share of government lands is also available in these areas. Altogether, the land available for development in DP area is approximately 20461 Ha that is 46.8% of NAINA excluding IDP. For developable and non-developable land Refer **Figure 3-7: Lands available for development in DP area**.

Table 3-4: Summary of developable area

Sr. No	Description	Area in Ha	% to total area
A	Total Area of DP (NAINA excluding IDP)	43726	100%
В	Not available for development	20181	46.2%
С	Already Developed (Existing Built-up Area: Re-developable)	3142	7.2%
D	Lands available for development [A-(B+C)]	20403	46.7%

Source: Analysis of the ELU map






Figure 3-7: Lands available for development in DP area



4. VISION AND STRATEGY

This chapter briefly explains the vision for the development of NAINA and the strategy to attain the same. Chapter also discusses the identified focal areas to bring strategy into action.

4.1 VISION FOR NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA

Navi Mumbai Airport Influence Notified Area (NAINA) depends upon the economic base provided by proposed Navi Mumbai International Airport near Panvel, Taloja Industrial Area and Jawaharlal Nehru Port Trust. However, all the three are outside of NAINA limits, having their own immediate hinterlands to capture the growth impulses of these economic hubs. New economic opportunities will attract people from different areas and backgrounds. These socio-economic activities will also result in the expansion of housing market of Mumbai and Navi Mumbai towards NAINA. NAINA will have to acquire a competitive edge over other areas in Mumbai Metropolitan Region (MMR) to attract the economic impulse and housing market.

The vision for NAINA is:





4.2 STRATEGY

The key focal areas to attain the perceived vision as stated above are Phasing, Land Development Model, and Raising Finances for development of infrastructure, Transport Network and Environmental Sustainability. The five dimensional strategies is indicated in Figure 4-1: Development Strategy for NAINA



4.2.1 PHASING:

NAINA is spread over 474 km². To understand the scale of urbanization involved, it could be compared with the city of Mumbai which is spread over 438 km² and that of Navi Mumbai which is spread over 344 km². While Mumbai has been developing over the past century, it took about half a century for Navi Mumbai - a planned greenfield city to get developed and populated. NAINA in terms of area is considerably more than Navi Mumbai. Therefore NAINA is too big an area to be urbanised in the plan period of next 20 years. It will neither be possible nor advisable to plan and provide infrastructure for whole of NAINA uniformly. Hence it is considered appropriate take to development in a focused way for selected area where development pressure is more. The focus of infrastructure will be on this selected area on priority. This area is termed as Phase-I. Remaining area is termed as Phase-II. Refer Figure 4-2: Phasing of NAINA.

Furthermore development is dynamic and cannot be frozen in a 20 year plan, thus while a detailed land use plan will be prepared for the Phase –I, and the areas which are

Figure 4-1: Development Strategy for NAINA




Figure 4-2: Phasing of NAINA

likely to be urbanized beyond plan period are marked as Phase-II. The idea is to review the plan after sometime (5 - 10 years), assess the development potential and needs and if required modify the plan suitably.



4.2.2 DEVELOPMENT MODEL:

Development of NAINA is planned to be holistic and flexible at the same time. In such situation, it becomes challenging to guide the development pattern. Therefore an innovative Land Development Model 'NAINA – a voluntary land pooling scheme' has been adopted.

The essential features of this model are.

- a) Land is assembled into a minimum size.
- b) 25% of the land is surrendered to the planning authority for provision of roads and infrastructure and 15% of land is surrendered to planning authority towards its land bank.
- c) FSI for 60% of land retained by the developing entity is enhanced to compensate for the surrendered land.

Voluntary land pooling primarily responds to the demands of the market. Provision of 'incentives for participation in the scheme, and some disincentives for not participating' are introduced to make the scheme attractive and ensure maximum participation. Retaining land for subsequent sale by planning agency could raise resources for financing the development. The model in detail has been explained in Chapter 10.

The outcome of NAINA Scheme being market dependent is intrinsically uncertain. To overcome the risk and uncertainty of outcome the following strategy is proposed:

a) Flexible Zoning:

SPA intends to promote development in NAINA with major role for developers and other real estate entrepreneurs. It is therefore desirable to promote the concept of zoning with flexibility to promote compatible land uses in different zones.

In each zone compatible land uses are defined under preferred, permitted, and prohibited uses. The concept of flexible zoning is to create an enabling environment for private sector led development that can adapt to changing economic scenario. This process will ultimately result into integrated and holistic development of NAINA.

If reasonably large land is coming for development, which is capable of developing infrastructure on its own, such development is permitted even in Phase-II. For such development the minimum size of land assembly is more than 25 Ha.

b) Selective reservations in DP:

Promoting large scale development through private sector also implies that some of the facilities will come up by private sector along the development. Two main criteria of provision for facilities are:

Considering the possibility and willingness of development by private sector, the estimated amenities for year 2034 have been categorized in three groups.

- Group I 100% provision of reservations in DP
- Group II 50% reservations in DP and 50% through NAINA Scheme
- Group III Not shown in DP, expected from large developments

The details are given in Chapter-6.



4.2.3 RAISING FINANCES:

The land required for infrastructure would become available under NAINA model free of cost. The finances required for developing city-level infrastructure will be raised from development charges, as leviable under the MRTP Act, 1966. The prescribed development charges are enhanced to facilitate funding. The second source of revenue is disposal of 15 % land reserved as growth centre in Development Plan. For those who are not participating in NAINA scheme, FSI linked premium will be applicable to have parity in contribution for development of infrastructure, Details of the same are given in DCPR.

4.2.4 TRANSPORT:

Transport network is backbone of cities. Though other reservations have not been shown in detail beyond Phase-I, the road network has been planned for entire NAINA. Appropriate RoW has been worked out, planned and reserved for entire NAINA. Around the proposed sub urban stations adequate land has been reserved for circulation, integration of public transport and parking. Following parameters have been taken into considerations while planning Transport Oriented Development for NAINA, refer **Figure 4-3: Transport Oriented Development in NAINA**

- Walk: Developing neighbourhoods that promote walking by providing neighbourhood facilities and public transport at walkable distance
- Cycle: Promoting and encouraging Non-motorized transport system by providing cycle and pedestrian lanes
- Connections: Creating networks of streets and roads, proposing roads in loops to provide choice of mobility
- Transit: High potential development along major transport connectivity
- Mixed activities: Planning for mixed use, controlled by DCPR
- Dense and compact development: Optimizing density and transit capacity. Creating regions with short commutes
- Shift: Increasing mobility by regulating land use (providing parking) and facilities (transport oriented facilities) near transport nodes.



Figure 4-3: Transport Oriented Development in NAINA



4.2.5 ENVIRONMENT SUSTAINABILITY:

NAINA is partially located in the hilly terrain of Western Ghats, which has sensitive areas of natural and ecological importance. Protecting these natural areas is important for regional ecological balance of MMR and Western Ghats. The Eco-sensitive zones have been protected to retain the natural ecology and environment in NAINA. Balance between nature and Smart urban development has been evolved.

sustainability Environmental important aspect for any plan. environmental conditions of an area influence the quality of life of its inhabitants. NAINA being a Greenfield development, environmental sustainability becomes more significant. Environment conservation in the DP includes both the built and natural heritage. While it is difficult to address all the conservation issues in a DP, attempt has been made to minimise the adverse impact

urbanization on environment through land use proposals and the Development Control and Promotion Regulations (DCPRs). The same are discussed in detail in Chapter - 12.



Figure 4-4: Evolving balance between Nature and Smart Urban Development



5. DEMOGRAPHIC PROJECTIONS

NAINA is almost a green field development. The traditional methods of population projection used in Development Plans for existing cities are not relevant in the instant case. This chapter describes the selection of appropriate methodology and the working of projected population of NAINA for the horizon year 2034.

5.1. POPULATION FORECAST - NAINA

5.1.1. METHODOLOGY

The conventional methods of population projection of given city essentially use time series data. Based on such data, regression analysis is carried out on the relation between population as dependent variable and time as independent variable. The functional form could be linear (arithmetic) or non-linear (geometric). For projecting the population in future the past relation between 'population' and 'time' is assumed to hold good even in future. The basic limitation of this method is that it does not take into account the changes occurring in the external context such as reduction in general fertility rate, changing migration patterns, focused economic growth etc. Furthermore, in the absence of detailed migration and age-group specific birth and death data a more sophisticated trend analysis by 'cohort survival' method is also not possible. In addition, where slowing of growth rate is in its nascent stage (as in case of Greater Mumbai where peri-urban areas are growing at faster rate) or where a new economic input is expected to trigger urban growth, trend projection based on historical time series data of the concerned area is not relevant. In such circumstances a different approach to population forecast is adopted. This is called "ratio" or "shift and share" method. Such methods were adopted by D'Souza Committee while reviewing the Development Plan of Greater Mumbai in 1988, by Mumbai Metropolitan Region Development Authority (MMRDA) in Regional Plan 1996-2011 and also in draft Development Plan 2034 of Municipal Corporation of Greater Mumbai (MCGM).

Shift and Share method adopts approach of 'from whole to the part'. Population of a city is a share of overall urban population of higher order spatial entity (e.g. region or state). However, such share is not constant and past data suggest the 'shifts' in the share. Such shifts are then moderated for the future either based on the trend or based on the judgment about the impacts of new economic inputs. This method is used in step down manner. At the highest order, the national or state demographic forecasts are considered. At the national level the contribution of net migration is very small. Projecting population is therefore less uncertain. After 2001 Census, Registrar General Census operations, Government of India, had provided population forecasts for India and States with Urban Rural division up to 2026.

Population growth of NAINA is likely to occur on account of new economic inputs like NMIA, expansion of JNPT, emerging rail links at Panvel, warehousing activities at Kalamboli and expanding housing market of Mumbai/ Navi Mumbai aided by infrastructure provisions by CIDCO. NAINA is likely to grow in the regional context of Mumbai Metropolitan Region. Therefore, "Shift and Share" method has been used to forecast the population for horizon year 2034.



Since NAINA is integral part of Urban Mumbai Metropolitan Region, the 'step down' approach uses Maharashtra Urban, Mumbai Metropolitan Region (MMR) Urban, Greater Mumbai Urban Agglomeration (GMUA) + Bhiwandi Nizampur Municipal Corporation + Vasai Virar Municipal Corporation + Navi Mumbai (CIDCO), NAINA and Khopta New Town Notified Area (KNTNA) as administrative units. The data compiled for the application of the method and the outcomes are described in succeeding paragraphs.

5.1.2. POPULATION DISTRIBUTION WITHIN DIFFERENT JURISDICTIONS

The available population from Census data was compiled (shown in **Table 5.1**) to be used for population estimation of NAINA. **Table 5.1** shows the population within various administrative zones in MMR and Maharashtra. In 2011 out of 508 lakhs population of Maharashtra's urban, 228 lakhs population was of Mumbai Metropolitan Region alone. Similarly, population within different jurisdiction within MMR is also shown in **Table 5.1**. Navi Mumbai shows considerable growth with Average Annual Growth Rate (AAGR) to be more than 10% (for year 2001 to 2011). NAINA in 1991 had 1.75 lakh of population, which grew to 2.78 lakhs in 2011, with AAGR of 3% in two decades (2.1% AAGR in 1991 to 2001, and 3.3% AAGR in 2001 to 2011). Refer **Table 5-1** for Urban Population within MMR and Maharashtra.

Table 5-1: Urban Population within MMR and Maharashtra

Description		Census Population in Lakhs						
Description	1971	1981	1991	2001	2011			
Maharashtra Total	504.1	627.8	789.4	968.8	1,123.7			
Maharashtra Urban	157.1	219.9	305.4	411.0	508.2			
Mumbai Metropolitan Region (MMR)	77.9	110.9	145.3	188.2	228.0			
MMR Urban	68.3	101.2	135.2	181.8	213.8			
GMUA + BNMC+ VVSR+CIDCO	66.9	99.2	131.6	174.7	204.6			
GMUA	64.6	95.7	124.8	161.3	179.7			
Greater Mumbai Municipal Corporation	59.7	82.4	99.3	119.8	124.4			
Thane Municipal Corporation	1.7	4.7	8.0	12.6	18.4			
Kalyan- Dombivali Municipal Corporation	1.5	5.8	8.2	11.9	12.5			
Ulhasnagar Municipal Corporation	1.7	2.7	3.7	4.7	5.1			
Navi Mumbai Municipal Corporation	-	-	3.9	7.0	11.2			
Mira-Bhayandar Municipal Corporation		-	1.8	5.2	8.1			
AREAS NEARBY Greater Mumbai Urban Agglomeration (GMUA)	2.3	3.5	6.7	13.4	24.9			
Bhiwandi-Nizampur Municipal Corporation	0.8	1.2	3.8	6.0	7.1			
Vasai Virar City Municipal Corporation	0.3	0.4	2.2	4.7	12.2			
Navi Mumbai (CIDCO)	1.2	2.0	0.7	2.7	5.6			
OTHER URBAN LOCAL BODIES	1.4	2.1	3.6	5.7	8.0			
Ambarnath Municipal Council	0.6	0.9	1.3	2.0	2.5			
Kulgaon-Badalapur Municipal Council	ı	-	0.5	1.0	1.7			
Panvel Municipal Council	0.3	0.4	0.6	1.0	1.8			
Pen Municipal Council	0.1	0.2	0.2	0.3	0.4			
Khopoli Municipal Council	0.2	0.3	0.5	0.6	0.7			
Karjat Municipal Council	-	-	0.2	0.3	0.3			
Matheran Municipal Council	0.0	0.0	0.0	0.1	0.0			
Alibag Municipal Council	0.1	0.1	0.2	0.2	0.2			
Uran Municipal Council	0.1	0.2	0.2	0.2	0.3			
CENSUS TOWNS	-	-	-	1.4	1.1			
NAINA			1.73	2.09	2.78			

Source: Census of India 1971, 1981, 1991, 2001 and 2011



For Population estimation, the share of population of a jurisdiction within its subsequent higher hierarchy of jurisdiction was calculated. The share of Maharashtra urban population to Maharashtra's total population was 39%, 42% and 45% in the years 1991, 2001 and 2011 respectively. **Table 5-2** shows the 'shift in share' in urban population of Maharashtra, MMR, NAINA etc. This trend shows that the share of Maharashtra urban population within Maharashtra is increasing consistently. On the other hand, the share of MMR urban population in Maharashtra urban population decreased from 46% to 42% in last three decades. Decrease in share of MMR urban population in Maharashtra's urban population indicates that urban areas outside MMR are growing at faster pace.

Greater Mumbai Urban Agglomeration (GMUA) constitutes municipal corporations of Greater Mumbai, Thane, Kalyan-Dombivali, Ulhasnagar, Navi Mumbai and Mira-Bhayandar. Areas such as Bhiwandi-Nizampur (MC), Vasai-Virar (MC) and Navi Mumbai (CIDCO) are outside of GMUA. However to consider single urban entity adjoining to the area of interest i.e. NAINA, Bhiwandi-Nizampur (MC), Vasai-Virar (MC) and Navi Mumbai (CIDCO) have been clubbed with GMUA.

As shown in the **Table 5-2** given below, share of population of Greater Mumbai Urban Agglomeration including Bhiwandi Nizampur Municipal Corporation, Vasai Virar Municipal Corporation and Navi Mumbai – CIDCO within MMR urban in the years 1991, 2001 and 2011 was 97.3%, 96.1% and 95.7% respectively. It is evident that shift in the share of population continued to be negative during past three decades. NAINA during two decades i.e. from 1991 to 2011) shows no significant deviation from natural growth. Please refer **Table 5-2** for share and shift in share from 1971 to 2011.

Table 5-2: Share and Shift in urban population of MMR in Maharashtra from 1971 to 2011

		Share of population				Shift in Share			
Description	1971	1981	1991	2001	2011	1971- 1981	1981- 1991	1991- 2001	2001- 2011
Maharashtra Urban in Maharashtra Total	31.2%	35.0%	38.7%	42.4%	45.2%	3.9%	3.7%	3.7%	2.8%
MMR Urban in Maharashtra Total	13.5%	16.1%	17.1%	18.8%	19.1%	2.6%	1.0%	1.6%	0.3%
MMR Urban in Maharashtra Urban	43.5%	46.0%	44.3%	44.2%	42.1%	2.6%	-1.8%	- 0.0%	-2.2%
GMUA + BNMC+ VVSR+CIDCO in MMR Urban	97.9%	97.9%	97.3%	96.1%	95.7%	0.0%	-0.6%	-1.2%	-0.4%
NAINA in MMR URBAN			1.28%	1.15%	1.30%			-0.14%	0.15%

Source: Census of India 1971, 1981, 1991, 2001 and 2011



5.1.3. NAINA'S POPULATION FORECAST BY SHIFT AND SHARE METHOD

Shift and share method follows the approach of 'whole to part'. It implies that the population in higher order spatial entity will define the lower order spatial entity population with the help of percentage share within the larger spatial hierarchy. Therefore the elementary task was to estimate the population growth of highest hierarchy related to the study area i.e. Maharashtra State.

Maharashtra's Population Projection:

National Commission on population has projected the urban and rural population of India and states from the year 2002 to 2026. This document was prepared by Registrar General, Census Operations, Government of India (RGI). This population projection was done in 2006 and it is available for all states from the year 2002 to 2026. Now census data for the year 2011 is also available. Hence the census data was used to assess the deviation from the projection by RGI. For the year 2011, the population projected by the RGI in 2006 is 1126.6 lacs whereas the census 2011 shows 1123.7 lacs. It implies that the difference between the estimated population and census population-2011 is approximately 3 lacs i.e. 0.25%. The estimated population by RGI is slightly on higher side. This fact was taken care of while using the population projection of RGI.

The availability of census 2011 population and projections done by RGI provided supplementary information to study the trend and estimate population growth till 2034. The average annual growth rate of the past decades was analyzed and the deviation from RGI projection was observed. On the basis of this observation, the AAGR for 2021 and 2031 was assumed and the projections were carried out. The same is shown in the **Table 5-3**

Table 5-3: POPULATION PROJECTION (MAHARASHTRA TOTAL) Pop							Pop in Lacs	
Description\ Year 1971			1981	1991	2001	2011	2021	2031
Population	Census Data (Actual Population)	504.1	627.8	789.4	968.8	1123.7		-
(Maharashtr	RGI PROJECTION					1126.6	1270.8	
a Total)	PROJECTED POPU		1258.2	1372.8				
Comparison	Difference with RGI F	-2.9	-12.6					
Companson	Difference with RGI F	Projection	(in Percei	ntage)		-0.25%	-0.99%	
Analysis								
Decades			71-81	81-91	91-01	01-11	11-21	21-31
AAGR			2.5%	2.6%	2.3%	1.6%	1.2%	0.9%
DIFF IN AAGR				0.1	-0.3	-0.7	-0.4	-0.3

The projected total population of Maharashtra for the year 2021 is 1258.2 lacs which is about 12.6 lacs more than the population projected by RGI. Considering the fact that projected population by RGI was on higher side by about 3 lacs in the year 2011. If the same trend continues, the population gap is expected to increase in 2021. Therefore the population estimated for the year 2021 which was 1258 i.e. less by 12.6 lacs of RGI's population estimation, was considered appropriate and the trend was continued till 2034.



Maharashtra Urban and MMR Urban Population Projection:

Subsequently the population projections of required areas within Maharashtra were estimated on the basis of shift and share method. The share of Maharashtra Urban population in Maharashtra's total population was 31%, 35%, 38.7%, 42.4% and 45.2% in 1971, 1981, 1991, 2001 and 2011 respectively. The shift in the share was observed for past decades (3.9%, 3.7%, 3.7% and 2.8% in consecutive decades), and based on past trend shifts in urban population share for the future were assumed (2.6% for 2021 and 2.3% for 2031). Accordingly, total urban population of Maharashtra was estimated. Please refer **Table 5.4** for details.

Similarly the trend of share and its shift was observed for MMR urban population with Maharashtra urban population for last four decades. Based on the past trend, the shift was assumed. And the share of MMR urban population in Maharashtra urban was worked out. And thus MMR urban population was projected. Following the step down approach the shifts and shares of NAINA was estimated as detailed in subsequent paragraphs.

Population Projection for NAINA:

The three critical scenarios possible for the growth of NAINA are:

Low growth scenario: The natural growth phenomenon where neither any infrastructure provisions nor economic activities are induced due to which the population grows at slow and natural pace. This is the trend if area is allowed to grow on its own with provision of infrastructure as and when the need arises. This was the trend till appointment of CIDCO as SPA.

Medium growth scenario: The growth in population is expected due to induced external forces which are basically provision of infrastructures like water supply, sewerage, drainage, roads, schools, hospitals etc. Further, induced population is due to planned activities within the zone. Infrastructure and economic activities on one hand induce or attract population to in-migrate but also control the phenomenon by the planned and controlled approach.

High growth scenario: It is the result of uncontrolled and unplanned growth due to economic activity in nearby area. Population growth in this scenario is due to the inflow of heavy economic activities. In such situation, the zone attracts people from different areas including adjoining ones.

To be rational in terms of efficient and planned development the medium growth population growth scenario has been taken into consideration. The Shift and Share assumptions in **Table 5-4** are therefore considered as per medium growth scenario.

While envisaging share of NAINA population in MMR urban population, induced growth was assumed. The induced growth was assumed due to provision of infrastructure (social and physical), economic activities, efficient connectivity and better quality of life. These factors will attract people from other areas to NAINA. Thereafter induced shift in the share of population of NAINA were assumed and shares from MMR urban were derived (Refer **Table 5-4**). It is expected that the population of NAINA would be approximately 14.02 lakhs by the year 2034. **Table 5-4** shows the population projection through shift and share method.



Table 5-4: Population Projection of NAINA through Shift and Share method

Share Shift in Share	Spatial Entity \ Year	Existing Population					Population Projection - Shift and Share method (Medium Growth Scenario)		
		1971	1981	1991	2001	2011	2021	2031	2034
	Maharashtra Total	504.1	627.8	789.4	968.8	1,123.7	1,258.2	1,372.8	-
	Maharashtra Urban	157.1	219.9	305.4	411.0	508.2	601.7	688.1	710.7
Population	MMR URBAN	68.3	101.2	135.2	181.8	213.8	242.3	264.7	269.6
Population	GMUA + BNMC+ VVSR+CIDCO	66.9	99.2	131.6	174.7	204.6	225.9	238.8	240.8
	NAINA	-	-	1.7	2.1	2.8	4.97	11.38	14.02
	Maharashtra Urban in Maharashtra	31.2%	35.0%	38.7%	42.4%	45.2%	47.8%	50.1%	
	MMR Urban in MH Urban	43.5%	46.0%	44.3%	44.2%	42.1%	40.3%	38.5%	37.9%
Share	GMUA + BNMC+ VVSR+CIDCO in MMR Urban	97.9%	97.9%	97.3%	96.1%	95.7%	93.2%	90.2%	89.3%
	NAINA in MMR Urban			1.3%	1.1%	1.3%	2.0%	4.3%	5.2%
	Maharashtra Urban in Maharashtra		3.9%	3.7%	3.7%	2.8%	2.6%	2.3%	
	MMR Urban in MH Urban		2.6%	-1.8%	0.0%	-2.2%	-1.8%	-1.8%	-0.5%
_	GMUA + BNMC+ VVSR+CIDCO in MMR Urban			-0.6%	-1.2%	-0.4%	-2.5%	-3.0%	-0.9%
	NAINA				-0.1%	0.2%	0.8%	2.3%	0.9%
								Assumptions	3

5.1.4. POPULATION ESTIMATION WITHIN NAINA

After projecting NAINA's total population for the year 2034, further step is to estimate the distribution of this population within NAINA where development would be taking in various phases. As phasing will define the level of infrastructure provision and location will define connectivity, geography and other factors, therefore it is important to consider the internal dynamics of NAINA while distributing the projected population within NAINA. Therefore the population estimation of IDP, Balance Phase-I and Phase-II (Refer **Figure 5-1: Map showing Phasing of NAINA**) needs to be done separately.

As a matter of fact, the shift and share method will not be very appropriate method now to further distribute the projected population in relatively smaller areas. Since the area is small people prefer to commute to the place of work instead of migrating. Therefore Annual Average Growth Rate (AAGR) method has been applied to calculate population projection within NAINA – Phase-I, Balance -Phase-I and Phase-II. This population estimation will depend on the time, level of infrastructure provisions and economic development etc.



The basic assumptions regarding development pattern in various phases and parts of NAINA are as following:

- **Population Projection for IDP** Due to fact that the area is in Phase-I, the provision infrastructure development will be faster as compared to other parts of NAINA. Also, it is well connected and relatively affordable to reside. The growth trend will therefore continue rising till one more decade. This area has highest potential to develop in the immediate future, comparatively faster to other areas. Accordingly, the annual growth rate is expected to rise up to about 20%. As part of it is already developed and hence it is likely to saturate before other areas. It will gradually reach its saturation in terms of population growth rate. After that the growth rate will reduce and will continue with almost consistent population growth rate till the plan period.
- Balance Phase-I This area comprises of areas adjoining IDP and Khalapur Smart City area. This area is less developed as compared to IDP. Hence it offers opportunity for providing better




Figure 5-1: Map showing Phasing of NAINA

- infrastructure. Commutable distances and scope to plan developable areas efficiently makes this zone favorable for high growth. This part of NAINA is also expected to grow as fast as IDP. The Annual growth rate in this area also is expected to rise up to about 25%. It will continue to grow at high rate for the rest of Plan period. The population growth therefore will be high, after a decade it will become consistent but at higher rate than IDP.
- **Phase-II** This part of NAINA is outside of Phase-I, CIDCO does not plan to provide urban infrastructure in this area in the Plan Period. It means that the infrastructure provision will take place after 2034. This area is relatively far and transportation commuting facilities are also not very efficient. The area is assumed to have low population growth. The growth in terms of AAGR increases up to 6%, and continues to be around 5% till planned period.

Detailed Annual Assumptions for the Growth Rate from 2011 onwards are given in the **Table 5-5: Population Projection of Parts of NAINA**:



The final Population projection **Table 5-5** as per the assumed Annual Growth Rate within NAINA is given below.

Average Annual Growth Rate (AAGR) Population in Lacs Balance Balance Total Year **IDP** Phase I Phase-II **IDP** Phase I Phase-II **NAINA** As per Census 1991 0.23 0.29 1.20 1.72 2001 6.7% 1.8% 1.3% 0.39 0.34 1.36 2.09 1.74 2011 6.9% 1.4% 2.8% 0.65 0.39 2.78 **Population Estimation AAGR Assumptions** 2016 2.9% 2.7% 1.1% 0.75 0.44 1.84 3.02 2021 20.1% 10.9% 2.7% 1.50 0.68 2.09 4.27 2031 21.2% 26.2% 6.3% 4.67 2.47 3.40 10.55 2034 11.0% 18.7% 5.3% 6.22 3.86 3.94 14.02

Table 5-5: Population Projection of Parts of NAINA

Therefore the Estimated Population for the year 2034 will be:

- IDP Total projected population 6.2 lakhs
- Balance Phase-I Total projected population 3.86 lakhs
- Phase-II Total projected population 3.94 lakhs

Total population of NAINA is therefore expected to be 14.02 lakhs by the year 2034.

5.1.5. Density in DP Area

The development strategy adopted is optimal in terms of infrastructure provision and population growth. Area under Phase-I is planned to grow first and therefore priority of infrastructure provision is given to Phase-I of NAINA. DP area comprises of Balance Phase-I and Phase-II. Description of area, population and density in Balance Phase-I and Phase-II are given in **Table 5-6: Density in DP Area.** Gross density is calculated on total area and net density is calculated on developable area in corresponding phase. Gross density in Balance Phase-I is 57 persons per hectare (PPH) and in Phase-II is 11 PPH, whereas net density attained in Balance Phase-I and Phase-II is 85 PPH and 25 PPH respectively. Projected gross density in entire DP area is 18 PPH and net density is 38 PPH

Table 5-6: Density in DP Area

Description	Balance Phase-I	Phase-II	Grand Total
Developable Area (Ha)	4525	15936	20461
Redevelopable Area (Ha)	684	2366	3050
Non-Developable Area (Ha)	1509	18706	20215
Total Area (Ha)	6718	37008	43726
Projected Population (lacs)	3.86	3.94	7.8
Gross Density (PPH)	57	11	18
Net Density (PPH)	85	25	38



6. REQUIREMENT OF PUBLIC AMENITIES

One of the main functions of Development Plan (DP) is to designate land for public purpose. Transport, education, healthcare and recreational open spaces are the principal components of public purpose for which land has to be designated in DP. Traditionally planning norms/standards in terms of area required per thousand or per lac of populations have been used for this purpose. However in case of DP, the land development model puts an upper limit of 40% of developable area for such facilities (10% is used for roads, 15% is for growth centre, 10% is for open spaces and 5% is for social facilities). This chapter explains norms relevant for NAINA and their provisions in DP area.

6.1. PLANNING NORMS

The public services and facilities in the urban environment have significant impact on the quality of life of the people residing in urban areas. Good quality of physical and social infrastructure such as transport, water supply, sewerage, education, health care and community facilities are essential elements for healthy and sustainable urban life.

For assessing requirement of social and physical infrastructure for estimated population, the spatial norms have been laid down in various documents by different agencies. To adopt most appropriate norms for NAINA, the requirement of facilities in the form of norms, standards and guidelines were referred from various sources i.e. Government Resolution 1979 of Government of Maharashtra, UDPFI guidelines -1996 and revised URDPFI -2014 (final version of URDPFI Guidelines). In addition, CIDCO has also adopted a set of norms for planning of Navi Mumbai and for preparation of development plan for Waluj. A comparative statement of these norms and standards is given in **Annexure 6-1**. Based on this range of norms and standards, appropriate one for NAINA has been arrived at. These are given in **Table 6-1: Standards adopted for provision of public facilities in NAINA**.



Table 6-1: Standards adopted for provision of public facilities in NAINA

Type of	e 6-1: Standards adopted for provision of public	Standard	
Facility Facility		1 for Population	Area(Ha)
	Balwadi/ Creche	12000	0.05
Educational	Primary & Secondary School building (S)	10000	0.40
Educational Facilities	School Play Grounds (SPG)	10000	0.60
racilities	Colleges (C)	125000	1.00
	Professional Colleges/ Technical College	125000	2.00
	Clinic	10000	0.06
Health	Dispensary/Primary Health Centre (PHC)	25000	0.15
Facilities	General Hospital (GH)	100000	0.50
	Super Speciality Hospital	250000	2.00
	Library	10000	0.05
Social And	Multipurpose Hall	10000	0.20
	Health Club & Gymnasium	10000	0.10
Cultural Facilities	Community Centre (CC)	100000	0.20
racilities	Religious	10000	0.15
	Working Women's Hostel	100000	0.30
Market / Daily Bazaar	Market / Daily Bazaar (DB) It includes: Vegetable/Fish/Meat Market Rationing / Kirana/ Retail Shops/Flour mills Milk Booths, Personal Service Establishments, Post Office etc.	10000	0.10
Public	Fire Brigade and Allied services (FS)	200000	1.00
Facilities	Burial/Cremation Ground (BG/C)	500000	4.00
racilities	Police Station (PS)	100000	1.00
Onon	Parks (P)	10000	3.00
Open Spaces/Park	Playgrounds (PG)	10000	4.00
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	City Park (CP)	500000	50.00

6.2. DISTRIBUTION OF SOCIAL FACILITIES AND PUBLIC AMENITIES

Entire DP is too big an area to be urbanised in the plan period of 20 years. It will neither be possible nor advisable to plan and provide infrastructure for whole of DP area in one go. Hence it is considered appropriate to take up development in phases. The development of infrastructure should be provided for selected area where development pressure is more or eminent in near future. The focus of infrastructure therefore will be on selected area, termed as Balance Phase-I.

Also, it is important to mention that distribution of above estimated facilities would defer due to developments of layouts and facilities coming up in NAINA scheme etc. Considering this, the estimated amenities for year 2034 have been categorised in three groups given in the **Table 6-2: Group-wise Amenities** & Utilities shown in Balance Phase-I of DP area.



Group	Distribution	Social Amenities	Public Utilities	Parks and Play
				Grounds
Group I	100% designated in DP	Dispensary/Primary Health CentreGeneral HospitalCommunity Centre	Police stationFire stationBurial Ground	ParksPlay groundsCity Level Park
Group II	50% designated in DP and 50% expected by developers through NAINA Schemes	Market / Daily BazaarSchoolsCollege		School play grounds
	Mandatory Amenities expected from large development.			Open space requirement as Described in DCPRs
Group III	Optional Amenities in NAINA Schemes	 Clinics Balwadi/ Creche Religious Health Club & Gymnasium 		

Table 6-2: Group-wise Amenities & Utilities shown in Balance Phase-I of DP area

- a) **Group I-100% reservations shown in DP:** The public utilities and major social facilities like parks & playgrounds, crematorium/ burial grounds, police station, fire station and general hospital are included in this group. Most of these are unlikely to be developed through the market. Hence the entire requirement estimated from the norms adopted for DP is provided in the plan.
- b) Group II-50% reservations in DP and 50% through NAINA Scheme: Certain amenities can get developed through the market as these facilities are commercially viable. Yet 50% of such amenities are shows as reservations in DP to be developed by CIDCO. This is a fall-back arrangement, if NAINA Scheme does not succeed. The balance 50% amenities are expected from NAINA Scheme through layout regulations governing development of NAINA Schemes.
- c) Group III-Not shown in DP Amenities, expected from large Development/ NAINA Scheme: This is an indicative list of amenities that, a developer would provide in response to demand and also as a marketing strategy to attract customers and investors.

All identified social facilities have been divided across various levels. Some facilities cater to the needs at city level and some cater to the needs at peripheral & sector level. Accordingly, facility distribution has been worked out. Abbreviations as well as colour code used while spatially locating required social infrastructure facilities is given in Table 6-3: Abbreviations, Color Coding and Division of Social Amenities across City/Peripheral/Sector Level.

In addition to the above mentioned reservations, DP proposed Growth Centre (GC) as one of the required reservation. Growth centre zone will be exclusively developed by SPA-NAINA and will have predominantly commercial, business, residential activity or any other activity which CEO, SPA-NAINA deems fit. GC is shown as reservation in development plan.

Village and sector wise list of all the reservations are given in Annexure 6-2



Table 6-3: Abbreviations, Color Coding and Division of Social Amenities across City/ Peripheral/ Sector Level

Category of facilities	Facility description	Abbreviation used	City Level	Peripheral Level	Sector Level
EDUCATIONAL	School	S			٧
	College	С	٧		
MEDICAL	Primary Health Centre	PHC			٧
	General Hospital	GH	٧		
MARKETS	Market / Daily Bazaar	DB			٧
	Fire Station	FS	٧		
COMMUNITY	Police Station	PS		٧	
	Community Centre	СС			٧
	Burial / Cremation Ground	BG/C	٧		
	Park	Р			٧
PARKS & PLAY	Play Ground	PG			٧
GROUNDS	School Play Ground	SPG			٧
	City Park	СР	٧		
	33KV Electric Substation	ESS			٧
	220 KV Receiving Station	RS	٧		
	Clear Water reservoir	CWR	٧		
PUBLIC UTILITIES	Elevated Service Reservoir/ Ground Service Reservoir	ESR/GSR		٧	
	Sewage Treatment Plant	STP	٧		
	Public Utilities	PU	٧		

6.3. POPULATION DISTRIBUTION AND ESTIMATION OF RESERVATIONS

Total population projected for NAINA is 14.02 Lacs for the year 2034. Considering that development is to be focused on Phase-I area only, the population estimated for Balance Phase –I (excluding IDP) is about 3.86 Lacs. The requirements of facilities have been worked out as per standards adopted for Phase-I population of 3.9 lacs only.

The social facilities are required to cater to the needs of population. The hierarchy of facilities (for example primary school, high school, college) is defined on the basis of population it has to serve. There is also threshold (minimum) population to run or maintain the facility. **Table 6-4** shows the total facilities required for 3.9 lacs of population. In case of allocating higher order facilities which serve more than one sector such as General Hospital, Police Station, Fire Station, City Parks, Colleges and Burial Ground, spatial distribution is given due consideration. But for micro level or neighbourhood level facilities, sector wise population estimation is required to spatially distribute the facilities according to the threshold and the catchment of the population.



6.4. SECTOR WISE ESTIMATION OF RESERVATION

Balance Phase-I area is divided into 25 sectors; in which 17 sectors are around IDP and remaining 8 are in Khalapur smart city area. The development plan promotes mixed land use by permitting residential activity in most of the proposed zones.

The residential factors used for estimation of residential population within respective land uses are - 90% for R-1 (Predominantly Residential), 20% for developments in Growth Centre, 50% for R-2 (Mix Use) and 90% for R-3 (Urban Village). The residential factors when multiplied by area of respective zones (the R-1, R-2, R-3 zones and Growth Centers) in which residential activity was assumed gave the net residential use in each sector.

Proposed landuse was considered for estimation of sector level population. The estimated area under residential use through proposed landuses was calculated in each sector. Projected population was distributed on the basis of proportion of residential activity in each sector. Further the facilities were provided on the basis of estimated population in each sector.

6.5. PROVISION OF FACILITIES IN BALANCE PHASE-I

This section presents estimated demand of proposed social infrastructure facilities such as educational, health facilities, open spaces and other amenities. It includes estimated demand and its area requirement for the facilities required by the population of 3.9 lacs for the horizon year 2034. Refer **Table 6-4** for total number of facilities required in Balance Phase-I in sectors

Table 6-4: Standards considered for Provision of Facilities in balance Phase-I

	Description								
Type of Facility	Facility	Group	Standar	ds	Facilit Required lac Popul	To be Designated			
racinty			1 for Population	Area (Ha)	No.	Area	%		
	Balwadi/Creche	III	12000	0.05	0.0	0.0	NIL		
Educational	Primary & Secondary School (building) (S)	Ш	10000	0.40	19.5	7.8	50%		
Facilities	School Play Grounds (SPG)	П	10000	0.60	19.5	11.7	50%		
racilities	Colleges (C)	Ш	125000	1.00	1.6	1.6	50%		
	Professional Colleges/ Technical College	Ш	125000	2.00	0.0	0.0	NIL		
	Clinic	III	10000	0.06	0.0	0.0	NIL		
Health	Dispensary (PHC)	1	25000	0.15	15.6	2.3	100%		
Facilities	General Hospital (GH)	1	100000	0.50	3.9	2.0	100%		
	Super Speciality Hospital	III	250000	2.00	0.0	0.0	NIL		
	Library	III	10000	0.05	0.0	0.0	NIL		
Casial Aust	Multipurpose Hall	III	10000	0.20	0.0	0.0	NIL		
Social And	Health Club & Gymnasium	III	10000	0.10	0.0	0.0	NIL		
Cultural	Community Center (CC)	- 1	100000	0.20	3.9	0.8	100%		
Facilities	Religious	III	10000	0.15	0.0	0.0	NIL		
	Working Womens Hostel	III	100000	0.30	0.0	0.0	NIL		



	Description									
Type of Facility	Facility		Standar	ds	Facilit Required lac Popul	To be Designated				
racility			1 for Population	Area (Ha)	No.	Area	%			
Market / Daily Bazaar	Market / Daily Bazaar (DB): Includes Vegetable, Fish/Meat Market Rationing / Kirana/ Retail Shops Flour mills, Milk Booths, Personal Service, Post Office etc.	II	10000	0.1	19.5	2.0	50%			
Dublic	Fire Brigade and Allied services (FS)	-	200000	1.00	2.0	2.0	100%			
Public Facilities	Burial/Cremation Ground (BG/C)	1	500000	4.00	0.8	3.1	100%			
	Police Station (PS)		100000	1.00	3.9	3.9	100%			
Onon	Parks (P)	I	10000	3.00	39.0	117	100%			
Open Spaces/Park	Playgrounds (PG)		10000	4.00	39.0	156	100%			
Spaces/ Faik	City Park (CP)	1	500000	50.00	0.8	39.0	100%			

In balance phase-I the population density is low and due to low density, the spatial distribution becomes sparse. Further, the area is also spread in 4 major pockets. For some reservations (Fire station, Police station, Health etc.) the distance also plays a vital. Taking these factors into account some of the reservations have been proposed more than the population norm requirement. The individual facility on the basis of their type is given below in detail:

6.5.1. EDUCATIONAL FACILITIES

Demand estimation was carried out for educational facilities which include balwadi/ creche, primary & secondary schools, colleges and professional institution/ technical colleges. It is estimated that, by the year 2034, about 20 schools would be needed to cater to the basic educational requirement. Similarly about 2 Colleges would be needed by the year 2034. Estimated demand and area requirement for educational facilities along with standards considered for the same is given in **Table 6-5**. The actual provision of educational facilities in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 26 Schools, 27 School Play Grounds and 3 Colleges have been provided in Development Plan.

Table 6-5: Estimated demand and area requirement of Educational Facilities. 2034

Type of		Standards		•	rement for Population	Provision	Designated in DP	
Facility	Facility	1 unit for Population	Area (Ha)	No.	Area (Ha)	as per Group	No.	Area (Ha)
	Balwadi/Creche	12000	0.05	0.0	0.0	Nil	0	0
	Primary & Secondary School (building) (S)	10000	0.40	19.5	7.8	50%	26	10.3
Educational Facilities	School Play Grounds (PG)	10000	0.60	19.5	11.7	50%	27	17.2
	Colleges (C)	125000	1.00	1.6	1.6	50%	3	3.2
	Professional Colleges/ Technical College	125000	2.00	0.0	0.0	Nil	0	0

Note: As per education trend observed in Navi Mumbai, it is suggested to have integrated/ composite schools (from pre-primary to higher secondary).



6.5.2. HEALTH FACILITIES

As far as the health infrastructure is concerned, 4 general hospitals and 16 Primary Health Centres would be needed to cater to the needs of population by the year 2034. This would facilitate the city level medical needs. Dispensaries (PHC) of about 0.15 ha each would cater to the local health facility requirement at sector. The Estimated demand of health facilities and area requirement along with standards considered for the same is given in **Table 6-6**. The actual provision of health facilities in Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). Total 20 PHCs and 7 General Hospitals have been provided in DP.

Table 6-6: Estimated demand and area requirement of Health Facilities, 2034

Type of		Standards		Requireme 3.9 Lacs Po		Provision	Designa Di	
Facility	Facility	1 unit for Population	Area(Ha)	No.	Area (Ha)	as per Group	No.	Area (Ha)
	Clinic	10000	0.06	0.0	0.0	Nil	0	0
Health	Dispensary/Primary Health Centre (PHC)	25000	0.15	15.6	2.3	100%	20	3.2
Facilities	General Hospital (GH)	100000	0.50	3.9	2.0	100%	7	4.1
	Super Speciality Hospital	250000	2.00	0.0	0.0	Nil	0	0

6.5.3. SOCIAL AND CULTURAL FACILITIES AND MARKET / DAILY BAZAAR

The social and cultural facilities include religious facilities, library, multipurpose hall, health club and gymnasium, community centre, religious facility and working women hostels. Market / Daily Bazaar/market complexes include Vegetable Market, Fish/Meat Market, Rationing / Kirana/ Shops Services, Flour mills, Milk Booths, Personal Service Establishments, Post Office etc. As per the adopted norms, 20 daily bazar complexes would be needed. 4 Community Centre reservations would be required. Requirement of all social and cultural facilities is given in **Table 6-7**. The actual provision of community centres and daily bazaars in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 7 community centres and 27 daily bazaars have been provided in DP.

Table 6-7: Estimated demand and area requirement of Social and Cultural Facilities and Market / Daily Bazaars, 2034

Type of	Facility	Standards		Requirement for 3.9 Lacs Population		Provision as per	Designated in DP	
Facility	. acmty	1 unit for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
	Library	10000	0.05	0.0	0.0	Nil	0	0
Casial	Multipurpose Hall	10000	0.20	0.0	0.0	Nil	0	0
Social And Cultural	Health Club & Gymnasium	10000	0.10	0.0	0.0	Nil	0	0
Facilities	Community Centre (CC)	100000	0.20	3.9	0.8	100%	7	2.0
racilities	Religious	10000	0.15	0.0	0.0	Nil	0	0
	Working Women's Hostel	100000	0.30	0.0	0.0	Nil	0	0
Market / Daily Bazaar	Vegetable Market Fish/Meat Market Rationing / Kirana/ Shops Services Flour mills Milk Booths, Personal Services, Post Office	10000	0.1	19.5	2.0	50%	27	3.0



Some city level or larger scale facilities which are mandatorily to be provided have been shown in DP. Facilities which are expected 50% by developers through NAINA Schemes are shown in DP to the extent of 50% of the requirement.

6.5.4. PUBLIC UTILITIES

Requirement of public utilities such as fire stations, police stations and burial grounds has been worked out. These include 4 Police stations, 2 Fire stations of 1 Ha each; along with 1 Burial/ Cremation ground. Requirement of all utilities is given in **Table 6-8**. The actual provision of public utilities in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 4 Fire stations, 5 Burial/ Cremation grounds and 7 Police stations have been provided in DP.

Table 6-8: Estimated demand and area requirement of Public Utilities, 2034

Type of	Facility	Standards Facility		Requirements 3.9 La	cs	Provision as per	Designa Di	
Facility	· uomity	1 unit for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
5 11	Fire Brigade and Allied services (FS)	200000	1.00	2.0	2.0	100%	4	4.0
Public Facilities	Burial/Cremation Ground (BG/C)	500000	4.00	0.8	3.1	100%	5	8.9
	Police Station (PS)	100000	1.00	3.9	3.9	100%	7	7.0

6.5.5. PARKS AND PLAY GROUNDS

Parks and Play grounds are essential facilities. It is estimated that 39 Parks of 3 Ha each, 39 Playgrounds of 4 Ha each and 1 city level parks of 39 Ha will be needed for the horizon year population. (Refer **Table 6-9: Estimated demand and area requirement of parks and play grounds, 2034**). 36 Parks, 47 Playgrounds and 2 City parks have been provided in DP. As Balance Phase-I is divided into two locations (one around IDP and another in KSC). Therefore instead of one park of 39 Ha, two city parks with smaller areas totalling to 55.4 Ha have been provided. Moreover these city parks are identified close to forest lands to facilitate creation of large green spaces.

Table 6-9: Estimated demand and area requirement of parks and play grounds, 2034

Type of	Facility	Standards Facility		Requirement for 3.9 Lacs Population		Provision as per	Designated in DP	
Facility	racinty	1 for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
_	Parks (P)	10000	3.00	39.0	117.0	100%	36	139.5
Open Spaces/Park	Play grounds (PG)	10000	4.00	39.0	156.0	100%	47	147.8
opacco, raim	City Park (CP)	500000	50.00	0.8	39.0	100%	2	55.4

6.5.6. PROVISION OF INFRASTRUCTURE IN PHASE-II

Although the provisions of facilities have been committed only in Balance Phase-I of DP area, but few mandatory facilities have been provided in Phase-II area also. Facilities such as schools, playgrounds, and parks have been provided in phase-II area of DP. Facilities provided in Phase-II area are mostly on government land, no private land has been used for reservations except mandatory reservation near station area (Station Area Facility) and other transport related reservations (Bus Depot, Terminals and Roads).

In Phase-II the population based norms were not applied. Hence it was not possible to assess the exact requirements of reservation at this stage in Phase-II. To accommodate the social and physical infrastructure need in Phase-II, some of the government lands have been reserved as Public Purpose Utilities (PPU). Depending upon the need as and when it appears, the PPU can be developed by SPA/appropriate authority.



7. TRANSPORT

This chapter deals with the proposed transport network incorporated in development plan, taking regional connectivity into account and integrating it with DP's transport network. The parameters and strategy considered while planning the transport network have been described in this chapter. It also discusses the type of road network and Right of Way (RoW) adopted and measures taken for enabling Non-Motorised and Public Transportation systems.

7.1 APPROACH AND STRATEGY

Following are the approach and strategies, considered and applied while planning transport infrastructure for Development Plan:

- Integration with Regional transport network: The airport and the Sea Port (JNPT) are the two traffic generating centre with national significance. The regional connectivity therefore becomes a major consideration in planning transport infrastructure. Accordingly the regional, inter state and national level of roads have been considered and incorporated in the proposed transport network. Refer Figure 7-1 for regional road network. Few of them are listed below:
 - Virar-Alibag Multi Modal Corridor (MMC): Proposed Virar-Alibag MMC is planned as a regional corridor connecting Alibag to virar via JNPT, passing through DP area from north to south. This multimodal corridor will provide public transport and road based connectivity. Service roads will be provided along the MMC on both sides to provide local access for the proposed development. The RoW proposed for the MMC is approximately 100m to accommodate metro, regional road, and service roads on both sides. To merge MMC & Mumbai Vadodara (MV) spur, Right of Way prescribed for combined corridor in DP area is 126 m. The combined corridor will have 4+4 lanes of MMC & spur carriageway on either side. Approximately 36.47 km of length of MMC passes through DP area. The alignment of MMC within DP area has been incorporated is as provided by MMRDA
 - o **Integration of Mumbai Vadodara spur**: This highway is proposed by NHAI. It connects NH-8 (near Virar) to JNPT, which is passing through DP area. MV spur has been integrated with MMC to avoid passing of two 100m wide roads bifurcating the DP. MV spur will join MMC and instead of 100 m RoW for each (MMC and MV Spur) the width of the MMC corridor will be increased to 126 m. This increased width will accommodate the carriage way of MV spur as well. In this way instead of two 100 m roads, one 126 m road is proposed saving valuable land.
 - **Proposed Interchanges on Mumbai-Pune expressway:** The express-way enters in NAINA through Adai village (in IDP area). An interchange is proposed in IDP area, in Devad village.






Figure 7-1: Regional Connectivity in DP area



- Extending connectivity from IDP: As planning for part of NAINA (IDP) is already completed; the road network of IDP is taken into consideration. Proposed road network in IDP is extended and integrated with DP area road network. The guideline from the Urban Development Department, Government of Maharashtra on road width was not available at the time of plan preparation for IDP, hence right of way of roads within IDP and DP area are different. For the sake of RoW continuity from IDP the right of way of roads from IDP is continued till the nearest road junction. Not only the macro level connectivity and options for different directions are provided, but also micro level connections are worked out in detail.
- Incorporating Existing Roads and Settlements: While planning transport network for DP, the existing villages, population and the existing roads are crucial to determine the proposed road network. The road network proposed by other government agencies i.e. PWD and Zila Parishad is taken into account and suitably incorporated. Whenever these roads pass through dense settlements (Gaothans or Pada), a diversion/ bye pass is proposed to avoid demolition of existing structures. The existing roads are utilised to the maximum extent possible for widening and also to reduce the acquisitions and constructions cost towards developing these roads from a scratch. Priority is given to connect existing population and villages as they would act as catalyst for development of NAINA. The existing roads indicated in DP are as observed on site. These are not necessarily authorised means of access.
- Metro Network: There is an extensive metro network proposed to connect Navi Mumbai and other suburban towns to main economic centres in Mumbai. The proposed metro network in the adjoining areas of NAINA connects CBD Belapur, Kharghar, Taloja MIDC Industrial Area, NMIA, JNPT, Uran, Panvel. Some of these important proposed metro corridors with respect to the Project Area are as follows:
 - i. Mankhurd-Vashi-Narthen Gaon (Line No.-M17, 23 kms)
 - ii. Vashi-Belapur-NMIA-Panvel (Line No.-M18, 18 kms)
 - iii. Targhar-Kharkopar-Nhava Sheva-Dronagiri (Line No.-M19, 18 kms)
 - iv. Kharkopar-Dhutum-Pirkone-Shirkhi-Vadkal (Line No.-M20, 31 kms)
 - v. Dronagiri-Pirkone-Jite (Line No.-M21, 17 kms)
 - vi. Shirki-Washi-Jite (Line No.-M22, 13 kms)

It is planned to extend the proposed metro up to Panvel in IDP up to MMC to enable Transit Oriented Development (TOD).

Separate metro link proposed in northern part of DP area (14 villages in Thane area) is about 6.4 kms in length. Refer **Figure 7-2** for proposed metro network in DP. The total length of proposed metro network is about 43.03 kms within DP area. Metro Depot has also been proposed in DP area near Wangani tarf waje village.






Figure 7-2: Metro and Suburban rail network in DP area



- Suburban Rail Network: As described in Chapter 2 there is no suburban rail service in NAINA, although a rail network exists, it is mainly used by through trains and shuttle services. However suburban rail transit plays an important role for commuting working population from fringe areas to urban centres. The railways are planning to run suburban services on the rail lines passing through DP area, assuming these services would be operational in the near future, stations are proposed at suitable locations depending on the proposed land use and development potential. These are in addition to the existing stations. The details of the rail corridors and stations are as follows:
 - i. *Diva- Panvel Corridor:* A small stretch passes through 14 villages of Thane Taluka, there is no existing station in this stretch, and hence a station is proposed at Narivali.
 - ii. Panvel-Karjat Corridor: There are three existing stations on this line namely Chikhale, Mohope and Chowk. Additional three stations are proposed in Usarli Khurd, Bhingar and Morbe.. Proposal of doubling the corridor is under active consideration by MRVC
 - iii. *Panvel-Roha Corridor along Konkan Railway:* There are six existing stations located on this line namely Somtane, Rasayani, Apte, Hamrapur/Jite Halt, Hamrapur and Pen which is outside of NAINA. Additional two station at Wadkhal has been proposed.
 - Usrali Khurd and Wadkhal would be junctions. The Panvel –Karjat and Panvel Pen railway bifurcates at Usarli Khurd and the Panvel Thal and Panvel Roha railway bifurcates at Wadkhal.

The suburban railway lines have been incorporated in development plan as it is from the network of Draft Regional Plan published by MMRDA. The RoW for the same will needed to finalized by MMRDA in consultation with Indian Railway and hence it is not marked on DP. The proposed lines by MMRDA within development plans are as following:

Panvel-Karjat Suburban rail corridor and Panvel – Roha suburban corridor are likely to accelerate development within the DP area. One suburban network is proposed from Jasai-Pen-Apte through Khopta New Town area. One more is proposed from Apte to Chowk Refer **Figure 7-2** for proposed sub-urban rail network. As mentioned in chapter -2, there exist approximately 48 kms of railway network in DP area. Suburban railway service is proposed on existing lines of Diva-Panvel, Panvel-Jite-Thal and Panvel-Karjat, and on new line proposed from Gavanphata to Jite (5.4 kms). The total length of proposed suburban network therefore is about 45.11 km within NAINA.

• Non-Motorised Transportation (NMT) provisions: Vehicles operating on the fossil fuels are the major source of pollution. In view of the goal of sustainable development it is necessary to minimise use of non-renewable fossil fuels. In this context public transport, non-motorized transport and walkable city are the key concept in transport strategy. The places to be connected by cycle network are suburban stations, metro stations, other public transport nodes and roads of intermodal connectivity.



The roads with cycle track and radial distance to 1 km and 2 km (cycle able distances) are shown below in **Figure 7-3**. It covers almost 64% of DP area if 2 km of distance is considered as a catchment area by cycle tracks, (refer **Table 7-1**). The left out areas are mostly forest, hills and other non-developable land.

Table 7-1: NMT Coverage

Radial Distance	Area Coverage	Percentage area of NAINA
1 km	150	32%
2 km	304	64%

• In addition to above, social facilities have been provided at approachable distances through NMT modes. This will not only reduce pollution (air, sound etc.) but will enhance the quality of life.




Figure 7-3: NMT coverage within DP area



- Freeway and Arterial Road Network: A number of freeways and arterial roads linking DP area
 are proposed in CTS and further studies, which are of regional importance and these have been
 incorporated in the transport network.
- **PWD perspective plan considered:** One of the important road within DP area is Sawantwadi coastal road. PWD, Government of Maharashtra is planning and working on its implementation. The RoW and its alignment is taken from PWD and incorporated in transport network. Other roads as proposed and planned by PWD are obtained from PWD office Thane and Raigad and incorporated in road networks of DP.
- Other Important Links relevant to DP: Among the other proposals in CTS and other studies, the important transport links of the DP are Mumbai Trans Harbour Link (MTHL), and NMIA. These transport links will trigger the development within DP area.

7.2 TRANSIT ORIENTED DEVELOPMENT (TOD)

Transit Oriented Development is an integrated approach of transport and land use planning leading to compact, high density developments located around public transit nodes such as metro stations, railway stations or multimodal transit hubs. The development has a rich mix of land uses including commercial, residential, and institutional; designed to maximize the access to transit and non-motorized transport. The term transit includes variety of modes including Metro rail, suburban rail, light rail, road based public transport etc. and a mix of all these gives rise to a variety of land use patterns around the transit corridors and nodes. The proposed growth centres are located along the transit route in the form of TOD.

CTS carved out a vision for MMR's future transport as a seamless, integrated system for safe and convenient commuter travel throughout the region with a strong emphasis on public transport. In order to support the anticipated economic development in MMR and subsequent inter-related transport challenges given by population and employment growth, 'Transit First' was considered as a guiding principle in preparation of the transport plan for MMR.

With this vision, the CTS identified major Transport Networks for MMR to serve multiple growth centres identified within the region. Other important aspects of the Plan are capacity enhancement of existing suburban and development of metro corridors; connecting major existing and planned activity centres of the region providing exclusive bus lanes to reinforce rail-based transit with a higher order road based public transport systems.

During the CTS Study, DP area was not envisaged as a region of intensive urban development. Therefore, in light of delineation of DP area as a separate region under influence of NMIA and new urban development strategies being devised for the region, calls for augmenting the transit network proposed under CTS.

Based on Mumbai and Navi Mumbai experience and also other international regional planning practices, economic growth of the region is maximized by effective public transit connectivity. Given that the major economic drivers of DP area include NMIA, JNPT and Industries (Taloja MIDC, Kalamboli) actually lie outside the region, it is very critical to integrate these economic and employment centres through public transport.

Thus, promoting TOD is the key aspect of the transport and land use of DP NAINA. To encourage Transport Oriented Development, higher FSI of 3.00 is allowed upto 500m distance on either side of 60m spine (as marked on DP). It is proposed to have mass transit system on this road and therefore walkable distance which is about 500m with respect to spine are considered as part of TOD.



7.3 DETAILED ROAD NETWORK PLAN OF NAINA

Taking into account the aforesaid transport existing and proposed network, the planning for transport network for DP is worked out as follows:

- **60 meters (RoW) spine for inter-nodal connectivity:** Spine is an arterial road running through DP in north-south direction providing connectivity to intermediate areas on either side of it. It is also proposed to have mass rapid transit system on spine. Depending upon the traffic load it may be Bus Rapid Transit System (BRTS) or Metro, provision for both the services has been taken into consideration. The RoW proposed for the Spine is 60m. The spine starts near village Bhandarli as 60m wide road connecting NH4 and MMC. Through MMC it connects 14 villages of Thane district to entire DP area, which are part of DP but physically separated by Ambernath Kulgaon Badlapur Special Notified Area (AKBSNA). The spine then originates near Chorambhe and Nitalas village in the north of DP and runs towards the south of DP. The spine meets MMC near Pali Khurd village. The spine continues towards south crossing Panvel- Karjat railway line (passing through MSRDC area). A suburban station is proposed in Bhingar village on the intersection to facilitate changeover of passengers between MRTS Station on spine and suburban station. The spine crosses NH-4 near Khanawale village in MSRDC area and runs parallel to Mumbai-Pune Expressway between MPE and NH-4 in MSRDC area. It traverses again through DP near Nigdoli village in Khalapur smart city area. The spine terminates at NH-4 near Mahad Village.
- **Hierarchical Road Network:** A hierarchical road network is proposed to provide access into various parts of the DP. Provision of optimal Right of Way (RoW) as per Urban Development Department, Government of Maharashtra, has been adopted. with road network having RoWs for Sub-Arterials as 60m and 45m, sector roads and local access roads as 36 m and 24 m respectively. The hierarchy of proposed roads with RoW and length of the same is given in **Table 7-2**. Proposed Hierarchical Road Network in DP is presented in **Figure 7-4**. Combined proposed road and transit network are shown in **Figure 7-5**.
- Roads Type, length and Rows: Proposed road network is classified into two types of roads-
 - A. Proposed Regional roads
 - B. Proposed roads in DP

Regional roads in the form of MMC and Mumbai-Vadodara spur occupy about 2.3% of total developable area in DP. Other proposed roads varying from 60 m to 9 m of RoW account for about 9.3% of the total developable area. Approximately 550 km of road network is proposed in DP area which occupies about 11.6% of developable area of DP area; refer **Table 7-2** for the length of proposed roads with their RoW. As per Urban and Regional Plans Formulation and Implementation (URDPFI) Guidelines, 2014 issued by the Ministry of Urban Development, proposed share of landuse under Transport & Communication for Small to Medium size cities is 10% to 12% of the developed area and for Large Cities, Metropolitan Cities and Megapolis it is 12% to 14% developed area. In DP (which comes under Metropolitan City), the area proposed under roads itself is about 11.6% and considering the area under proposed metro, suburban corridors, bus terminals, bus depots, inter-city bus terminals, truck terminals, etc., the area under transport (approximately 2377 Ha of roads and 142 Ha of reservations) would be about 12.35% of the developable area. It is within the range of 12% to 14% of developable area as prescribed by URDPFI Guidelines.



Table 7-2: Length of Proposed Roads with RoW in Balance Phase-I and Phase-II of DP area

				Phase	-1	Phas	e-II	Total	
SI. No.	Types of Roads	Right of Way (ROW)	Length in mts	Area in Ha	% of Developable land in Bal Ph-l	Length in mts	Area in Ha	Area under Roads in DP	% of Developable Land in DP
Α	Proposed Regional	Corridor							
1	MMC 126 m	126	6,057	76.3	1.7%	22,126	279	355.1	1.7%
2	MMC 100 m	100	0	0.0	0.0%	8,289	83	82.9	0.4%
3	Mumbai- Vadodara spur	100	0	0.0	0.0%	3,927	39	39.3	0.2%
	Sub Total (A)		6,057	76.3	1.7%	34343	401	477	2.3%
В	Proposed Roads in	DP							
4	Road 60 m	60	21,172	127.0	2.8%	40,694	244	371.2	1.8%
5	Road 45 m	45	14,950	67.3	1.5%	1,14,077	513	580.6	2.8%
6	Road 36 m	36	61,476	221.3	4.9%	92,480	333	554.2	2.7%
7	Road 35 m	35	741	2.6	0.1%	0	0	2.6	0.0%
8	Road 30 m	30	0	0.0	0.0%	180	1	0.5	0.0%
9	Road 27 m	27	1,716	4.6	0.1%	0	0	4.6	0.0%
10	Road 24 m	24	37,621	90.3	2.0%	1,20,781	290	380.2	1.9%
11	Road 20 m	20	1,589	3.2	0.1%	0	0	3.2	0.0%
12	Road 15 m	15	369	0.6	0.0%	0	0	0.6	0.0%
13	Road 12 m	12	1,460	1.8	0.0%	0	0	1.8	0.0%
	Sub Total (B)		1,41,095	518.6	11.5%	3,68,212	1,381	1,899.5	9.3%
	Total		1,47,152	594.9	13.2%	4,02,555	1,781.8	2,376.8	11.6%

Total Developable Area in Bal Ph-I 4493
Total Developable Area in Ph-II 15910
Total Developable in DP Area 20403

• Areas identified for Depots for Metro/ BRTS/ Bus and Areas identified for Inter-city bus terminals and Truck terminals: Proposed metro corridors/ BRTS and bus system needs adequate depots for maintenance of coaches/ fleet. With time inter-city travel is expected to increase and there is a need for development of inter-city bus terminals. As part of the study, areas have been identified and demarcated for depots for Metro/ BRTS/ Bus and Inter-city bus terminals. The details are presented in Table 7-3 and shown in

• Figure 7-6.



Table 7-3: Details of Reservations for Depots for Metro/ BRTS/ Bus and Areas identified for Inter-city bus terminals and Truck terminals

S. No.	Reservation	Total number	Total Area (Ha)
1	Bus Depot	4.0	57.9
2	Bus Terminal	16.0	15.6
3	Metro Depot	1.0	17.6
4	Station Area Facility	18.0	32.7
5	Truck Terminal	1.0	18.6
	Grand Total	40.0	142.4

Principle for providing type of grade separation/ at-grade traffic control measures at major intersections:

General criteria applied for selecting appropriate type of grade separation/ at-grade traffic control measures at major intersections are given in **Table 7-4**. Adequate area for development of rotary or grade separation facility has been identified and demarcated in the plan. It is suggested that, at the development of grade separation facilities and rotaries, IRC guidelines needs to be followed. All the minor intersections shall be uncontrolled to begin with and as traffic increases they need to be provided with traffic signals for effective and smooth traffic operations.

Table 7-4: Type of Intersections and Junctions provided

Type of roads	Proposed Traffic Control Facility			
60m with MMC	Full/ Partial Clover leaf/ Trumpet			
60m with NH	Full/ Partial Clover leaf/ Trumpet			
60m with 60m	Full/ Partial Clover leaf/ Trumpet			
60m with 45m	Rotary (with or without traffic signal)			
45m with 45m	Rotary (with or without traffic signal)			
45m with 36m	Rotary (with or without traffic signal)			
36m with 36m	Rotary (with or without traffic signal)			

Typical cross sections of all major roads are given in **Figure 7-7**.

• Coastal Road within DP area: The existing State Highway from Chirner to Dadar will be upgraded to Major State Highway 4 and extended to Mankul from Dadar via Sonkhar as a new road. This will be further extended to Sawantwadi as a coastal road. To enhance the connectivity in DP with such an important link, a 60 m road has been proposed starting near Wave and running straight along the coast line to connect MTHL (via Vitthalwadi, Vasheni, Jui and Vindhane).






Figure 7-4: Proposed Hierarchical Road Network in DP






Figure 7-5: Proposed Road and Transit Network in DP










Figure 7-6: Identified areas for Depots for Metro/BRTS/Bus and Areas identified for Inter-city bus terminals and Truck terminals

















Figure 7-7: Typical Cross Sections for Major Roads proposed in DP



8. PROPOSED LAND USE

This chapter describes the manner in which proposed land use of Development Plan is derived. The major considerations for proposed landuse plan are existing land use, terrain, estimated population, existing and proposed transport network. The proposed landuse plan also includes designation of land for public purposes as indicated in Chapter-6.

8.1 IMPORTANT CONSIDERATIONS

Following are a few relevant factors, which are considered while defining land use pattern of DP area.

8.1.1 ECONOMIC NODES IN AND AROUND DP AREA

Development Plan area is located in the proximity of important existing and proposed economic nodes. Leveraging these economic nodes to structure the land use pattern is important to ensure successful Development Plan. The major economic nodes are as follows:

- Navi Mumbai International Airport at Panvel (the basis reason for notification of NAINA)
- An emerging rail hub at Panvel
- Warehousing activities at Kalamboli
- Taloja Industrial Area
- Expansion of Jawahar Lal Nehru Port Trust (JNPT)
- Khalapur Smart City area along with MIDC area

Provision of supporting activities and transition zones to connect these economic nodes from DP area is very important. Efficient transport network, particularly public transport and high quality infrastructure would help DP to capture the growth impulses of these economic opportunities.

8.1.2 CONCEPTUAL DEVELOPMENT STRUCTURE

The land use pattern proposed in DP is the detailing of the structure plan for the area. The Structure Plan for the Project Area is based on the following principles.

- Regional transport network
- Leveraging existing and proposed economic nodes in and around DP area
- Protecting natural areas of DP
- Identify available land for development



- Utilizing project area which is in promixity to navi mumbai
- Proposed transportation network
- Flexible zoning
- Integrating gaothan (urban villages) in the urban structure
- Concept of sub-cities and broad zoning

In additions to these principles, the Structure Plan is configured through delineation of three sub-cities or urban centres. These sub-cities are based on following major considerations:

- Proximity of existing and proposed economic nodes (JNPT, NMIA, CBD of Navi Mumbai, Taloja MIDC Industrial Area);
- Proximity to Navi Mumbai for urban contiguity and indications of ongoing development in these locations hence demand for land;
- Good existing and proposed transport connectivity;
- Land Availability for Development, etc.

A brief description of the four sub-cities is given in the following sections. Refer Figure 8-1

• Sub-City I: CENTRAL DP (Aero City)

Sub City I is delineated around IDP-I. This part of the Project Area is already receiving significant spill over development from adjoining areas of Panvel and development along the regional transport corridors. In addition to this, a number of Special Township Projects are coming up here. The location of Sub City-I also provides opportunity for leveraging upcoming NMIA, existing infrastructure in Panvel, and existing regional connectivity with respect to NH-4, Mumbai-Pune Expressway Panvel-Matheran road. Further, Panvel-Karjat regional rail link is also coming up to serve as a Suburban Rail service which will also enhance public transport connectivity.

• Sub-City II: WEST DP Area (Port City)

Sub City –II i.e. West DP area is located very close to Jawaherlal Nehru Port Trust (JNPT). JNPT is currently handling 8.75 Million TEUs. JNU is expanding its logistics handling capacity to 16.32 Million TEUs by 2020. It is doubling its handling capacity which will provide opportunity for more




Figure 8-1: Conceptual Development Structure

logistic and value addition industrial activities to the adjoining area of DP. Already there are number of container handling units, warehousing units, and other related activities in west DP area.



• Sub-City III: NORTHERN DP Area (Industrial City)

This part of the Project Area is northern most pocket of DP. It is adjoining Taloja MIDC Industrial Area and Kharghar residential township. The current connectivity to the area is from NH-4 but this area is strategically surrounded by Navi Mumbai, Kalyan-Dombivali townships, Ambernath Kulgaon Badlapur Special Notified Area. Hence the area has good potential for development.

The sub-city can provide scope for expansion of Taloja MIDC Industrial Area, leverage economic activities in CBD and other social infrastructure in Navi Mumbai. The proposed connectivity to this area is very good due to existing National Highways, rail line with suburban services and proposed road, MMC and metro network. There are number of Special Township Projects and other projects that are coming up in this area to indicate that there is demand for land for urban development.

• Sub-City IV: SOUTHERN DP Area (Smart City)

This part of DP comprising of Khalapur and surrounding areas has immense locational advantages. Due to presence of NH-4 and Mumbai-Pune expressway it is very well connected at regional level. 60 m spine provides strong linkage to rest of the DP. Tourism locations such as Mahad temple and other natural surroundings (hills and waterbodies) attract weekend floating population. To the east of Khalapur area is MIDC industrial area and west side has number of economic and industrial activities at present.

To leverage and enhance this local potential, some of the identified area can be developed as Phase-I. Infrastructure support can further enhance the possibility of generating economic activities. This in turn will support the sustainable development of entire development Plan.

8.1.3 INTEGRATION OF EXISTING LAND USE

The existing land use is classified in three categories, these are:

- 1. Non-Developable Areas,
- 2. Developed Areas (Redevelopable) and
- 3. Developable Areas

Each category has its own character and significance in the given context. These are discussed below:

Non-Developable Areas: This consists of land use zones which are environmentally significant. The land falling under non-developable areas are Forests, Water Bodies, Hills (slope more then 1:5), Marshy land/Shrubs, Salt pans, Area under Revenue Waterbodies, KESZ and Coastal Regulatory Zones. Areas coming under these zones are conserved in their natural form. The detailed way of conserving and integrating environmentally sensitive areas are discussed in Chapter 12

Developed Areas: Developed areas comprises of two major classifications, Gaothans (existing village settlements) and other built-up areas.

Gaothans: To achieve holistic urban development, integration of Gaothans with scope for their expansion is necessary. No disturbance in the form of redevelopment is proposed within the inhabited Gaothans. The provision of growth and expansion of Gaothans is addressed in the form of 200 meters expansion area around inhabited Gaothan. This 200m of expansion area is termed as Urban Village. Provision of road network, social and physical infrastructure has been made to establish healthy connection among existing and expected development. Such a strategy would enable integration of the village settlements to the proposed urban development of DP area, hence leading to an inclusive, holistic, healthy and planned urban development.



Other Built-up Areas: Built-up areas and structures out of the expansion area around Gaothans are approached in different manner. The basic criterion is to retain the built structure to the extent possible. For example, while proposing connectivity or improvement to any existing social facility, the minimum disturbances to the existing built-up areas are done.

Developable Areas: This category consists of land use zones which are vacant or available for development. This category consists of Agriculture, Vacant and Quarry areas. Proposal focuses over developable areas for proposed land use. The chapter discusses proposed land use in subsequent paragraphs.

8.2 FLEXIBLE, INTEGRATED AND HOLISTIC LAND USE PLANNING

The Developable land after excluding Non-developable areas and developed areas in DP amounts to be 20461 Ha (as mentioned in Chapter 3: Existing Landuse). The proposed land use considers the existing features and integrates the same in a holistic manner.

Though the concept of zoning is important, rigid land use zoning concepts are gradually becoming an obsolete idea in urban planning and more so in the context of promoting private developers in urban development. Hence, it is desirable to promote the concept of flexible zoning to permit compatible land uses in various zones. Such a concept is all the more necessary when the SPA intends to develop common infrastructure and social facilities in DP with major role from developers and other real estate entrepreneurs in the form of NAINA Scheme.

The concept of flexible zoning is evolved for land use plan of DP area. In each zone compatible land uses are defined under permitted, permitted with conditions, and prohibited uses. The concept of flexible zoning is to encourage flexible environment for private sector led development and to tap market demand with changing economic scenario.

DP is delineated into six major zones namely R1, R2, R3, R4, I and LDZ (limited development zone). The allocation of these zones also depends on the phases in which DP area is divided. There are certain zones which are proposed only in Phase-I, few other zones area only in Phase-II and some zones are shown in both the Phases. Relation of Phasing and the provision of zones are given below:

Phase - I: Proposal for Phase-I of DP comprises of all the defined zones, with reservations (as explained in chapter-5 of this report) and Growth Centres. Phase-I predominantly contains following zones:

- R1: Predominantly Residential
- R2: Mixed Use Zone
- DP Reservations (Growth Centres Public facilities and Utilities)

Phase-II: Proposal for Phase-II comprises mainly of broad zoning of G-1 and G-2 zones of sanctioned Regional Plan of MMR. The detailed proposal consists of following zones:

- R4: Recreational Zone
- I: Industrial and warehousing Zone (IWZ)
- LDZ: Limited Development Zone
- Theme Based Development and
- Theme Based Reservations

In addition to this, transportation related reservation such as bus terminus, truck terminus parking are earmarked. Also the broad network required for the area is proposed along with city level facilities like



land fill sites Facilities around villages earmarked on government land etc. Theme based development reservation is earmarked in this area

In both the Phases: Since Gaothans are spread over entire DP area, the 200m area around such Gaothans namely urban villages are shown in both the phases. Part of Rasayani plan is adopted with minor changes and hence although it is in Phase-II, it contains following zones:

- R1: Predominantly Residential
- R3: Urban Village
- I: Industrial and warehousing Zone (IWZ)
- DP Reservations: Transport Reservation and Public Purpose Utilities

8.3 PROPOSED LAND USE

The gross area of DP is 437.26 km², out of which the area available for development is about 204.03 km². The understanding of context and allocation of landuses is a complex but important exercise. It depends on macro and micro level contexts, including physical, social and economic factors. List of activities permissible under these land use zones are given in detail in DCPRs. Apart from the land use zones, reservations have been earmarked on Development Plan. Map showing proposed land use zoning is given as **Figure 8-2**.

8.3.1 ALLOCATION OF LAND USES

The distribution of Land uses is done on the basis of the activities anticipated. After understanding the context in macro and micro level, the land is allocated the best suitable land use. While providing landuse to any area, the surrounding landuses (in the form of both existing and proposed) are also considered to attain integrated and holistic planning.

Following are the major landuses with broad criteria for provision of the same; refer **Table 8-1** for area under proposed land use and **Figure 8-2: Proposed Land Use Distribution in DP**

R1: Predominantly Residential: The zone is aimed at promoting residential development and supporting social infrastructure. Functions compatible to residential development are permitted in R1. The developable areas with 'inward planning approach' to ascertain safety to residents with all required social infrastructure is main motive behind this approach. Residential areas are located at adequate distance to any major transport connectivity, to avoid any direct disturbance but at the same time efforts have been to have easy access. The total area under Residential Landuse is approximately 2449 Ha in Balance Phase-I, occupying 54.4% of developable land in Balance Ph-I and 6 Ha (in Rasayni part) in Phase-II, and comprises of 12 % of the total developable land in DP.

R2: Mixed Use Zone: This zone comprises of mix of different landuses such as residential, commercial, recreational etc. Mix use also occurs as a result of organic growth taking place since years. Due to market forces of need and supply, such development come into existence in the form of mixed landuse. In such cases the strict land use control is difficult to implement. In addition to this, mix land use development has advantage of optimum utilisation of infrastructure. DP therefore promotes such development and hence these have been retained and extended up to desired limits. The total area under mixed land use is approximately 222 Ha (only in balance Phase-I), occupying 5% of developable land in Balance Ph-I and comprises of 1.1% of the total developable land in DP.



R3: Urban Village: The MMR Regional Plan 1996-2011 has provision for expansion of existing Gaothans upto 200m from existing inhabited Gaothans. The same concept has been continued and accordingly, demarcated on plans. These areas are termed as Urban Villages. The urban villages will primarily consist of residential use. The total area under urban villages is approximately 3199 Ha, and comprises of 15.7% of the total developable land in DP

R4: Recreational Zone: The zone is aimed to promote recreational activities and lung spaces within the development.

These are located considering the beauty and protection of environment sensitive areas. Attempt has been to identify potential locations and an aim to develop them as macro level recreational activity. The total area under recreational land use is approximately 934 Ha (only in Phase-II), and comprises of 4.6 % of the developable land in DP.

I: Industrial and Warehousing Zone: This zone is aimed to promote industrial, warehousing and logistics use to generate economy and employment in DP area. This zone is proposed at the suitable locations for industrial or warehousing activities. In the north of DP area, this zone is proposed near Taloja industrial area. This zone is proposed in DP near JNPT to harness the potential of warehousing activities around port. The existing industrial area in Rasayani has been retained. This activity is also proposed along Dharamtar creek in Pen Taluka for development of jetties and warehousing activities. This is also discussed in subsequent paragraphs. This zone is approximately spread over 1321 Ha (only in Phase-II) of land, constituting 6.5% of the total developable area.

Development of Jetties and Warehousing along Dharamtar Creek: According to Regional Plan 1996 – 2011 jetties along with ancillary uses were proposed in few locations along Dharamtar creek. This was as per NOCs then given by Maharashtra Maritime Board (the erstwhile Commissioner of Inland Water Transport) for location clearance to a number of projects involving construction of jetties and warehousing facilities along Dharamtar Creek. Some proposals involved midstream transhipment of chemicals through barges which were to be brought to jetties in the Dharamtar Creek. Near the jetties storage facilities were proposed for these goods. From these warehouses, goods would be distributed to the hinterland by road transport. It was anticipated that these developments will turn Dharamtar Creek into a small port. The road traffic generated will also require significant strengthening of road infrastructure (including construction of new roads). To promote such economic activity in DP area, about 360 Ha of land is devoted to Industrial and warehousing zone where only jetty and ancillary activities will be permitted.

LDZ: Limited Development Zone: This zone is proposed in Phase-II of DP. As already mentioned DP area is too big to be developed in one go, within the plan period. Therefore this zone identifies the land which is not required for urbanisation as of now and hence development is restricted. In this zone the development is permitted with lower FSI. This zone will not only provide flexibility to the plan but also scope of making modifications as per future requirements. The total area under LDZ is 15169 Ha. This is about 74.3% of total developable land in DP.

Theme Based Development:

Theme based development approach help in development of the people, city and country as investors from around the world showcase their interest. Themes can be inspired from any sector like finance, tourism, industries, Medical, Educational etc. It is difficult to predict the types of themes that can come in future. The concept of themes should be left to the imagination and creativity of the people and investors.



Theme based development provide ample opportunities for concept that can prove beneficial as people from different countries will have various options to invest. This will increase employment opportunities, educational facilities, social inclusiveness and quality of life.

Looking into these aspects, theme based developments are permitted in LDZ zone of DP. In DCPR the list of themes are given but it is open ended to ensure not to limit the creativity of the people/ investors.

DP Reservations:

- In Balance Phase-I: Detailed plan has been prepared for Phase-I. Apart from general public facilities and utilities in Phase-I, reservation named Growth Centre is also shown in Phase-I area. Predominantly Growth Centre (GC) land is earmarked as CIDCO's land bank. This will be developed by SPA-NAINA and will have predominantly commercial, business and residential activities. As this zone is predominantly commercial, needs visibility and connectivity with major roads, hence as far as possible this is placed along major roads and important transport nodes. The total area under Growth Centres is approximately 676 Ha, and comprises of 15.1% of the total developable land in balance Phase-I of DP.
- In Phase-II: Intensive development is not expected in Phase-II. However, to promote creativity and to promote economic activities concept of Theme Based Reservations has been introduced in Phase-II. Reasonable freedom has been assured for development of Theme Based Reservations. Detailed infrastructure Plan has not been prepared for Phase-II except for transport network and few other mandatory facilities such as schools, playgrounds, and parks. Facilities provided in Phase-II area are mostly on government land, however, in unavoidable circumstances minimal private land has been used for TBR and reservation near station area (Station Area Facility) and other transport related reservations (Bus Depot, Terminals and Roads) etc.

To accommodate the future social and physical infrastructure need in Green zone, some of the government lands have been reserved as Public Purpose Utilities (PPU). Depending upon the need as and when it appears, the PPU can be developed by SPA/appropriate authority. Refer DCPR for permissible activities in this zone. In addition to this Theme Based Reservations are also marked in Phase-II area. These areas are majorly on government land and are planned to be developed as theme based activities. Certain theme as and when required, will be developed on these sites. SPA NAINA will develop these Theme based reservations to promote economic activities and to mark the identity of the city on global map.

Transport: The total area under proposed transport use is approximately 2377 Ha, and comprises of 11.6% of the total developable land in DP.

Karnala Eco-Sensitive Zone (KESZ): The boundary of KESZ as per the MoEFCC notification is shown as KESZ. No reservations or land uses are shown in this area as the planning and development of the area is governed by the stipulations of the notification. These include; preparing a Zonal Master Plan for the ESZ by the State Government and approval of the same by a Competent Authority in the State Government, list of activities prohibited or regulated within the ESZ and constitution of a Monitoring Committee for effective monitoring of the ESZ.



Table 8-1: Area Statement for Proposed Land Use in DP area

	Proposed Land Use							
SI. No.	Land Use Category	Balance Phase-I	% of Developa ble Area in Bal Ph-I	Phase- II	% of Developa ble Area in Bal Ph- II	Total	% of Total Developab le Area in DP	% of Total DP Area
1	R-1 Predominantly Residential	2443	54.4%	6	0.0%	2449	12.0%	5.6%
2	R-2 Mixed Use	222	4.9%	0	0.0%	222	1.1%	0.5%
3	R-3 Urban Villages	777	17.3%	2422	15.2%	3199	15.7%	7.3%
4	R-4 Recreation	0	0.0%	934	5.9%	934	4.6%	2.1%
5	I - Industrial/ Warehousing zone	0	0.0%	1321	8.3%	1321	6.5%	3.0%
6	LDZ Limited Development Zone	61	1.4%	15108	95.0%	15169	74.3%	34.7%
8	DP Reservations	1179	26.2%	307	1.9%	687	3.4%	1.6%
а	Growth Centres	676	15.1%	0	0.0%	676	3.3%	1.5%
b	Parks and Playgrounds	358	8.0%	42	0.3%	401	2.0%	0.9%
С	Utilities, Community, Educational, Health, Markets, Transportation	144	3.2%	143	0.9%	287	1.4%	0.7%
d	TBR - Theme Based Reservation	0	0.0%	122	0.8%	122	0.6%	0.3%
9	Proposed Transport	596	13.3%	1823	11.5%	2419	11.9%	5.5%
10	Existing Facilities (Roads, Railways and Public & Semi-public amenities)	174	3.9%	570	3.6%	743	3.6%	1.7%
11	Forest	1067	23.8%	5181	32.6%	6248	30.6%	14.3%
12	Water Bodies	200	4.4%	3125	19.6%	3325	16.3%	7.6%
13	Salt Pans	0	0.0%	300	1.9%	300	1.5%	0.7%
14	Marshy and Shrubs	0	0.0%	1667	10.5%	1667	8.2%	3.8%
15	KESZ	0	0.0%	4245	26.7%	4245	20.8%	9.7%
	Total Area	6718	150%	37008	233%	43726	214%	100.0 %
	Developable Land	4493	100%	15910	100%	20403	100%	46.7%

Refer Figure 8-33 for proposed land use map of Development Plan.






Figure 8-2: Proposed Land Use Distribution in DP






Figure 8-3: Proposed Landuse in Development Plan Area



9. PHYSICAL INFRASTRUCTURE1

This Chapter describes the demand assessment and provision of land reservation for Physical infrastructure comprising of Water Supply, Sewerage and recycling, Drainage and river training, Solid Waste Management and Power supply.

9.1 **GENERAL**

SPA-NAINA has decided to adopt two phases of development Phase-I is the area where SPA-NAINA could extend infrastructure in next 10 years and Phase II where such infrastructure could be provided only after 10 years based on the requirement and development in Phase-II area. This chapter is essentially about Balance Phase-I, excluding IDP area. The demand for infrastructure essentially depends upon the population. The estimated population for various phases is summarised below in **Table 9-1**:

Table 9-1: Estimated Population for various Phases in NAINA

Phase /Zones	Estimated Population in Lakhs			
Thase /Zones	2016	2034		
IDP	0.75	6.22		
Balance Phase-I	0.44	3.86		
Phase-II	1.84	3.94		
Total	3.02	14.02		

9.2 WATER SUPPLY

Availability of sustainable source of water with related infrastructure facilities is prime necessity for any modern and sustainable development. But prior to exploring for a sustainable source it is utmost necessary that water demand is worked out based on alternate standards, bench marks and acceptable norms. The piped water supply has to be designed to provide adequately for:

• Domestic needs: Including drinking, cooking, bathing, and washing, flushing of toilets, and individual gardening / air conditioning.

¹ Physical Infrastructure includes Roads and Transport also, However given its significance in shaping land use it is dealt separately in chapter 7.



- Demand for the employment in various work places: For Institutional needs.
- Industrial use: For existing and proposed industries.
- Horticulture needs: For public parks and urban greens.
- Fire Fighting needs.
- Unaccounted for Water: Including distribution losses, treatment losses and transmission losses.

The physical infrastructure for water supply is to be designed based on spot to spot demand. Thus for arriving at total water demand, the demand with respect to location of residential, commercial and institutional complexes has been considered. Therefore the proposed land use of complete area has been identified and based on the land use the demand has been worked out and compiled.

9.2.1 ADOPTED NORMS AND STANDARDS

9.2.1.1 NORMS FOR DOMESTIC WATER DEMAND

The quantity of water required in the houses for drinking, cooking, bathing, washing etc. is termed as domestic water demand.

The Environmental Hygiene Committee suggested certain optimum service levels for communities based on different population groups. The code of Basic Requirements of Water Supply, Drainage and Sanitation (BIS: 1172), as well as the National Building Code recommends a minimum of 135 lpcd service level for communities where the residents are provided with full flushing system for excreta disposal. The Manual of Water Supply and Treatment, issued by CPHEEO (Central Public Health and Environmental Engineering Organization), Ministry of Urban Development, and Government of India has recommended the domestic water demand as shown in below in

Table 9-2: .

Table 9-2: Norms for domestic water demand as per CPHEEO manual

Classification of Towns	Recommended Water Supply Levels
Towns provided with piped water supply but without sewerage system	70 litres per capita per day
Cities provided with piped water supply where sewerage system is existing/ contemplated	135 litres per capita per day
Metropolitan and Mega Cities provided with piped water supply where sewerage system is existing/contemplated	150 litres per capita per day

The URDPFI guidelines, issued by Ministry of Urban Affairs and Employment, Government of India, have also prescribed the same standards as CHEEPO norms. CIDCO has also prescribed the design norms for design of water supply systems, which prescribes a domestic water demand of 180 lpcd. The design population of Balance Phase-1 area (excluding IDP and including Khalapur Smart City area), for plan horizon year is nearly 3.9 lakh. Thus based upon above three guide lines and standards prescribed by CIDCO, the domestic water demand has been worked out taking 180 lpcd service level at consumer end.



9.2.1.2 NORMS FOR EMPLOYMENT POPULATION

The water requirement for the persons working in different commercial establishments, offices, factories and educational institutions have also to be considered while working out water demand. The CPHEEO manual as well as URDPFI guide lines prescribe a service level of 45 lpcd for the employment population. Thus the same has been considered while working out the total water demand.

9.2.1.3 HORTICULTURE WATER DEMAND

Provision has also been kept for horticulture water demand for green parks and urban greens proposed. The demand has been worked out at 67000 litres per hectare, for 60% of proposed green area and 30000 litres per hectare for balance 40% of the green area as per DSIIDC (Delhi State Industrial & Infrastructure Development Corporation Ltd.) norms.

9.2.1.4 FIRE-FIGHTING DEMAND

As per CPHEEO manual the fire-fighting demand is to be taken based on the formula:

Fire-fighting demand in $kl/day = 100 \times P^0.5$

(Where P is the population in thousands)

Thus the same has been worked out as per above standards and added to total demand

9.2.1.5 RECYCLING AND REUSE OF WATER

To reduce the fresh water demand recycling of domestic and industrial waste water is considered. The sewage and sullage generation has been taken as 80% of the water supplied for domestic use, as suggested in the Manual of Sewerage and Sewage Treatment, issued by CPHEEO, Ministry of Housing and Development, Government of India.

The infiltration in conveyance system has been kept as 20% of daily flow as prescribed by CIDCO in their norms looking to intensive rains in the area. Provision has been kept for losses in STP and Tertiary Treatment Plants, while working out availability of water for recycling. The recycled water is proposed to be used to meet the horticulture demand for urban greens; fire fighting and balance water is to be supplied for flushing purposes in residential area.

It is also proposed that as per provision in the DCPR, the sullage from the residential apartments shall be treated by the developer itself at site and recycled for internal usage (horticulture, fire fighting and flushing) and only sewage from the WCs shall be treated in community treatment plants and recycled after tertiary treatment. It is also assumed that 30% of the development may be individual houses or small establishments, which may not be able to treat the sullage at site, thus from such developments whole of the sewage and sullage shall be transported to community treatment plants.

9.2.2 GROSS WATER DEMAND

Based upon the existing and proposed residential, commercial (employment), horticulture and fire fighting demand, the gross water demand for the Balance Phase-1 area (including Khalapur Smart City area) has been estimated.

For working out fresh water demand at consumer end, the quantity of recycled water from Tertiary Treatment Plants after subtracting the losses in the supply system has been deducted from the total



demand. For estimating gross water demand 28% losses in distribution and transmission system has been considered as per norms prescribed by CIDCO for design of water supply system.

Based upon above norms the demand for total Balance Phase-1 area (including Khalapur Smart City area) works out as 66.75 mld, and if recycling is not considered the demand of fresh water shall be as high as 120.40 mld. The detailed calculations are shown in **Table 9-3**:

Table 9-3: Water Demand for Balance Phase-1

Water Demand Calculation Balance Phase-I (including KSC) (Considering Recycled Water)									
	Po	pulation	/ Area in	На	Rate of	W	ater Dem	and in m	ıld
Particulars of users	2016	2021	2031	2034	Supply in lpcd	2016	2021	2031	2034
Residential	23400	46800	237900	390000	180	4.21	8.42	42.82	70.20
Employment	5850	16380	83265	136500	45	0.26	0.74	3.75	6.14
Fire fighting				100)*(P)^0.5	0.48	0.68	1.54	3.89
Urban Greens	26	79	212	265	52200	1.38	4.15	11.06	13.83
					Total	6.34	13.99	59.18	94.06
Recycled Water flushing	to be us	ed for U	rban gree	ns, fire fi	ghting &	2.46	5.03	25.57	41.92
Net Fresh Water I	Demand a	t consum	er end			3.88	8.96	33.60	52.14
Distribution, Treatment & Transmission losses 28%						1.09	2.51	9.41	14.60
Total Demand at source with recycling					4.97	11.47	43.01	66.75	
Demand without	recycling	3				8.12	17.91	75.75	120.4

Since the Balance Phase-1 (around IDP) area and Khalapur Smart City (KSC) are scattered, thus to judiciously decide the source and required infrastructure, the demand has also been worked out separately for each cluster and is being depicted in **Table 9-4**

Table 9-4: Cluster wise Water Demand for Plan horizon year

Cluster Name	Demand in MLD considering Recycling	Demand in MLD without Recycling
Western Cluster	15.87	27.33
Eastern Cluster	16.34	29.70
Northern Cluster	12.85	20.87
Khalapur Smart City (KSC)	21.68	42.50
Total	66.75	120.40



9.2.3 AVAILABLE SOURCES OF WATER

Presently the CIDCO area gets water from Hetawane dam and MJP. The availability from these sources is nearly 265 mld. A project from Balganga dam is under execution, which is likely to be completed by 2020. The availability from this source shall be 350 mld. In the meeting held on 25th August 2015 chaired by MD, CIDCO at Nirmal Bhawan it was informed that about 150 mld of water can be spared from Bal Ganga project for proposed developments in the area. In addition a new source from proposed Kondhane dam is under consideration. CIDCO is expecting to get 250 mld of water from this source.

This way nearly 150 mld of water shall be spared/ available for NAINA and KNTNA from Balganga project onwards from 2020 and additional 250 mld is also expected from Kondane dam in near future for new developments.

Presently CIDCO has planned following four projects to be developed onwards from 2016 for which the water demand is likely to come from 2021 onwards. Their demand for the year 2021, 2031 and 2034 (the plan horizon year) is being given below in **Table 9-5**

Table 9-5: Water Demand for the proposed Projects

S.		Fresh water demand in MLD for the year				
No	Proposed development projects	2021	2031	2034		
1.	Interim Development Plan	26.06	63.80	92.59		
2.	NAINA Phase-1,	8.33	29.75	45.07		
3.	Khopta Area (KNTNA)	25.44	89.60	111.33		
	Sub Total	59.83	183.15	248.99		
4.	Khalapur Smart City (KSC)	3.50	14.07	21.68		
	Total Demand in MLD	63.33	197.22	270.67		

From above table it is clear that total demand for first three projects (IDP, balance Phase-I area and Khopta Area for the year 2021 is 59.83 MLD, and by the year 2029 it is likely to be around 150 mld. Thus from available spare water from Bal Ganga, the water demand for above three projects can be met up to 2029, and then after balance 99 mld demand be met from additional 250 Mld water which shall be available from Kondane dam. The Khalapur Smart City (KSC) falls near Kondane Dam. Thus it is proposed that demand for KSC may be met from Kondane dam, its project is also likely to be completed very soon.

9.2.4 PROPOSED WATER SUPPLY SYSTEM

As per proposals of Balganga Water Supply Scheme (350 mld) of CIDCO, the water drawn from Balganga dam is proposed to be treated at Nidhiwali Water Treatment Plant, from where it shall be pumped to a Break Pressure Tank (BPT) near Dighati, and then shall be transferred to Master Balancing Reservoir at VAHAL through 2500 mm diameter Pipe line. It is proposed to draw water from this MBR tank for balance Phase-1 other than KSC. Since KSC area is near to Kondane dam, water demand for KSC is proposed to be met from Kondane dam. The water from Kondane dam is likely to be pumped from dam to a hillock near dam, where it shall be treated and stored in a Master Balancing Reservoir (RL 186 assumed). It is proposed to draw 21.68 mld demand of KSC from this MBR. The site of both these MBR along with proposed route of gravity mains for CWR-1, CWR-2 in NAINA Phase-1 remaining area and to proposed GLSR in KSC is shown in Figure 9-1: Map showing Balganga WS Project with and proposed tapping from VAHAL MBR and from MBR at hillock near Kondane






Figure 9-1: Map showing Balganga WS Project with and proposed tapping from VAHAL MBR and from MBR at hillock near Kondane



It is proposed to draw the demand of NAINA Phase-1 (remaining area other than KSC- 45.07 mld) from VAHAL MBR. Nearly 80% area of project area, falls outside South and South-East boundary of IDP, while the rest 20% falls outside its Northern boundary. The total demand is proposed to be drawn from above MBR through a common gravity main. Near village Karanjade a Tee point is proposed, where from the demand for the northern and eastern part is taken to CWR-1 (near proposed CWR of IDP at village Kolke). The demand for South and Eastern part shall be carried to the proposed CWR at village Chirvat. The gravity feeder is proposed to be laid along JNPT road (NH-4B). Based upon the available head at Vahal MBR and RLs of proposed site of CWR-1 and CWR2, gravity feeder has been designed and size of gravity feeders worked out. Accordingly it is proposed to lay DI pipe line class K-9 with internal cement mortar lining 1000 mm diameter 9267 meters long from VAHAL MBR to Node G-1. From Node G-1to CWR-1, the size of pipe line proposed is 600MM diameter DI K-9 (4015m long). Similarly from Node-G1 to CWR-2, 4154 meters long 500 mm diameter DI-K-9 line with cement mortar lining is proposed.

The demand for KSC shall be drawn from MBR at hillock near Kondane dam as shown in above figure. The size of gravity main from this MBR to proposed GLSR in KSC area shall be 600 mm diameter DI K-9 with internal cement mortar lining.

The details regarding demand carried by each line, its length and size are being narrated in **Table 9-6**:

Table 9-6: Details about Gravity Feeder for balance Phase-1 (around IDP & KSC)

Table 7-0. Details about Gravity recues for balance I have I (around 151 & 1850)							
Nodes From To		Demand (MLD)	Pipe Dia	Pipe Material	Length(m)		
VAHAL MBR	G-1	45.07	1000	DI K-9 with internal cement mortar lining	9267		
G-1	CWR-1	29.19	600	DI K-9 with internal cement mortar lining	4015		
G-1	CWR-2	15.87	500	DI K-9 with internal cement mortar lining	4154		
MBR at hillock near Kondane dam	GLSR-12 in KSC	21.68	600	DI K-9 with internal cement mortar lining	10300		

The capacity of CWRs has been kept equivalent to 3 hours storage, based on 22 hours pumping. Accordingly the capacity of CWR-1 is proposed as 4.0 ML & CWR-2 is proposed as 2.20 ML.

As per decision of CIDCO, the distribution of water to consumers shall be by pumping through Variable speed pumps. Thus the complete remaining area (Phase-1) has been sub divided in 10 zones and the KSC area in 4 zones. The details of zones along with capacity of GSRs required are given in **Table 9-7**



Table 9-7: Zonal Demand & Capacity of Service Reservoirs

S No	Cluster	Demand in MLD	Storage Reqd in MLD @ 50%	GSR Zone No	GSR Capacity Required in MLD
				7	2
1	Western Zone	15.87	8	8	2
1	Western Zone	15.67	O	9	2
				10	2
			11	2	
2	Eastern Zone	16.34	8	12	2
2	Eastern Zone			13	2
				14	2
3	Northern Zone	12.85	6	15	3
3	Northern Zone	12.63	U	16	3
				17	3
4	Khalapur Smart City	21.68	11	18	3
4	(KSC)	21.68	11	19	3
				20	2

The Water from the CWR is proposed to be pumped to different Ground Service Reservoirs through network of pumping mains. The size of all pumping main has been derived as per the criterion laid down in CPHEEO manual for Economical design of pumping mains, taking into consideration the capital investment and the capitalized investment for power charges. For working out economical size, per meter cost for seven nearby sizes of pipe has been worked out, considering bare cost of pipe, excavation of trenches, cost of specials / valves, laying and jointing etc and most economical pipe size worked out from them.

The economical size of pipe lines so worked out have been checked for the surge pressure encountered in the system. Even though the system has been checked for surge pressure, provision has been kept for zero velocity valves and air cushion valves for extra safety.

The water from CWR shall be pumped by Centrifugal pumping sets. The pumping sets have been designed keeping in view the criterion laid down in CPHEEO manual. Accordingly it is proposed to install 3 numbers (2W+1SB) pumping sets at CWR-1 and 3 numbers (2W+1SB) at CWR-2) keeping provision of 50% standby pumping set. The duty conditions for proposed pumping sets are being narrated in **Table 9-8**:

Table 9-8: Details of Pumping Machinery

Sr. No.	Pump Description	Discharge (LPS)	Head	Motor Capacity each set (KW)				
Pumping Sets at CWR-1								
1	Centrifugal pumping sets coupled with squirrel cage induction motor (2W+1SB)	184.30	80	230 KW- 3 Nos				
Pump	Pumping Sets at CWR-2							
2	Centrifugal pumping sets coupled with squirrel cage induction motor(2W+1SB)	100.21	75	120 KW- 3 Nos				



The location of CWR with pump house and GSRs proposed is shown in Figure 9- 2 below.




Figure 9-2: Proposed Network of Clear Water Rising Mains



Provision has been kept for HT Power line up to pumping station along with sub-station, electric cabling and metering etc. Provision has also been kept for trunk distribution system on sector level roads only. The internal distribution shall be laid by the developer. It is proposed to lay the distribution system with Ductile Iron pipes class K-7 with internal cement mortar lining. The proposed length of different size of pipe line to be laid in each zone is shown in **Table 9-9**

Table 9-9: Zone wise length of distribution pipe line proposed

Zone wise length of							
different pipes	Zone-7	Zone-8	Zone-9	Zone-10	Zone-11	Zone-12	Total
150	5712	5537	7312	7034	7934	8319	41848
200	3617	2186	3760	3618	6554	6239	25974
250	2094	1457	2089	2010	4139	4991	16780
300	1904	1311	1880	1809	3104	3744	13752
350	1713	1166	1671	1608	2760	3328	12246
400	1333	1020	1253	1206	2070	2912	9794
450	952	874	1045	1005	1725	2496	8097
500	762	729	836	804	1725	2080	6936
600	571	291	627	603	1380	2080	5552
700	381		418	402	1380	1664	4245
750					1035	1248	2283
800					690	1248	1938
900						832	832
1000						416	416
Total length in zone	19039	14571	20891	20099	34496	41597	150693



9.2.5 BLOCK COST ESTIMATE

The Block Cost Estimate has been worked out based on the rates from CIDCO SOR 2012-13. Necessary price escalation has been added to bring the rates at present year level. For the items which are not available in above SOR, present market rates have been considered for preparing the estimate. The estimated cost for source development has been considered based on estimated cost of Balganga project by CIDCO. The abstract of Block cost Estimate is shown in Table 9-10

Table 9-10: Abstract of Block Cost Estimate Water Supply including Cost of Source Development

	Cost Abstract Water Supply System NAINA Remaining Area				
S No	Particulars	Cost Rs in Millions			
1	Gravity feeder main from VAHAL MBR to CWR-1 & CWR-2 and from Kondawane MBR to KSC GLSR as per detailed estimate and designs	299.91			
2	Clear Water Reservoirs at CWR -1 and 2	104.64			
3	Pumping mains from CWRs to Service Reservoirs	289.47			
4	Clear water Pumping Machinery at both CWR for pumping water to Service Reservoirs	18.90			
5	Ground Service Reserviors with Pumping Machinery with Variable Speed Pumps	427.50			
6	Trunk Distribution System for all the distribution zones	904.10			
7	Clear Water Pumping Stations and Pump house at GSRs	15.78			
8	Staff Quarters, Office building, Boundary wall and campus development	19.39			
9	Provision for Electric HT Line & Sub Station	25.00			
10	Maintenance Vehicles	3.60			
11	Cost of Land	6.00			
	Total Core Components	2,114.29			
	Add Non-Core components & Contingencies 10.3 %	217.77			
	Total	2,332.07			
	Say Rs in Crores	233.0			
	Source Development Cost 2500/350 ie 7.143/ mld	477.0			
	Total Cost in Crore Rupees	710.0			



9.3 SEWERAGE COLLECTION, TREATMENT AND RECYCLING SYSTEM

9.3.1 ESTIMATION OF SEWAGE GENERATION

The Sewage Collection and recycling system is planned and designed to collect, treat, and recycle all the domestic sewerage generated from the Balance Phase-1. It is proposed that Sullage will be treated on site by the developer of land and Sewage is carried to City/ community level STPs/ETPs.

As per provision in the DCPR prepared for IDP, the sullage from the residential apartments was proposed to be treated by the developer itself at site and recycled for internal usage (horticulture, fire fighting and flushing) and only sewage from the WCs was to be treated in community treatment plants and recycled after tertiary treatment, by assuming 30% of the development may be individual houses or small establishments, which may not be able to treat the sullage at site, thus from such developments whole of the sewage and sullage was to be transported to community treatment plants. But as decided by CIDCO, now for remaining area of Phase-1 and KSC whole of the sewage and Sullage is to be taken to community treatment plant, thus the same has been adopted in this report.

The sewage and effluent generation has been assumed as prescribed in CPHEEO manual. While working out sizes of collection system and capacity of Sewage Treatment Plant, provision has been kept for 20% infiltration through sewer lines as per guide lines issued by CIDCO. Accordingly the sewage generated, Capacity of STPs and Tertiary Treatment Plants required has been worked out and shown in Table below.

Looking to the topography of the area, pace of development and land use, the balance Phase-1 has been divided into 8 Sewerage Zones. The related Tertiary Treatment Plant is also proposed to be installed on the side of STP. The recycled water shall primarily be used for proposed urban greens as horticulture requirement/ fire fighting and the remaining shall be used for flushing in residential areas. The Capacity of Sewage Treatment Plants and Tertiary Treatment Plants proposed zone wise is being given in Table-11 below:

Table 9-11: Zone wise Capacity of proposed STPs and TTPs

Sewerage Zone	Capacity of STP	Capacity of TTP
Sewerage Zone-6 (Western Cluster)	4.80	3.90
Sewerage Zone-7 (Western Cluster)	3.10	2.50
Sewerage Zone-8 (Western Cluster)	5.10	4.12
Sewerage Zone-9 (Eastern Cluster)	9.00	7.27
Sewerage Zone-10 (Eastern Cluster)	6.20	5.00
Sewerage Zone-11 (North Cluster)	9.10	7.35
Sewerage Zone -12 (KSC)	12.00	9.70
Sewerage Zone -13 (KSC)	12.00	9.70
Total Capacity	61.3	49.54



A map showing proposed Sewerage zones along with the location of STPs is shown in Figure 9-3: Proposed Sewerage / Industrial Effluent Zones with location of ETP /STPs




Figure 9-3: Proposed Sewerage / Industrial Effluent Zones with location of ETP /STPs



9.3.2 SEWAGE COLLECTION SYSTEM

The Sewage collection system is provided to collect the domestic sewage from the residential / institutional areas and to convey it to the proposed Sewage Treatment Plant of that zone. The zoning and collection network is proposed in such a way that the flow of sewage follows natural slope and conveys the sewage to treatment plant (located at the lowest elevation) under gravity flow. But for part of sewage pumping shall be required, for which sewage pumping stations are also proposed.

The Sewage Collection system is being proposed at sector level roads only. The internal sewers including laterals shall be provided by the land developers themselves, which shall further be connected to trunk sewerage system. The sewage collection network is based on following parameters, as per the recommendations in the manual of Sewerage and Sewage Treatment issued by CPHEEO, Ministry of Housing Government of India:

Minimum velocity at designed peak flow : 0.8 meters / sec

Maximum velocity in SW Pipes : 1.4 meters / sec

Maximum velocity in RCC / HDPE Pipes : 2.5 meters / sec

Max. depth of flow in sewers at ultimate peak flow:

Up to 400 mm sewer : half full

400 to 900 mm sewer : 2 /3rd full

Above 900 mm sewer : 3/4th full

Minimum size of sewer : 160 mm

Maximum spacing of Man holes

Up to 300 mm sewer : 30 meters

Above 300 mm sewer : 90 meters

Additional manholes : At every junction, change of

alignment/ gradient/ size.

Size of man holes

Up to 1.5 metres depth. : 900 mm dia.

1.5 to 2.5 mtrs depth : 1000 mm dia

Above 2.5 mtrs depth : 1200 at bottom & 900

at top

Formula adopted for design : Manning's Formula

V = 1 / n X R 2/3 X S 1/2

Here

V = Velocity in meters

R = Hydraulic mean depth = WA / WP

S = Hydraulic slope in M / meter

N = Manning's coefficient

= 0.012 for SW Pipes

= 0.011 for RCC / PSC pipe



Accordingly the different size of pipes proposed for collection system in all the seven zones is being given in **Table 9-12.** The collection system is proposed to be laid in RCC pipes class NP-3:

Table 9-12: Size of Pipes in proposed Collection System

Sewerage Zones> Pipe Size (mm)	6	7	8	9	10	11	12	Total (m)
250	6218	4033	6554	8403	12091	17247	13865	68411
300	1762	1143	1857	2381	3426	4887	5199	20655
350	1554	1008	1638	2101	3023	4312	4160	17796
400	829	538	874	1120	1612	2300	3466	10739
450							2773	2773
500							2080	2080
600							1040	1040
700							693	693
800							1387	1387
Total	10363	6722	10923	14005	20152	28746		125574

9.3.3 SEWAGE TREATMENT AND TERTIARY TREATMENT PLANT

It is proposed to provide conventional Activated Sludge Process / MBBR type of Sewage / Treatment Plant. The plant shall comprise of Coarse screen chamber, Sewage pumping station, Fine screen chamber, Grit chamber, Activated sludge type Aeration Chamber with Fluidized Bed Reactor or Moving Bed Bio-film Reactor, Secondary Sedimentation tank, Air Blowers, Sludge pumps, and Sludge drying mechanism.

The Tertiary Treatment Plant (TTP) shall comprise pre-chlorination chamber, rapid gravity sand filters and post chlorination mechanism. The TTPs are designed to receive an inflow of 85% of Sewage generated assuming 15% losses in STP. The losses in TTP are taken as 5%.

9.3.4 REUSE OF TERTIARY TREATED WATER

The Sewage treated in STP and then the secondary water treated in Tertiary Treatment Plant in each zone shall be collected in individual Clear water reservoir, wherefrom it shall be pumped for horticulture / Fire fighting and for flushing in the same zone. The water shall be collected by individual users in their ground tanks for their use. Provision has been taken for Clear water reservoirs, pumping machinery and distributary rising mains with DI Pipe class K-9 for supplying recycled water.



9.3.5 BLOCK COST ESTIMATE

The Block Cost Estimate has been worked out based on the rates from CIDCO SOR 2012-13. Necessary price escalation has been added to bring the rates at present year level. For the items which are not available in above SOR, present market rates have been considered for preparing the estimate. The abstract of Block cost Estimate is shown in **Table 9-13 and detailed estimates along with related designs are enclosed in Annexure part:**

Table 9-13: Abstract of Block Cost Estimate for Sewerage System, Treatment & Recycling

Abstract of cost estimate for Sewage collection system and Treatment for Balance Phase-I (around IDP and KSC)				
SI. No		Component	Amount in INR millions	
A		Land Acquisition		
	1	For Sewage Treatment Plant, Tertiary Treatment Plant and Rest room cum store	41.21	
		Sub total	41.21	
В		Sewage Collection System		
	2	Sewage Collection System complete with excavation, providing laying and jointing RCC pipes, Sewage chambers and manhole etc.	317.54	
		Sub Total	317.54	
С		Sewage Treatment Plant		
	1	Sewage Treatment Plants & SPS	622.00	
	2	Staff quarters and other buildings with Land development of complete STP TTP and Staff Quarter area	27.59	
		Sub Total	649.58	
D		Sewage pumping main and pump sets		
	1	Sewage pumping set at SPS	2.40	
	2	Sewage Rising Main from SPS to higher man hole	6.48	
		Sub Total	8.88	
F		Dedicated express power feeder main		
		From Substation to treatment plants and SPS	45.00	
F		Maintenance Vehicles		
		One Jeep and one truck and one mini truck	3.40	
G		CD Works & Sewer Bridges		
		CD Works & Sewer Bridges for crossing Nalas and roads	31.75	
		Total	1,097.36	
		Non Core Components		
	7	Non Core components & Contingencies10. 3%	113.03	
		Cost in INR (Non-core Components)	113.03	
		Total Project Cost in INR millions	1,210.39	
		Say Rs in Crores	121.0	



	around IDP and KSC	T
Sl. No	Component	Amount in INI milllions
Α	Tertiary Treatment Plant	
	Tertiary treatment Plant for secondary treated water from STPs	198.00
	Sub Total	198.00
В	Treated water Reservoir and Pumping machinery	
	Tertiary Treated water reservoir for recycling	54.00
	Pumping Machinery	18.91
	Sub total	72.91
В	Recycled water distribution system	
	Pipe lines for distribution of recycled water	37.03
	Sub total	37.03
	Total Core Components	307.94
	Non Core Components	
7	Non Core Component & Contingencies 10.3%	31.72
	Cost for Non-core Components	31.72
	Total Recycling Project Cost in INR millions	339.66
	Say Rs in Crores	34.00
	Total Cost for Sewerage System & Recycling in Crores	155.0



9.4 RIVERS, STORM WATER DRAINAGE AND FLOOD CONTROL

In general the drainage of the area is from North East (where high hills are seen) towards South West. The details about these rivers are given below:

- Gadhi or Kalundri River: It has two tributaries. On one of the tributaries is Gadheshwar dam at the foot hills. One of the tributary as well as the main river passes through IDP area. The river flows from North East to South West direction. The river originates from the hills on the North East side of NAINA. All drainage from the north east side goes to this river/ its tributaries.
- Kolkhewadi River: This River flows from East to west through southern part of IDP area. The level ranges from 30 m to 8 meters except for the hilly terrain. It meets with the Gadhi River and finally discharges in to the sea.
- Patalganga River: Patalganga River rises in the steep western scarps of the Matheran uplands where it branches off from the main ridge near Khopoli and maintains a general westward flow till it joins the Dharamtar Creek with a wide estuary. The tail-waters of the Khopoli power project are let into the river near Khopoli. The river forms boundary of the NAINA region along Rasayani Industrial Estate and then flows through Khopta to confluence in to the creek. There is no evidence of major flooding in the river catchment areas during monsoon.
- Amba, Bhogeshwari and Balganga rivers: These Rivers traverse the southern part of NAINA in Pen Taluka. Portion of Amba up to Nagothane is navigable but it gets frequently silted and requires dredging. The Amba River forms the southwest boundary of NAINA and only a small portion touches NAINA.

CIDCO has appointed M/s DHI for carrying detailed engineering requirements for water supply, sewerage, and storm water drainage and flood control. Their preliminary study for IDP recommended a 15 m buffer along all natural drainage channels and the same was incorporated in the DCPRs. Similar recommendations when available for entire NAINA could be incorporated in the plan/ DCPRs.

The cost of flood control measures will be part of the detailed engineering exercise and cost of storm water drains is included in the road design.



9.5 SOLID WASTE MANAGEMENT

9.5.1 COMPOSITION OF WASTE

The area being a green-field development, no data on composition of waste is available. Hence standards mentioned in the CPHEEO manual are assumed for composition of waste which is further used for calculating the area required for landfill site. Composition of solid waste is given in **Table 9-14**

Table 9-14: Composition of Solid Waste

Tuble > 11. Composition of Sond Waste				
Sr. No.	Parameter	% of waste as per CPHEEO Manual		
1	Total organic content	44.57		
2	Paper	2.91		
3	Rubber, leather & synthetics	0.78		
4	Glass	0.56		
5	Metals	0.33		
6	Inert Materials	43.59		
Source: CPHEEO Manual For Solid Waste				

9.5.2 SOURCES AND TYPES OF SOLID WASTE GENERATION

Municipal Solid waste: The main sources of Municipal Solid Waste (MSW) generation will be residential areas, commercial areas, hotels, institutional areas, markets and other such areas. Wastes from industries and hospitals are not part of MSW; these are called Industrial or hazardous wastes and Bio-medical wastes respectively. MSW can be classified into four broad categories such as:

- Organic waste: This is biodegradable waste consisting of food, kitchen waste, green waste (vegetables, flowers, leaves, fruits), leaf litter etc
- Recyclable waste: paper, glass, bottles, cans, metals, certain plastics, etc.
- Inert waste: construction and demolition waste, dirt, rocks, street sweeping, drain silt, debris.
- Domestic hazardous waste (also called "household hazardous waste") & toxic waste: medication, e-waste, paints, chemicals, light bulbs, fluorescent tubes, spray cans, fertilizer and pesticide containers, batteries, shoe polish etc.

The Ministry of Environment, Forests and Climate Change (MoEFCC) has separate rules for the management of Municipal Solid Waste, Bio-Medical Waste (BMW), Hazardous Wastes, Electronic waste and Construction and Demolition (C&D) waste.

Construction and Demolition Wastes: The construction and demolition waste mainly consists of earth, stones, concrete, bricks, lumber, roofing materials, plumbing materials, heating systems and electrical wires etc. These wastes are heavy, having high density, often bulky and occupy considerable storage space either on the road or communal waste bin/container.

Details of BMW and HW are mentioned subsequently.

9.5.3 ESTIMATION OF SOLID WASTE GENERATION

Municipal Solid Waste: The population projections made in this report and as per capita waste generation rates (of 600 gm per capita for resident population as per CPHEEO manual on SWM) are



used for estimating future waste generation trends. The rate of waste generation throughout the horizon year of 2011-2034 is considered uniform i.e. 600 gm per capita per day. The following table shows the projected quantity of waste generated. As per the projections, the total Phase-I (IDP, Balance Phase-I and Khalapur Smart City area) population in the year 2034 will be 10.08 lakhs hence the quantity of waste generation will be around 604.8 tons per day.

Construction and Demolition Wastes: This waste is usually part of MSW, however given the nature and quantity of such waste it is estimated as a separate head. There are no fixed standards for estimating C & D waste; the Handbook on Technologies for Solid Waste Management, GoM, 2016 suggests that 10-20% of MSW is usually C&D waste. The Municipal Corporation of Greater Mumbai has issued Construction and Demolition Waste Management Rules 2006. These rules mention different quantities of waste for different wards within the city such as 500 tpd (R – South, R – North, R – Central) 400 tpd (A,B,C,D,E,F,G wards), 350 tpd, (H East & K East) (H West, K West P North & South) 300 tpd and 200 tpd(L,N, M East &West, S,T). The above two standards are considered as base for C &D projection for NAINA. 20% of MSW works out to 121 tpd and the average of C& D waste as per MCGM rules works out to 350 tpd. Considering the fact that entire NAINA will not be developed in the plan period and redevelopment works will less, the C & D waste is assumed to be lower of the two i.e. 121 tpd.

Estimated quantity of solid waste generation is given in Table 9-15

Table 9-15: Projected quantity of solid waste generation

Sr. No.	Particulars/year	2021	2031	2034
1	Projected population	2,18,000	7,15,000	10,08,000
2	Solid waste generation tpd	131	429	605
3	Construction and Demolition Waste tpd	26	86	121

9.5.4 STAGES OF WASTE MANAGEMENT

The key stages of solid waste management include collection, transportation, transfer station or storage (if required), treatment and disposal. These are briefly described in the following sections.

9.5.4.1 WASTE COLLECTION

Door-to-door collection: Door-to-door collection of waste is recommended in all the areas. The waste collection shall be carried out using compactors, in gaothan or areas having narrow street widths small compactors or containerised push carts may be used. Each such push cart will have four HDPE (High Density Polyethylene) or LDPE (Low Density Polyethylene) containers of approximately 40 liters of capacity and .45m x .35m x .35m size. The push cart for door to door collection will be provided with a bell so that the residents will be alerted of the arrival of the cart for emptying their waste containers directly into the containers of the cart as shown in. The sanitary workers shall collect the waste from domestic, commercial and other areas in such congested zones. Solid waste should be collected within 24 hours of generation.



40 Ltrs Rickshaw Bin

Capacity : 40 Ltrs with Handle

Dimension : Top OD : 350(L) x 350(B) mm approx.

Top ID: 320(L) x 320(B) mm approx. Bottom OD: 285(L) x 285 (B) mm approx.

Height: 455 mm approx.

Handle: 08mm Rod and strips are painted with

anti corrosive paints.

Raw Material : LLDPE Process : ROTO Molding

Features: Heavy Duty handle makes it easy to lift. Smooth finish

inside and outside - so easy to wipe and clean.



Figure 9-4: Pushcart with containers

Litter Bins: In addition to the door to door collection, litter bins are recommended to be provided in public places such as gardens, bus stops, at regular intervals on streets in commercial and institutional areas. These may be provided at 50 m interval or as per the land use and density of people. The capacity may be around 0.02 cu. M. but may vary depending on the waste generation.

Street Sweeping: Street sweepers shall be assigned with fixed individual beats and 'pinpoint' work according to the density of the area to be swept. The following standards may be considered. The main roads and high-density areas shall be cleaned every day. The low-density areas can be cleaned on alternate days. Drain de-silting will be done on need basis. Norms for street sweeping is given in **Table 9-16**.

Table 9-16: Norms for street sweeping

Sr. No.	Description	Norm (road length/ sweeper)	
1	High density areas (commercial, institutional etc.)	250m – 300m	
2	Low density area	650m – 700m	

Wherever bulk quantity of bio-degradable waste is generated such as vegetable markets, gardens, leaf litter etc. facilities for on-site composting should be explored.

9.5.4.2 SEGREGATION OF WASTE AT SOURCE

At present, the DP area is rural in character, and the system of solid waste management does not exist. Segregation of waste at source shall be implemented, primarily in residential areas, where door to door collection of waste is proposed. Separate collection and storage of the biodegradable and non-biodegradable fraction, dry and wet waste of the waste from households, shops and restaurants shall be carried out by the sanitary workers. For this purpose, the residents would be asked to store the biodegradable and non-biodegradable waste separately. Also, the push-carts/ compactors would be provided with two separate compartments in different colours for collection of the bio-degradable and non-biodegradable waste. Awareness programs should be conducted to train the people about the segregation of waste at household level. It is mandatory to segregate waste into bio-degradable and non-biodegradable as per the Municipal Solid Waste Management (MSW) Rules 2000.



9.5.4.3 TRANSPORTATION

The MSW Rules 2000 stipulate that carrying solid waste in open vehicles is not permissible. Thus mechanical compactors of adequate capacity will be used. These usually have a capacity of 6 to 8 m³. For congested areas mini-tipper of 1.8 m³ capacity can be used.





Figure 9-5: Types of Vehicles for Solid Waste transportation

9.5.4.4 TREATMENT AND DISPOSAL

The characteristics and quantity of solid waste generated primarily influence the disposal options. A review of the solid waste analysis results for most Indian towns and cities indicate that nearly 50% of the waste generated is organic in nature, as per CPHEEO Manual it is 40%. In terms of the quantity, this works out to about 242 tpd for the horizon year of 2034. The organic component of the waste (40% of the total waste) will be composted and the rest of the waste will be land filled.

The other technology options will not be suitable, due to the following reasons:

Incineration: Due to low calorific value and high moisture content, this technology is not suitable for Indian Solid waste management. Also capital, O&M costs will be very high.

Pyrolysis and Gasification: This process involves thermal decomposition at high temperature and besides recovering energy from the waste. It will ensure proper destruction of waste. But due to the composition of the waste and high moisture content the application of this process is only limited.

Pelletisation: Making fuel pellets is another option. Low calorific value wastes will not be suitable unless ingredients are added to increase calorific value. While a few Pelletisation plants are operating in India, long periods of project development and establishment are the hindrances in this method.

Bio-Chemical Conversion: This is based on decomposition of organic matter to produce methane Gas. Anaerobic digestion in closed container can produce bio-gas to the tune of 50 to 150 m³ per tonne of waste. Gas can be used for cooking, heating, or generation of electricity. Several schemes of bio-methanation plants are being planned in India.

Considering the limited experience of above technologies, the daily quantity of waste generated and also as the surrounding areas being predominantly rural, it can be safely presumed that the composting will be suitable and will find a good market within the region.

The proposed disposal strategy for DP is as follows:

• Compost the organic fraction of the waste – 242 tons/day for the terminal year 2034



- Sanitary land filling of inorganic fraction of waste and compost rejects about 20% i.e. (48 tons/day in year 2034)
- Encouraging local level aerobic composting and
- Educating the community on 4R strategy (Reduce, Reuse, Recycle and Recover)

Sections below discuss the various aspects of implementing the above strategy.

9.5.4.5 LAND REQUIRED FOR DISPOSAL SITE

Area requirement for the composting and land fill sites is assessed for the horizon year 2034. At 605 tons per day, the (40%) waste for composting works out to be 242 tons per day, and that for the land filling is 532 tons (including 20% compost rejects and C&D wastes) by the design year. The design capacities have therefore been considered as 242 tons for composting and 532 tons for land-filling.

As summarised below, the area required for disposal of waste NAINA works out to a total of 23 ha. This comprises of 2 ha of land for composting. These area calculations form the basis for identifying the new disposal site or assessing the adequacy of the proposed composting site. Summary of land required for disposal site is given in **Table 9-17** below

Table 9-17: Summary of land required for disposal site

S N	Calculation of Landfill area requirement	Quantity	Unit
1	NAINA Population in 2034	1008000	Persons
2	Waste Generation in 2034 @0.6 Kg per capita per day	605	tpd
3	Total waste	605	tpd
4	Organic Waste @40% of Total Waste	242	tpd
5	Area requirement of Landfill site		
a	Waste coming to landfill @ 60% of waste generated	363	tpd
b	Construction and Demolition Waste @20% of Total Waste	121	tpd
c	Compost reject @ 20% of organic waste	48	tpd
6	Total waste coming to landfill	532	tpd
7	Landfill site life	15	years
8	Assumed waste density	2913926.4	t/m ³
9	Total waste generation	0.85	t
10	Total volume of waste generated @1.62 t/ m ³	3428149	m^3
11	Volume of daily cover (10% of Waste)	342815	m^3
12	Volume of liner and cover (12.5% of Waste)	428519	m^3
13	Volume Reduction due to settlement (10%)	342815	m^3
14	Landfill volume	3856667	m ³
15	Assumed Landfill height	17	m
16	Area of Landfill site	226863	m^2
17	Landfill Area required (say)	23	ha
18	Composting area requirement		
a	Quantity for Compost @ 40% of Total waste generated	242	tpd
b	Conversion factor 1 ton = 1.62 m^3	1.62	m^3
c	Volume	392	m^3
d	Recycling period	21	days
e	Total area for composting (From Table 9-15)	16460.2	m ²
f	Total area in ha (say)	2	ha
19	Total Landfill area = Landfill area req +Composting area	24	ha



SN **Description** Quantity Unit Trench dimensions а 90 length m b width 2 m С depth 1.5 m d spacing 1 m 2 270 m^2 Total Area for 1 Trench 3 m^3 Capacity of 1 Trench 270 4 No of Trench for 1 day 1.5 No 5 No of Trench for 21 day 30.5 No 6 m^2 8230.1 Area requirement of Trench for 21 day 7 m^2 Area of One Standby Trench 8230.1 8 m^2 **Total Land Area Requirement** 16460.2

Table 9-18: Calculation of land required for composting

9.5.5 BLOCK COST ESTIMATE

The block cost estimate consists of two components – land cost and waste processing cost. The land cost is Rs. 0.39 Cr/ ha and processing cost is Rs. 300/m³ for 1 year according to CIDCO standards for Navi Mumbai.

Sr. No.	Item	No.	Unit			
Α	Land Acquisition Cost					
1	Land Area Requirement	24	На			
2	Rate	0.6	Cr / Ha			
3	Land Cost	15.0	Cr			
В	Composti	ng Cost				
1	Volume per day	392	m³ per day			
2	Volume for one year	143047	m³ per year			
3	Rate for composting	300	Rs./ m ³ per year			
4	Cost per year	4.3	Cr			
5	Cost for 15 years	64.4	Cr			
С	Land fill site development Cost					
1	Rate	350	Rs per ton			
2	Quantity	2913926	ton			
3	Cost	102.0	Rs Cr			
D	Total Cost (in Rs Cr = A3+B5+C3)	181	Cr			

Table 9-19: Block cost estimate for solid waste management

9.5.6 METHODOLOGY FOR IDENTIFICATION OF LANDFILL SITES

There are stringent criteria for selection of landfill site. If 20 km aerial distance from proposed airport criteria is applied there is hardly any suitable location within Development plan area as NAINA boundary itself is 25 km from proposed NMIA. Thus a criterion of 10 km from NMIA is adopted. The



existing landfill site approved by MoEFCC for MCGM at Kanjurmarg is about 8.5 km from the Chhatrapati Shivaji International Airport. Similarly in Puducherry the landfill site has been permitted within 7.5 km from the airport.

DP area has other environment sensitive features such as the Karnala Eco-sensitive Zone, Matheran Eco-sensitive Zone, few hills, rivers, reserved forests and areas under Coastal Regulation Zone. Thus identifying a suitable site within these constraints is a difficult task. Amongst the notified rivers as per the GR Dated 13th July 2009, there are three notified rivers in the study area namely Patalganga, Balganga and Bhogeshwari. Out of these the water quality for Balganga and Bhogeshwari is designated as A-I from origin to creek thus a buffer of 3 km is inevitable. In case of Patalganga River A-I Class is from Origin to Tata Power house at Khopoli, A-II Class from Tata Powerhouse to weir at Chawane and SW-II Class from weir at Chawane to creek. For the Gadhi and Kasadi Rivers the entire stretch is classified as A-II Class thus a buffer of 1 km has to be left. This relegates quite a bit of the area unfit for use of landfill site. A composite map of all such buffers shown on the project area is presented in **Figure 9-6: Map showing all mandatory buffers for identifying land fill site**

The Govt. of Maharashtra has recently denotified the River Regulatory Zone policy, however buffers are maintained as per the policy as a good practice.

It is difficult to get such a large land parcel (24 Ha) at one place and hence smaller parcels at different locations are identified (refer **Table 9-20**), based on above requirements and availability of Government Land. The list of suitable sites and area is given in **Table 9-20**.

The most feasible identified pockets at Vaklan and Khanav sites comprise of 24 ha which meets the requirement. The land requirement may reduce if more advanced technology is adopted. This will be decided when a detailed solid waste management plan is prepared and the technology for waste disposal is finalized, nevertheless most of the area required will be managed in 2 selected sites of Khanav and Vaklan. The details of area and land ownership of identified lands are as given in **Table 9-20**

Table 9-20: Area statement of proposed landfill sites

	Land Ownership						
Site Location	Government Land Area(ha)	Private Land Area (ha)	Total Area (ha)	Govt. Land Area %			
Bhatan	3.5	2.8	6.3	55			
Khanav	11.7	2.2	13.8	84			
Morbe	7.4	4.4	11.8	63			
Vaklan	4.9	5.2	10.1	49			
Grand Total	27.5	14.5	42.0				






Figure 9-6: Map showing all mandatory buffers for identifying land fill site



9.5.6.1 BIOMEDICAL WASTE

Bio medical waste is the waste material generated from the hospitals, dispensaries & pathological laboratories. The bio medical waste has to be collected, transported & disposed off in the manner & methods as suggested under Bio-medical waste (M & H) Rules 2016. It is clearly mentioned in this rule that the 'occupier' (a person who has control over the concerned institution / premises) of an institution generating bio-medical waste (hospital, nursing home, clinic, dispensary, veterinary institution, animal house, pathological laboratory, blood bank etc.) shall be responsible for taking necessary steps to ensure that such waste is handled without any adverse effect to human health and the environment.

In no case bio-medical waste shall be mixed with municipal solid waste. In most existing cities large hospitals have their own incineration plants and common incineration plants are set up by local authorities. There are designated agencies for collection and transportation of bio-medical waste which is then brought to the common incinerator/ disposal site. The total bio-medical waste generation would be 345 kg/ day for the DP area as worked out below. A common incinerator may be provided at the land fill site or if such a facility is set up by one of the super speciality/ general hospital it can be used by the other on payment. A hazardous waste disposal site is available at Taloja operated by private agency. The bio-medical waste can also be disposed at Taloja site, details given in **Table 9-21**.

Sr. No.	Medical facility	No. of hospitals	Total Area Sq. m.	No. of beds	#Biomedical waste generation @0.375 kg/bed
1	Nursing Home / PHC	20	30000	120*	45
2	General Hospital	7	40100	401**	150
3	Super speciality hospital (not shown as reservations but required as per norms, expected through NAINA Scheme)	2	40000	400**	150
	Total	29	110100	921	345

Table 9-21: Estimation of Bio-medical Waste Generation

9.5.6.2 HAZARDOUS WASTE

Industrial land use of 991 ha is proposed in the DP. It is difficult to estimate the quantity of hazardous waste without knowing the type of industries. Hazardous waste generated if any from construction sites or any other use, such as spent oil swabs, used oil barrels etc can be collected by the authorised agency and disposed at the Common Hazardous Waste Treatment Storage and Disposal Facilities (CHWTSDF) at Taloja as per the provisions of the Hazardous Waste Management and Handling Rules, 2008. The same site can be used by industries to be developed in future on the proposed industrial land use. Furthermore if the area is found insufficient a site can be identified when the DP is revised.

^{*} Each PHC to have 6 beds as per IPHS standards

^{**} No. of beds = 100 sq. m./bed as per IPHS

[#] As per CPHEEO Manual



9.6 POWER SUPPLY REQUIREMENT

The following standards have been adopted for the estimation of power requirement for the planning area.

Domestic Demand

- 1.5 KW per household for EWS/LIG
- 3.0 KW per household for MIG
- 4.0 KW per household for HIG

Commercial and Industrial Demand

- 1 KW per Shop
- 10 KW per Service Industrial Unit

Social Facilities and Public Utilities Demand

- Public Facilities 50 KW per 7500 persons
- Public Utilities 120 KW 7500 persons

9.6.1 DEMAND ESTIMATION

Based on the above standards the broad estimate for power supply for DP Area for the terminal year 2034 is given below in **Table 9-22**. The estimated population for the terminal year 2034 is 3.9 lacs.

Table 9-22: Estimation of Power requirement

		ver requirement							
Sr. No.	Household	Percentage	No. of households	Total Power	requirement W				
1	EWS/LIG	30	23400	3	5				
2	MIG	50	39000	1	17				
3	HIG	20	15600	6	2				
	Sub Total	100	78000	21	15				
	Power requirement – Commercial areas								
Sr. No.	Shops and Service Industries	Unit per 1000 persons	Estimated units	Power requirement per unit in KW	Total Power requirement MW				
1	Shops	20	7800	1	7.8				
2	Service Industries	2	780	10	7.8				
	Sub Total		•	-	15.6				
	Power red	quirement – Pul	olic Utilities and	Facilities					
Sr. No.	Facility	KW per 75	500 persons		Requirement W				
1	Social	50			.6				
2	Public Utility	12	20	6.2					
	Sub Total		-	8.	84				
	Total			23	39				



The total power supply requirement therefore works out to 239 MW say 250 MW. The power will be sourced from MSETCL.

9.6.2 POWER DISTRIBUTION

The power will be distributed from a Receiving Station (RS) through a network of substations. The power demand works out to be 250 MVA by applying a power factor of 0.85 to the above requirement of 294 MW or 300 MW.

Standards considered for distribution of Receiving Station (RS) and Electric Sub Stations (ESS) are as following:

S. No.	Utility	1 for	Area required	Total Required for	3.9 lacs of population
	·	person	(m^2)	Units	Area (m²)
1	Receiving Station (RS)	1,00,000	4000	4	16,000
2	Electric Sub Stations (ESS)	50,000	2000	8	16,000

Therefore total 4 Receiving Stations and 8 Electric Sub Stations (ESS) have been provided in Balance Phase-I area, i.e. in Khalapur Smart City area and remaining Ph-I area (excluding IDP area)

9.6.3 BLOCK COST ESTIMATE

The block cost estimate is calculated for the MRS, RS, transmission line and internal distribution based on CIDCO's standards for Navi Mumbai. The key assumptions are

- Cost of MRS Rs 150 Cr
- Cost of RS -4x2.5 = 10 Cr.
- Transmission lines Rs. 3 cr/ km
- Internal distribution (including ESS) Rs. 0.2 cr/ ha

The details of Block cost estimate of power supply are given in Table 9-23

Table 9-23: Block cost estimate of power supply

Sr. No.	Item	Quantity	Unit	Cost per unit	Unit	Cost	Cost Rs. in Cr
1	Main Receiving Station	1	no	150	Cr/Unit	150	150
2	Receiving stations	4	no	2.5	Cr /Unit	10	10
3	Transmission Line	100	km	3	Cr/Km	300	300
4	Internal Distribution	4493	На	0.2	Cr/Ha	899	899
	Total						1359



10 LAND DEVELOPMENT MODEL – NAINA SCHEME

This section explains the rationale of search for alternative land development models and recommends a suitable development model for Development Plan.

10.1 APPROACHES FOR PLANNED DEVELOPMENT

The key objectives of planned urban land development are:

- To obtain land for public purposes physical and social infrastructure
- To ensure inclusive growth by providing housing to the poor, and
- To raise finances by either capturing land value gains that occurs on account of provision of infrastructure or adopting the principle of 'growth pays for growth'.

The two conventional approaches to planned development have been the Development Plan (DP) model and the Bulk Land Acquisition Model. The DP model has been largely used in existing towns and cities such as Mumbai and Thane etc. whereas Bulk Land Acquisition model has been found suitable for greenfield development like Navi Mumbai, NOIDA or capital cities like Chandigarh, Gandhinagar, Bhubaneswar etc. Each has its merits and demerits.

The DP designates particular parcels of land for public purposes, which can then be compulsorily acquired. In this process landowners who lose their land, bear the cost and the benefits accrue to others. DP typically does not attempt to capture land value gains that accrue on account of such benefits. Bulk land acquisition on the other hand can potentially ensure that all three objectives of planned urban land development are achieved. However large scale compulsory land acquisition is increasingly becoming difficult.

In case of land pooling and land readjustment the burden of providing land for public purposes and infrastructure is equitably cast on all landowners. The merit of this method is that the land remains with the original land owners except to the extent that is required for public purposes. The traditional Town Planning Schemes relied on capturing 50% of land value gains to finance implementation of Town Planning Schemes (TPS). The Gujarat model of development plans/ town planning schemes, in addition allows planning authorities to retain land that could be sold for financing TPS. In the Korean model of land readjustment 'cost equivalent' land was retained by planning authority.



Improved TPS framework is now available with the modifications to the MRTP Act, but it could still be tedious and time consuming process. Without ruling out the TPS Route, an innovative model based on voluntary participation incentivised through appropriate DCPRs is necessary.

10.1.1 SUMMARY

It is necessary to appreciate that each approach will have some advantages as well as disadvantages. The models can be grouped into three categories. The salient features of each are explained below based on land acquisition, land value capture and finances.

- 1. In conventional development plans, planning authorities have to acquire land designated for public purposes with additional responsibility of rehabilitating the displaced persons. The land value gains cannot be captured in this model. Hence external funds are necessary.
- 2. Voluntary land pooling primarily responds to the demands of the market. As the approach is voluntary there may be holdouts by certain landowners, which may frustrate the development agency leading to uncertain outcomes. Incentives for participation in the scheme as well as some disincentives for not participating are necessary to make the scheme attractive and ensure maximum participation. Retaining land for subsequent sale by planning agency could raise resources for financing the development.
- 3. Development of new towns with 100% acquisition of land is faced with the same problems of land acquisition and rehabilitation of displaced persons although planned and inclusive development is possible in this method. The land value gains can also be fully captured.

For DP a model belonging to category 2 above has to be developed.

10.2 EXISTING REAL ESTATE SCENARIO

Since the intended model is market dependent an appreciation of current real estate market is desirable. The land prices in Navi Mumbai and surrounding areas, including that of CIDCO have been increasing steadily. The announcement of the development of Navi Mumbai International Airport has further fuelled the increase in real estate prices.

The average price for residential flats in the area around Panvel is about Rs.5400 per ft². As per the ASR the land prices in Vichumbe village were Rs. 27,60,000 per Ha in 2013, Rs. 31,74,000 per ha in 2014 and Rs. 34,91,000 in 2015 which shows an increase of 15% and 10% over preceding years respectively. In case of Nadode near Khalapur the rates are, Rs. 1753200 (2013), Rs. 19,48,000 (2014) and Rs. 21,43,000 (2015) which show an increase of 11% and 10% over preceding years respectively. For Shirki village near Pen the rates are Rs. 11,38,500 (2013) 11,95,000 (2014) Rs. 13, 15,000 (2015) which show an increase of 5% and 10% over preceding years respectively.

Substantial development is happening in the form of Gaothan Expansion Schemes, Integrated Townships, and Affordable Housing Schemes. The existing and proposed transport network are further fuelling the real-estate prices such as NH-4, NH-4B, NH-17 Mumbai –Pune Expressway, proposed Alibag-Virar Multi Modal Corridor, Panvel – Karjat suburban rail, Vasai-Diva- Panvel suburban rail, doubling of tracks between Panvel and Roha by Konkan Railway. Besides this the Delhi-Mumbai Industrial Corridor and Dedicated Freight Corridor are likely to act as impetus for rise in the real estate and land prices. Thus it is very likely that with provision of basic infrastructure for planned development in place, land values may increase rapidly that could be tapped for financing development.



10.3 PROPOSED LAND DEVELOPMENT MODEL FOR DEVELOPMENT PLAN

After studying various development models adopted across the country, including Special Township schemes (now renamed as Integrated Townships in Maharashtra) and development approaches adopted by CIDCO in the past particularly at Waluj a base model was proposed. This model underwent rigorous scrutiny based on inputs received from various stake-holders. The model is now coined as 'NAINA Scheme'.

Its key principles are:

- a) Incentivize aggregation: Since bulk land acquisition is difficult and time-consuming, SPA-NAINA will have to incentivize land aggregation by owners. The incentives to be given are additional FSI on aggregation, compared to low FSI for individual plot developments. Incentives are to be given in the form of discount in infrastructure development charges, comprehensive Environment Clearance, provision of supporting infrastructure by SPA-NAINA. Minimum area of aggregated land eligible for NAINA Scheme shall be 7.5 Ha (4 Ha. In Urban Village and 25 Ha in LDZ zone).
- b) **Sharing of Land:** In NAINA scheme, the owner/developer will retain 60% of the land and 40% land shall be surrendered to SPA-NAINA "free of cost by consent agreement" for providing roads, open spaces, amenities and growth centre. The permissible FSI for the entire plot will be 1.00, which can be consumed on the 60% of retained land resulting in net FSI of 1.7 for the retained land. In case of NAINA- Scheme having areas between 7.5 ha and less than 10 ha, 50% land will have to be surrendered to SPA-NAINA, resulting in 2 FSI on land retained by owner/developer. If more land area is affected by reservations, landowner is to be compensated for loss of land in excess than the land to be surrendered as stated above, by way of TDR.
- c) Raising Finances: The finances required for developing city-level infrastructure will be raised from development charges, as leviable under the MRTP Act, 1966. The second source of revenue will be disposal of 15 % land reserved for growth centre. The outcome of NAINA-Scheme being market dependent is intrinsically uncertain. To overcome the risk and uncertainty of outcome following strategy is proposed:
 - Land designated for roads, amenities and growth centre as shown on the PLU of DP shall be notified for compulsory acquisition
 - NAINA Schemes can be formulated incorporating roads and amenity reservations. These will be counted towards 40% of the land to be surrendered to SPA-NAINA
 - Landowners whose land is notified for acquisition for growth centre if willing to contribute 40% of the land free of cost, will be compensated for 60% of the land by way of TDR
- d) **Inclusive housing:** All developments on lands admeasuring 4000 m² or more shall have provisions for Inclusive housing. In case of plotted development 20% of the plots or land parcel constituting 20% area shall be reserved for inclusive housing (ie. EWS/LIG). In case of plots the area shall be between 30 50 m². Such plots/ land parcel will be sold to SPA-NAINA as per the prevalent ASR (Annual Schedule of Rates). Such plots/ land parcel can be located anywhere in DP. The developer shall be entitled for the FSI of such plots/land which can be consumed on the same land or can be availed in the form of TDR as per the Development Control & Promotion Regulations. In case of group housing 20% of the built up area shall be utilized for constructing EWS/LIG tenements anywhere in DP area. All other conditions shall be as per the Government Resolution on affordable housing as amended from time to time.



10.3.1 PROVISION OF LOCAL INFRASTRUCTURE:

The internal layout of 60% of the land retained by the landowner shall follow the standard layout regulations in terms of provision of internal roads, infrastructure, recreational open space and local amenities.

FEATURES OF THE PROPOSED MODEL

- a) **Area requirement:** Considering the existing situation and market scenario promoting townships on smaller areas than those proposed in Special Township Policy would be feasible. Minimum land area or land aggregation required for participating in 'NAINA Scheme' is 7.5 Ha. For areas within urban villages (excluding gaothans) the minimum area is 4.0 Ha. The minimum land requirement for NAINA Schemes in LDZ is 25 Ha. SPA-NAINA will not be providing infrastructure in LDZ areas hence the minimum area requirement for NAINA Schemes has been increased to 25 Ha so that only self-sustaining mini-townships are developed.
- b) **Permissible Uses:** Uses permissible on owner's land are residential, commercial, hotels, offices etc. as per the Zoning and Land uses/ activities stipulated in the DCPRs. The whole of retained land can also be used for institutions like residential schools, hospitals, college with hostel, research and development institutions etc.
- c) Development of Growth Centres: Growth Centres will be exclusively developed by SPA-NAINA. These will act as catalysts for urban development and these will be designated in the development plan based on various parameters such as proximity to transport network, existing urban centres and development potential.

10.3.2 DEVELOPMENT GUIDELINES FOR GROWTH CENTRE LANDS

- a) The FSI permissible on growth centre lands shall be 1.7, at par with the FSI of land retained by the landowners in 'NAINA scheme'.
- b) No amenity space shall be provided in Growth Centres.
- c) Only internal and layout roads and open spaces will be required to be provided without losing FSI potential.
- d) The Growth centre shall not be used for inclusive housing or development of Social facilities.
- e) The Growth centre land shall not be allotted for any request of land by Govt/Semi-Govt. Agency at concessional prices.



11. SALIENT FEATURES OF DEVELOPMENT CONTROL AND PROMOTION REGULATIONS

The Development Control and Promotion Regulations (DCPR) are the mechanisms to facilitate the implementation of the Development Plan and carry out planned development. The DCPRs are largely based on the "Standardized Development Control and Promotion Regulations for Regional Plans" prepared by the Urban Development Department, Government of Maharashtra. These DCPRs have been contextualised for the DP.

11.1 OPTIONS FOR DEVELOPMENT

For the purposes of DCPRs, DP has been divided into four categories viz; Gaothan, Urban Villages, NAINA-Scheme and Non-NAINA Developments.

11.1.1 DEVELOPMENT IN GAOTHANS

Gaothans, as defined in the Maharashtra Land Revenue Code (MLRC) Section 122, are shown on DP. As Gaothans are built areas it is expected that mostly redevelopment proposals will come for approval. No FSI is proposed; instead built-form will be controlled by footprint and number of storey. Existing footprint will have to be retained and maximum two storeys are permissible including ground floor. To facilitate wider access-ways buildings abutting such existing access-ways less than 4.5 in width will be setback by 2.25 m from the centreline of the existing access. Most existing uses will be continued.

In case of availability of unencumbered land within Gaothan or lands capable of being developed according to stipulations of Urban Village including NAINA – Schemes in Urban Villages the same is permissible. This provision will promote planned development within Gaothan wherever possible as well as benefit such land owners.

11.1.2 URBAN VILLAGES

Urban villages are areas of 200 m around existing inhabited Gaothans. These are marked on the Development Plan. As per the existing MMR Regional Plan these areas are permitted for development with 1 FSI and a maximum building height of 24 m. Both NAINA-Schemes and Non-NAINA Developments are permitted in Urban Villages



11.1.3 NAINA-SCHEME

It is further divided in following spatial context-

- NAINA –Scheme in Urban Villages: The land holdings in these areas are small and hence landowners may not be able to aggregate to 7.5 ha land to be part of the NAINA-Scheme, though there is no restriction on them forming part of the scheme if they manage to aggregate such land partly within 200 m and partly outside 200m. Therefore considering the land-holding pattern a smaller land assembly scheme is proposed for urban villages. If the owners aggregate a minimum of 4 ha land they will retain 60% of the land and contribute 40% of land to SPA-NAINA. Within the land retained by the landowners open spaces at the rate of 10% of the land will have to be provided however provision of amenity space will be optional. It shall be mandatory that if the NAINA –Scheme is for 4 ha only then all such land shall be within 200m of the Gaothan.
- NAINA-Scheme out of Urban Villages: The minimum area required for participating in NAINA Scheme is 7.5 ha. For area 10 Ha and above, 40% land will be surrendered to SPA-NAINA free of cost. Developer will be allowed to use FSI of entire land on balance 60% of retained land. In case of NAINA- Scheme having areas between 7.5 ha and less than 10 ha, 50% land will have to be surrendered to SPA-NAINA and the FSI on retained land will be 2.0. There will be a two-stage approval process. In first stage an Outline Development Permission will be granted based on verification of details of ownership, and proposed allocation of land to be surrendered to SPA –NAINA. Final Permission will be granted based on detailed layout plan, building plans, infrastructure availability, project report etc. Depending upon the size of the scheme and the number of dwelling units proposed a graded range of amenities to be developed by the developer has been proposed. This will include basic education and health facilities.

Incentive FSI for larger aggregation of land proposed in NAINA-scheme is given in **Table 11-1 Table 11-1: FSI incentives in NAINA Scheme**

Gross Area of NAINA Scheme (Ha)	Gross FSI	FSI on land retained by developer
7.5 ha and above but less than 10 ha	1.00	2.0
10 ha and above and up to 25 ha	1.00	1.7
Above 25 ha but less than 40 ha	1.08	1.8
Above 40	1.14	1.9

• NAINA – Scheme in LDZ: The minimum land requirement for NAINA – Schemes in LDZ is 25 Ha. The developer is required to surrender 40% land to SPA-NAINA of which 15% will be used for Growth Centre and 25% for city-level and/or peripheral level infrastructure and amenities. The developer will retain and protect the land for Growth Centre, vacant and unencumbered till it is demanded by SPA-NAINA. Similarly he will also maintain the 25% land reserved for amenities, However, SPA-NAINA may allow him to develop such amenities with its consultation and the developer will be compensated as per the DCPRs for developing such amenities. If the developer falls short of 25 Ha land aggregation the same can be offset against land under reservation elsewhere.



11.1.4 NON-NAINA DEVELOPMENT

The FSI permissible for such developments will be 0.5 and all other regulations of the DCPRs will be applicable.

The FSI for developing amenities is 1, irrespective of NAINA-Scheme or Non-NAINA development. In case of NAINA-Schemes this will be exclusive of the FSI permissible on the land retained by the developer as mentioned in **Table 11-1**.

• Applicability of 22.5% Scheme for bulk land pooling (Area 60 Ha and above): During the hearing of the objections and suggestions of the IDP, there were requests for CIDCO to assist the villagers in land development as they do not possess financial and technical strength to take benefit of NAINA-Scheme.

The Planning Committee of IDP recommended that CIDCO can propose bulk land pooling scheme for land aggregations above 60 ha provided the land owners voluntarily aggregate and request CIDCO to take scheme with complete development of physical and social infrastructure i.e. City-level, Peripheral-level and Local-level. The cost of development of Local-level infrastructure is Rs 72/m². In order to recover this cost CIDCO will require additional 37.5% land and therefore will return 22.5% developed land/plot to landowners. This is similar to the rehabilitation scheme offered to villagers affected by the NMIA for whom Pushpak Node is being developed.

Developing inclusive housing will not be mandatory for the landowners. Detailed guidelines for conditions of land aggregation, operation of the scheme and other modalities will be framed by SPA-NAINA.

- Theme-based Developments: In a greenfield development, it is important to promote economic activities which will act as magnets to attract investments as well as employment opportunities and thus residents to the area. If this is not done there is always a risk of such city becoming a dormant suburb of the main city around which it is planned. This was amply experienced in the case of Navi Mumbai which was envisaged as an independent self-sustained city with its own economic and employment hub, but did not manifest so even after 50 years of its existence. In order to address this issue the concept of theme-based developments has been introduced. The examples of theme development are Edu-city, Medi-city, Tech-city, Entertainment City, Sports City, Logistics Parks and Tourism City. The details of the same are given in DCPR.
- Integrated Township Project (ITP or STP): In case of already approved projects Development Charges payable or paid as per Chapter VI-A of MRTP Act will be payable by the developer. In case of new proposals developer will have to surrender 15% land as decided by SPA-NAINA. This 15% will be exclusive of DP reservations if any.



11.2 FEES, CHARGES AND PREMIUMS

Development charge: The development charge has been increased by Government of Maharashtra to approximately Rs 500 per m².

FSI linked Premium: Certain amount based on FSI in the form of Premium will be payable to SPA-NAINA by persons seeking development permission for Integrated Township Projects which are covered under NAINA Scheme,

11.3 TRANSFERABLE DEVELOPMENT RIGHTS

Transferable Development Rights (TDR) is a mechanism by which the development potential of a land parcel is separated from the land itself and is made available to the owner to be used on other land parcel or as tradable commodity under certain terms and conditions. The mechanism is extensively used by planning authorities when land under reservation for public purpose is to be acquired by the authority. The GoM by its notification No. TPS -1813/3067/CR-122/MCOUNCIL/12/UD-13, dated 06 /02 /2016 has issued uniform regulations for TDR and Accommodation Reservation to be incorporated in the DCRs of Municipal Councils in Maharashtra. The same have been adopted for DP with suitable modifications. The significant ones are as below:

- The notification stipulates norms for loading of TDR on particular plot based on the road width fronting the plot. The loading increases with increase in width of the road as well as size of the plot. These norms have been bifurcated in two for NAINA Schemes and other Non-NAINA developments. While maximum permissible loading is restricted to 0.50 in case of Non- NAINA developments it is increased to 1.0 in NAINA-Scheme. This is done to incentivize NAINA-Schemes and encourage land owners to opt for NAINA-Schemes.
- The maximum permissible utilisation of Transferable Development Rights (TDR) loading on receiving plot in Non-NAINA Development in shall be restricted to 20% of area of receiving plot subject to condition that the receiving plot shall be fronting on road having width 9m and above.

11.4 OTHER SALIENT FEATURES

- There will be no restrictions on height of the building, except those governed by Civil Aviation and Fire Safety Act whichever is less
- Rules for tree plantation:
 - Every plot of land shall have at least 1 tree for every 100 m² or part thereof
 - Recreational open spaces shall have at least 5 trees for every 100 m².
- Rules for size of hoardings and fees and deposit charged for erecting hoarding
- Regulations on Environmental Sustainability and Public safety included
- Regulations for Provision of facilities for physically handicapped, Quarrying and Erection of Mobile Towers included.
- To promote Aesthetics/Urban Design qualities in city architecture special provisions have been incorporated in DCPR in the form of incentive FSI. For aesthetic consideration the FSI incentive is 0.05 in NAINA scheme and 0.02 for others. To avail this incentive the applicant would have to submit their designs for special review by the committee to be constituted for this purpose.



12. ENVIRONMENT SUSTAINABILITY AND TOURISM

Environment sustainability is an important aspect for any plan or project. The environment influences the quality of life of its inhabitants. DP area being a Greenfield development, environment sustainability takes front seat and can also be addressed in a holistic manner. While it is difficult to address all the environmental issues in a Development Plan, attempt has been made through land use proposals and the Development Control and Promotion Regulations (DCPRs). In addition to above, another important aspect discussed in this chapter is tourism. It is an important economic activity, can be developed in the initial stages of the plan period and has scope for involvement of the villagers if developed accordingly.

12.1 EXISTING LAND USE

DP is spread over 437.26 km². In Existing Land Use exercise environmentally significant areas were identified. These are Forests, Water bodies, Hills, Wetlands, Salt-pans and Karnala Eco-sensitive zone. The area covered under forest is about 9059 Ha (20.7%), water bodies (including area under revenue waterbodies and waterbodies within forests) is about 3096 Ha (7.1%), steep Hills is about 5305 Ha (12.1%), Marshy/Shrubs is 2402 Ha (5.5%), and salt pans is about 320 Ha (0.7%). Total environmental significant area amounts to be about 20181 Ha, covering around 46.2% of the DP area. Details and table for the same is given in 'Chapter-3: Existing Land Use'.

12.2 PROPOSED ZONING

Zoning has been addressed in the Development plan with an objective to protect or minimise the adverse impact of urbanisation on environment. Taking clue from the Regional Plan 1999, the environmentally significant areas are protected. This objective is achieved by two pronged strategy. One protection comes from intrinsic legal status by way of notification of forest, notified eco-sensitive zones and through provisions in DCPRs such as buffers along water bodies, protection of area of steep hill slope etc.

This Development Plan addresses the issue by proposing LDZ Zone in areas where development was to be controlled. LDZ zone permits selective developments such as farm houses, week-end houses on 2000 m² plots, holiday homes, resorts, large institutions on minimum 2.5 Ha plots, film shooting sites on minimum 5 Ha sites and certain obnoxious or hazardous uses with adequate environmental protection



measures. The FSI proposed for such activities was 0.05 with a view to minimise adverse impact on the character of the countryside.

In addition to this, LDZ is proposed to include environmentally significant areas such as wetlands and hills with steep slopes. The total area under LDZ is 15169 Km² which is about 74.3% of total developable area of DP and 34.7% of total DP area.

12.3 PROVISIONS OF ENVIRONMENTAL SUSTAINABILITY IN DCPRs

The DCPR has several provisions related to environmentally sensitive aspects. The same are described below:

- **Hill preservation:** DCPR prohibits construction activities on slopes steeper than 1:5 thus preserving hill slopes.
- **Protection of Water Bodies:** DCPR makes it mandatory to have a buffer of 15 m along rivers and nalas, where no development is permissible. This will ensure protection of the waterbodies and the flood plains.
- Rain water harvesting: DCPR makes rain water harvesting mandatory for plots larger than 500 m².
- Use of solar energy: DCPR has provisions to install Solar water heating systems in public buildings such as hospitals, hostels, hotels, guest houses, laboratories, research institutions, schools and colleges etc. In development on areas of 25 ha or more use of renewable energy based lighting for minimum 25% of external lighting in public areas is mandatory.
- Tree plantation: DCPR has mandated tree plantation to have at least 1 tree for every 100 m² or part thereof for every plot and for recreational open spaces at least 5 trees for every 100 m².
- **Recycling of grey water:** DCPR has mandated all developments on plots 4000 m² or more shall have provisions for recycling of grey water.
- Solid waste handling: All developments above 20 Ha shall have on-site decentralized plants for treatment of organic waste. Segregation of solid waste at source has also been stipulated for all developments.

12.4 INFRASTRUCTURE DEVELOPMENT

The population of 7.8 lakhs is likely to have huge requirement of water. Furthermore disposal of sewage, waste water and solid waste generated by such a large population will adverse impact environment if not addressed properly. Thus adequate measures are required in provision of infrastructure to minimize the adverse impact. The same are discussed below:

- **Sewage and waste water management:** Sewage treatment plants are grouped into zones such that water will flow by natural gravity thereby avoiding pumping costs and energy required for the same. Treated sewage water will be reused for horticulture, industrial use and non-domestic purpose.
- Solid waste management: For solid waste management door-to-door collection and segregation of waste at source into bio-degradable and non-biodegradable will be mandatory. Biodegradable waste will be converted to compost by vermiculture or other suitable options, possibility of bio-



methanation and other such technologies will be explored. As far as possible only non-recyclable inert waste will be sent to landfill site which have been identified and marked in the plan considering all the environmental aspects.

- Storm water drainage and flood control: A study was carried out by CIDCO to assess and to take measures to avoid flooding. It has also appointed engineering consultants to propose adequate measures for storm water drainage and flood control. The preliminary results suggest a buffer of 15m along all rivers and nalas, and the same has been incorporated in the DCPRs. Further recommendations from the study if any will also be suitably adopted by SPA.
- Public transport and Non-Motorized transport: The DP roads are generally 24 m wide and above, have adequate width for provision of public transport (bus). The roads 36m and above will have exclusive bus lanes, thus facilitating BRTS. The major arterial roads (60m) are designed in such a way, that elevated metro line can be provided if the need be. In addition to above non-motorised transport is encouraged by providing footpath and cycle tracks on roads 24 m wide and above. The cycle and pedestrian network connect suburban stations, metro stations, other public transport nodes and roads of inter-nodal connectivity.

12.5 TOURISM

DP area has abundance of tourism potential. It is surrounded by beautiful mountains of Matheran and Lonavala in the east, and vast sea towards the west. It also encompasses Karnala bird sanctuary. These locations already attract tourist from different places. There are few rivers and creeks within DP area, providing favourable conditions for Mangroves and dense vegetation to grow naturally. These water bodies and dense mangroves provide scenic beauty to this area.

Few local and regional tourism potentials identified in DP are discussed below:

12.5.1 ECOTOURISM

• Karnala Eco-sensitive Zone (KESZ): Karnala bird sanctuary along with KESZ accounts for about 43 km² of area (as per MoEFCC notification dated 17th June 2015), in which about 43 km² is in DP area and remaining 1 km² is in Khopta. The protection, conservation and access to KESZ become essential issues to promote eco-tourism. These will have to be adequately addressed while preparing the zonal plan for the KESZ as stipulated by MoEFCC. Promoting tourism in KESZ also provides an opportunity to attract KESZ tourists to nearby other tourist places.



Figure 12-1: KESZ Bird Sanctuary

Mangroves and Waterbodies: South-west coast of DP area contains numerous creeks (Dharamtar creek, Karanja creek), tributaries and Patalganga river in the form of water bodies. Due to presence of salty water in this region, mangroves and other natural vegetation is seen in abundance. These water bodies and dense vegetation have lot of potential to be developed as tourist attraction under eco-tourism category.



Therefore a 'Mangrove Park' may be developed near the mouth of Patalganga River, in Dadar, without damaging the natural flora and fauna in this area. Dense vegetation surrounded by creeks and tributaries, with connectivity to the area provide the best suitable location for a 'Mangrove Park'. **Figure 12-2** shows approximately 15 km² of area covered by mangroves and water bodies. The Mangrove Park could have board walks on stilts for people to visit the



Figure 12-2: Mangroves at Dadar

interiors, bird watching towers and ferry services around and within the proposed park. A nature interpretation centre can be developed on the lines of Mahim Nature Park, Mumbai and the Godrej Mangrove Park, Vikroli, Mumbai . This would also provide employment opportunities for local villagers as nature tourist guides, ferry service operators etc.

12.5.2 ADVENTURE TOURISM

• Water sports: As mentioned, in DP area there are numerous water bodies in the form of creeks (Dharamtar creek), tributaries, ponds and rivers. At few locations in Dharamtar creek, Amba river and Patalganga river water sports can be introduced. During summers and other time of the year when people from Mumbai and Navi Mumbai go to Goa and other beaches which are crowded, these new tourist places can provide a different attraction and an alternative destination much closer to Mumbai.



Figure 12-3: Trek to Matheran

• Trekking: Geographical terrain of DP area is interestingly undulating, giving rise to hills at visible distances. Few series of hills in Matheran and Karnala are visual and physical delight to trek on. The existing trek to Karnala fort and Matheran, are popular ones to start with. Few other trekking routes can be explored and promoted by providing connectivity till base. Provision and program for night stay, camping, food and other activities during trek can be the main selling features. The local villagers can be employed as trekking guides and in setting up way side amenities and homestays.



12.5.3 RURAL/FOLK TOURISM

Art: There are many villages within DP area which are still untouched by contemporary and
modern way of living. These places still possess their traditional art, craft, culture, dance, music,
and sports. These can be explored, identified and given platform to showcase their uniqueness
and purity. Certain workshops can be conducted for tourist to see, learn and enjoy new form of
arts.

For example, Jite village, in Pen is known for its idol making exercise. Idol making art is practiced by almost all the houses in Jite village. Thousands of Ganesha and other idols are made and sold in Mumbai and other surrounding markets. This art of making sculptures can be

promoted and workshop with exhibition can be conducted at least once a year

- Food: Local food of any place is very peculiar in its own way. This local and traditional food art can also be served with other traditional art exhibition.
- Organizations such as the Yusuf Meherally Foundation are active in the area. They have developed Tara village as an ideal village with a dairy



Figure 12-4: Idol Making in Pen area

and an experimental organic farm. There is a village industries complex consisting of a soap unit producing both toilet and laundry soap, an oil ghani unit, a bakery unit, a pottery unit and a carpentry unit. Such initiatives can act as tourist attractions as well. These can act as focal points for volunteer tourism.

12.5.4 FILM CITY

There are a few film shooting sites such as Swapna nagri (Harigram Village) and ND studios (Morbe Village). These and more such sites could be developed as tourist attractions as is being done in Ramoji Film city Hyderabad and Film city tour of Mumbai but may be on lesser scale considering environmental factors.

12.5.5 HEALTH AND WELLNESS

An ayurvedic village on 60 acre land is functional in Morbe village. The facility offers various ayurvedic treatments and packages from 7 to 21 days for different ailments such as diabetes, stress management, arthritis or general treatment packages such as panchkarma. This particular enterprise has its own farm from where the ayurvedic herbs are sourced. Such developments can be encouraged by providing adequate infrastructure.

12.5.6 ECO-PARK

A SMART eco-park developed by a non-profit trust SMART is functional near Usarli Khurd village in Panvel Taluka. Study tours to the SMART Eco Park facilities include visits to the Education Centre, Discovery Centre, Activity Centre, Peace Gardens and Animal Barn. Visitors are able to access the balance of the agricultural eco-park by permission of the promoters. The park presents good opportunity for experiential learning for students. Such developments can be promoted in LDZ areas.







Source: www. ayurvedicvillage.com

Source: www.smartindia.org

Figure 12-5: Ayurvedic village and Students exploring plants at SMART Eco-park

Above mentioned attractions can be clubbed together in a holistic manner to work as a 'life time experience' to any tourist.

As per preference, adventurous, heritage, or nature oriented program can be planned for tourists. A trek or a walk in dense mangroves and creeks would give memorable experience to trekkers. Heritage walk or a day drive covering few heritage sites, or visually delightful sites, will generate interest to the context. After any of the day's activity, night stay in the lap of nature and traditional music, dance and food will gift them relaxed and contented sleep.

A location in accordance with other tourist attractions, preferably near Dadar village can be developed as a focal point to all tourists. Haat with food court, handicraft products, local artefacts and folk music and workshops will provide a delightful experience for the tourist. These activities will generate revenue for local development.

One of the most important things in the process would be to monitor waste generated by people, its collection and transportation. Protection of natural vegetation, resources and water bodies will be on priority.



13. BLOCK ESTIMATES & FINANCING DEVELOPMENT

13.1 INTRODUCTION

It is necessary to have fair estimate of the expected revenue and the expenditure for the proposals envisaged in the Development Plan. Accordingly, the MRTP Act 1966 under section 26(v) specifies that the plan should contain "an approximate estimate of the cost involved in acquisition of lands required by the Planning Authority for the public purposes, and also cost of works as may be necessary". In case of a SPA engaged in greenfield development having no recourse to tax revenues, it is imperative to prepare a financing mechanism for implementing the Development Plan.

13.1.1 COST OF DEVELOPMENT

The detailed plan for Phase-II has not been prepared. The development in Phase –II is not expected in the plan period. However some individual development may come and that is also permitted in Phase-II. The land required for ROW of Proposed road network has been shown in Phase-II. The costing of Phase II has not been done except for the facilities which are required for Phase-I for example development of Landfill site.

All the lands will be acquired which are shown as reservations and Growth Centre in the Development Plan. This area is about 1631 Ha including 198 Ha of Govt Land. This includes land area under roads, public utilities, public facilities, amenities and growth centres. Presently the highest non-NA value as per the Annual Statement of Rates (ASR) applicable in Development Plan area is about Rs. 600 per m². Considering the land acquisition rate to be four times of this, the acquisition rate would be about Rs. 2400/- per m². Further, it is assumed that only 20% land need to be acquired under RFCTLARR 2013 and balance 80% will accrue by way of land assembly. Accordingly, the approximate cost of land acquisition would be about Rs. 688 Crs.

The demand for amenities was assessed and has been discussed in detail in chapters 6 & 8. The estimates for the facilities and amenities, which have to be provided by Government Agencies has been worked out as per Schedule of Rates of CIDCO wherever possible, issued in the year 2012-13, with suitable price escalation added to it to bring the cost at 2016-17 level. For other items, the block costs have been used for estimation. The summary of estimated cost is given in **Table 13-1: Cost of Development**.



Table 13-1: Cost of Development

SN	DESCRIPTION	COST (Rs in Crores)
1	LAND ACQUISITION	688
2	POWER	1359
3	SOLID WASTE MANAGEMENT	181
4	WATER SUPPLY	710
5	SEWERAGE SYSTEM	156
6	ROADS	3032
7	TRANSIT -METRO	1435
8	TRANSIT -SUB URBAN RAIL	90
9	OPEN SPACE	36
10	OTHER INFRASTRUCTURE Crematorium/ Burial ground, Fire station, bus terminus, police station etc	79
	TOTAL	7766
NOTE	Above Cost is excluding: 1) Establishment & administration expenditure will be added @10 % on yearly expenditure and, 2) Interest @9% per annum will be calculated on the loan required for the cons	

It has been assumed that infrastructure would be first focused in IDP area and thereafter in the balance Phase -I area. It is expected that infrastructure will be provided from 2019 to 2034. In the initial period of 5 years from 2019 to 2024, basic infrastructure work (road, water supply, sewerage, drainage, power etc) will be taken up on priority. The provision for Metro will wait till the city obtains critical mass and this has been considered from the year 2029 onwards. From the analysis it is clear that in the initial period, the fund requirement for infrastructure would be far more than the revenue and hence the fund would be borrowed from the market. After accounting for items listed at note 1 and 2 in **Table 13-1: Cost of Development**, the Net Present Value (NPV) of the estimated infrastructure cost is Rs. 12629 Cr. For detailed costing estimation, refer **Annexure 13-1**

13.2 REVENUE SOURCES

13.2.1 REVENUE FROM DEVELOPMENT CHARGE

The Chapter VI-A of MRTP act 1966 provides for Development Charge to be levied by Planning Authority, which can be used only for the purpose of providing public amenities, maintenance and improvement of the area. The development charge is payable by the applicant coming forward for development permission. It is applied on land coming for development and proposed built up area separately. For land the rate specified by the Act is 0.5% of the Annual Statement of Rates for land. Similarly, for proposed built up area, the rate is 2.0% of the Annual Statement of Rates for land.

The total Balance Phase-I area is about 6718 Ha of which, developable area accounts for about 4493 Ha. Considering the applicable basic rate of development charge is Rs. 100 per m² the potential revenue from Development Charge in terms of present value will be about Rs 767 Cr. The total cost of development of infrastructure is estimated about Rs. 28498 cr. The NPV of the same would be about Rs 12629 cr. Even if



the development charge is increased by several fold (say 5 times) the anticipated revenue would be only to the order of Rs. 12297 Cr and NPV of the same would be about Rs 3844 Cr. Accordingly, CIDCO approached Government of Maharashtra and enhanced rate for Development Charge was approved. Even after increase in Development Charge rate, it is evident that Development Charge alone will not be sufficient to meet the cost of infrastructure. Due to such huge gap in revenue and expenditure, it is very clear that the Plan will remain on paper and it cannot be implemented unless additional sources of revenue are tapped.

13.2.2 REVENUE FROM OTHER SOURCES

In order to generate additional resources, about 15% of the developable land has been proposed for Growth Centre in the DP. This land would be developed and disposed off in the market.

13.2.3 SALE OF LAND IN GROWTH CENTRES

The Growth Centres (GC) are shown in the Development Plan. These Growth Centres account for about 677 Ha (about 15% of the area expected to be available for development). Land in GC would be leased by CIDCO for mixed land use. The revenue generation has been estimated with the assumption that the basic rate is @ 6000 per m² in the base (year 2014-15) and the rate of escalation is 12% per annum upto the year 2020 and 15% per annum beyond year 2020. With these assumptions, the revenue available for funding the infrastructure would be of the order of Rs 36041 Crs. The NPV of the same by discounting @ 9% yearly would be about Rs 9703 Cr.

13.2.4 REVENUE FROM SALE OF SOCIAL PLOT

The social facility plots are given on concessional rates to other government bodies / trusts to develop the facility. However, these plots are not provided free of cost. After considering this factor, it is expected that revenue from allotment of social facilities on concessional rate would generate about Rs 1681 Crs. The NPV of the same by discounting @ 9% yearly would be about Rs 512 Cr.

13.2.5 FSI LINKED PREMIUM (FLP)

DCPR enables the applicant to utilise higher FSI than the prescribed base FSI, if required, on payment of premium. This facility is available to NAINA scheme falling within 500m on either side of 60m spine road, Theme Based Developments, buildable amenity plots, residential, mixed use, industrial and developments in urban villages. Since the FSI linked premium is payable only when applicants desires higher FSI, it is difficult to assess the revenue expected from this source.

13.3 IMPLEMENTATION STRATEGY

13.3.1 INFRASTRUCTURE BY CIDCO

CIDCO has developed Navi Mumbai and has vast experience in city development. CIDCO will take up construction and development of infrastructure works i.e. roads, water supply, sewerage, drainage. CIDCO proposes to go for land acquisition in the beginning. Immediately on the approval of the Development Plan, CIDCO would proceed with land acquisition. In the first two years CIDCO would focus on land acquisition. So that land is available for development of infrastructure.

13.3.2 INFRASTRUCTURE BY OTHER GOVERNMENT AGENCIES

There are few facilities and amenities which are under the domain of other government agencies e.g. power by MSEDCL & MAHATRANSCO, Police, and Indian Railways etc. In such cases, CIDCO will provide land to these government agencies and request them to take up work related to their field.



13.4 DYNAMICS OF REVENUE

Although the costs have been estimated at 2016-17 prices the actual costs at current prices will depend upon the year in which the works are executed. The uncertainty of revenues is of higher degree as they are dependent upon the movement of land prices in time and corresponding quantum of development. The financing scheme of implementation of Development Plan therefore needs to be tested in terms of a cash flow analysis over 20 years period with reasonable assumptions. For details, see **Annexure 13.1**.

The summary of the revenue and expenditure is given in **Table 13-2**:

Table 13-2: Summary of Revenue and Cost (Net Present Value)

S. No	DESCRIPTION	Rs in Cr
A	REVENUE FROM ALL SOURCES	
1	REVENUE FROM DEVELOPMENT CHARGE (NPV)	3844
2	REVENUE FROM GROWTH CENTER (SALE OF LAND- NPV)	9703
3	REVENUE FROM FLP (NPV)	554
4	SALE OF SOCIAL FACILITY (NPV)	512
5	NPV OF REVENUE FROM ALL SOURCES A	14613
В	EXPENDITURE TO BE INCURRED FOR INFRASTRUCTURE	
1	NET PRESENT VALUE OF ALL EXPENSES	12629
2	TOTAL EXPENDITURE B	12629
C	NPV (A - B)	1984
D	Internal Rate of Return (IRR)	22%

From the **Annexure 13-1**, it can be seen that in the initial period (2019 to 2023), the anticipated expenditure on infrastructure projects would be more than the revenue in the corresponding years. The revenue starts exceeding the anticipated expenditure on infrastructure from the year 2024 onwards. However, accounting for the backlog for the period 2019-2023, the year on year (y-o-y) positive opening balance is expected from the year 2033. With the assumptions cited in the annexure, the NPV surplus (total revenue – total expenditure) of the project is estimated to be Rs. 1984 Crores and the IRR works out to be about 22%. Thus it may be inferred that the proposed development including its NAINA scheme based financing model is financially viable. However, there would be need for institutional funding for the initial phases say first 10-15 years.



ANNEXURE 1-1 NAINA ENGLISH GAZETTE NOTIFICATION

४६ महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४

URBAN DEVELOPMENT DEPARTMENT

Mantralaya, Mumbai 400 021, Dated 10th January 2013.

NOTIFICATION

Maharashtra Regional and Town Planning Act, 1966.

No.TPS-1712/475/CR-98/12/UD-12.—Whereas, the Revised Regional Plan for Mumbai Metropolitan Region (hereinafter referred to as the "said Regional Plan") has been sanctioned by the Government in the Urban Development Department under sub-section (1) of section 15 of the Maharashtra Regional and Town Planning Act, 1966 (hereinafter referred to as the "said Act") vide Notification No.TPS-1297/1094/CR-116/97/UD-12, dated 23rd September 1999 (hereinafter referred to as the "said Notification") and has come into force with effect from the 1st December, 1999;

And whereas, the Government has decided to develop a site for International Air Port in Navi Mumbai area within the said Regional Plan;

And whereas, as per one of the conditions laid down by the Ministry of Environment and Forest (MoEF), Government of India, while granting Environmental and CRZ Clearance to the Navi Mumbai International Airport (NMIA) that the Development Plan of Navi Mumbai shall be revised and recast in view of the proposed Air Port Development so as to avoid unplanned haphazard growth around the proposed air port;

And whereas, as per the provisions prescribed in the Notification issued by the Airport Authority of India (AAI) on 14the January 2010, no structure shall be constructed or erected on any land within the periphery of 20 km. from ARP of NMIA (Navi Mumbai International Air Port) without obtaining the No Objection Certificate (NOC) from AAI (Airport Authority of India);

And whereas, City and Industrial Development Corporation of Maharashtra Ltd.(CIDCO) submitted a proposal to the Government vide letter No. CIDCO/PLNG/CP/2012/18 dated 17th January 2012 requesting for its appointment as Special Planning Authority under section40(1)(b) of the said Act for an area around the proposed International Airport comprising the boundaries and villages covered within it, s specified respectively in the schedule-I and schedule-II appended hereto;

And whereas, after making necessary enquiries and after consulting the Director of Town Planning, Maharashtra State, Pune, the Government is of the opinion that it is necessary to have planned and controlled Development within the area proposed by CIDCO to be declared as notified area (hereinafter referred to as the "said notified area").

Now therefore, in exercise of the powers conferred under clause (b) of sub-section (1) of section 40 of the said Act and of all other powers enabling it in this behelf, the Government of Maharashtra hereby-

- (i) Notifies the area specified in the schedules-I &II appended hereto as "The Navi Mumbai Airport Influence Notified Arae" (NAINA), as shown on plan.
 - (ii) Appoints the CIDCO to be the Special Planning Authority for the said notified area i.e. NAINA.
- (iii) Declares that any other Special Planning Authority functioning in the said NAINA, prior to this notification shall cease to function from the date of this notification.
- (iv) Directs the CIDCO to prepare and publish the development proposals and development control regulations for the said notified area and submit the same to the Government for sanction after following due procedure prescribed in the said Act.

Copy of the plan showing the boundaries of the said notified area shall be available for inspection for the general public during office hours on all working days at the following offices for a period of one month:

- (1) Commissioner, Konkan Division, Konkan Bhavan, Navi Mumbai.
- (2) Chief Planner, CIDCO, CIDCO Bhavan, CBD Belapur, Navi Mumbai 400 614.
- (3) Collector Raigad/Thane.
- (4) Dy. Director of Town Planning, Konkan Division, Konkan Bhavan, Navi Mumbai.
- (5) Assistant Director of Town Planning, Raigad Branch, Raigad-Alibagh.
- (6) Assistant Director of Town Planning, Thane Branch, Thane.



महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४ ४७

$Schedule \cdot I$ Boundaries of the Navi Mumbai Airport Influence Notified Area

(NAINA)

Direction	ns	Bounded by
North		The Northern boundary of village Nitalas touching the boundary of AKBSNA; than boundary of Matheran Eco sensitive Zone (MESZ) passing through village Wangani Tarf Taloje;
East		Boundary of MESZ passing through village Wangani Tarf Taloje upto village Wavarle; then Western boundary of Karjat Municipal Council, then railway line passing from Karjat Municipal Council to Khalapur Municipal Council; then Northern noundary of Khalapur Municipal Council up to MMR boundary;
South		MMR boundary from North-West corner of Khalapur Municipal Council to Pen Municipal Council, then North to West bounary of Pen Municipal Council, MMR boundary from West corner of Pen Municipal Council to Tahsil Boundary of Pen; then along the boundary of Pen Tahsil up to villageVittalwadi;
West		Along periphery of Khopta New Town from village Vittalwadi to Kanthavali and further along periphery of Navi Mumbai upto village Nitalas.

It also includes the villages deleted from Navi Mumbai Municipal Corporation, apart from area designated by boundaries described above.

Note.—This shall be read with the plan accompanying this notification.

 ${\it Schedule-II}$ List of villages within the boundaries of the Notified area

Sr. No. (1)	Nan	ne of Village (2)		*	Tahsil (3)	District (4)
1	Goteghar		***		Thane	Thane
2	Bhandarli			·	Thane	Thane
3	Uttarshiv		***		Thane	Thane
4	Nagaon		***		Thane	Thane
5	Narivali		***	·	Thane	Thane
6	Bale			,	Thane	Thane
7	Vaklan				Thane	Thane
8	Bamali		•••		Thane	Thane
9	Nighu		***		Thane	Thane
10	Navali		***		Thane	Thane
11	Dahisar		***		Thane	Thane
12	Mokashi		***		Thane	Thane
13	Valivali		***		Thane	Thane
14	Pimpari		***		Thane	Thane
15	Veshvi		•••		Uran	Raigad
16	Dighode		***	***	Uran	Raigad
17	Kanthavali		***		Uran	Raigad
18	Pohi		***		Uran	Raigad
19	Ransai		***		Uran	Raigad
20	Tighar		***		Karjat	Raigad
21	Nangurle				Karjat	Raigad
22	Varne		***		Karjat	Raigad
23	Avalas (Excluding a	area East of Karjat-Khop	ooli Rail Line)		Karjat	Raigad



४८ महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४

Sr. No. (1)	Name of Village (2)	, III	ı	Tahsil (3)	District (4)
24	Palasdari (Excluding area East of Karjat-Kh	opoli Rail Line)		Karjat	Raigad
25	Talawali (Excluding area East of Karjat-Kho	poli Rail Line)		Karjat	Raigad
26	Kharpada		***	Pen	Raigad
27	Dushmi			Pen	Raigad
28	Kauli Simadevi	4 Tan 1 1 2		Pen	Raigad
29	Khar Simadevi	***		Pen	Raigad
30	Kharkoshim		•••	Pen	Raigad
31	Jui Khurd			Pen	Raigad
32	Jui Budruk	***		Pen	Raigad
33	Jite	***		Pen	Raigad
34	Navkhar	***	***	Pen	Raigad
35	Khar Nandai			Pen	Raigad
36	Turkhul			Pen	Raigad
37	Khar Dubej	1400		Pen	Raigad
38	Rave		***	Pen	Raigad
39	Dadar			Pen	Raigad
40	Urnoli			Pen	Raigad
41	Sonkhar			Pen	Raigad
42	Khar Dutarfa Borli			Pen	Raigad
43	Kalave			Pen	Raigad
44	Hanumanpada			Pen	Raigad
45	Davre		.;.	Pen	Raigad
46	Kopar	***		Pen	Raigad
47	Khar Borli	***		Pen	Raigad
48	Govirle			Pen	Raigad
49	Balawali	***		Pen	Raigad
50	Ambivali			Pen	Raigad
51	Hamrapur	***		Pen	Raigad
52	Tambadshet		•••	Pen	Raigad
53	Johe	***		Pen	Raigad
54	Dolvi Dababa			Pen	Raigad
55	Mothe Vadhav	***		Pen	Raigad
56	Kaleshri	***		Pen	Raigad
57	Kanhoba	***	•••	Pen	Raigad
58	Vitthalwadi	644		Pen	Raigad
59	Mothe Bhal			Pen	Raigad
60	Lakhanle			Pen	Raigad
61	Narwel		•••	Pen	Raigad
62	Bahiram Katak	*.*.		Pen	Raigad
63	Benavale	***		Pen	Raigad
64	Wadhav			Pen	Raigad
65	Div			Pen	Raigad
66	Borze			Pen	Raigad



महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४ ४९

. No.	Name of Village (2) .			Tahsil (3)	District (4)
67	Kane			Pen	Raigad
68	Waredi		***	Pen	Raigad
69	Nagadi Sapoli			Pen	Raigad
70	Khar Dutarfa Sapoli			Pen	Raigad
			•••		
71 72	Kharsapoli Chinchghar	• • •	***	Pen Pen	Raigad Raigad
73	Shitole	***		Pen	Raigad
74	Davansar	***	***	Pen ·	Raigad
				Pen	Raigad
75 76	Ramraj Dhavate			Pen	Raigad
77	Tarankhop		* * *	Pen	Raigad
78	Antore			Pen	Raigad
		***	•••	Pen	
79	Patnoli				Raigad
80	Koproli	•••		Pen	Raigad
81	Odhangi			Pen	Raigad
82	Washi		200	Pen	Raigad
83	Sare Bhag			Pen	Raigad
84	Shirki Chawl			Pen	Raigad
85	Masad Bedi		***	Pen	Raigad
86	Masad Khurd		***	Pen	Raigad
87	Masad Budruk			Pen	Raigad
88	Borwe		***	Pen	Raigad
89	Bori		***	Pen	Raigad
90	Shirki			Pen	Raigad
91	Kolave			Pen	Raigad
92	Shinganvat			Pen	Raigad
93	Dhondpada		***	Pen	Raigad
94	Umbarde			Pen	Raigad
95	Meleghar	• • • •		Pen	Raigad
96	Kandale			Pen	Raigad
97	Uchede	***		Pen	Raigad
98	Kandlepada		***	Pen	Raigad
99	Wadkhal		***	Pen	Raigad
				Pen	Raigad
100	Beneghat Wave		***	Pen	Raigad
101			•••	Pen	Raigad
102	Kashmirwadi	***	***	Pen	
103	Rode	•••			Raigad
104	Talegaon		Sec. 22	Khalapur	Raigad
105	Panshil			Khalapur	Raigad
106	Rees		***	Khalapur	Raigad
107	Lodhivali (Excluding area under MESZ)			Khalapur	Raigad
108	Nadhal (Excluding area under MESZ)	• • •		Khalapur	Raigad
109	Chouk Manivali (Excluding area under MESZ)	• • • •		Khalapur	Raigad
110	Nanivali (Excluding area under MESZ)			Khalapur	Raigad
111	Warose Tarf Wankhal (Excluding area under MESZ)			Khalapur	Raigad
112	Borgaon Khurd (Excluding area under MESZ)	• • •		Khalapur	Raigad
113	Sondewadi (Excluding area under MESZ)			Khalapur	Raigad
114	Wavarle (Excluding area under MESZ)			Khalapur	Raigad
115	Pali Budruk			Khalapur	Raigad
116	Vadvihir (Excluding area under MESZ)			Khalapur	Raigad
117	Borgaon Budruk (Excluding area under MESZ)			Khalapur	Raigad
118	Padaghe			Khalapur	Raigad
119	Morbe			Khalapur	Raigad

भाग एक (को.वि.पु.)-७



५० महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४

Sr. No. (1)	Name of Village (2)			Tahsil (3)	Distric (4)
	Bhilvale			Khalapur	Raigad
121	Hatnoli			Khalapur	Raigad
122	Jambhivali Tarf Wankhal			Khalapur	Raigad
123	Tupgaon			Khalapur	Raigad
124	Pali Khurd			Khalapur	Raigad
125	Sarang			Khalapur	Raigad
126	Parade		•••	Khalapur	Raigad
127	Ambivali Tarf Tungartan			Khalapur	Raigad
	Wasambe			Khalapur	Raigad
129	Chambharli			Khalapur	Raigad
130	Vat	•••		Khalapur	Raigad
	Kambe	•••	•••	Khalapur	
	Vayal	•••	• • • •		Raigad
	Tembhari			Khalapur	Raigad
	Kopari		•••	Khalapur	Raigad
	Asroti		***	Khalapur	Raigad
	Dharni		•••	Khalapur	Raigad
	Asare	***	•••	Khalapur	Raigad
		•••	• • •	Khalapur	Raigad
	Kandharoli Tarf Wankhal	***		Khalapur	Raigad
	Vavandal			Khalapur	Raigad
	Vinegaon			Khalapur	Raigad
	Kalote Mokashi			Khalapur	Raigad
142	Kalote Rayati			Khalapur	Raigad
143	Nigdoli			Khalapur	Raigad
144	Nadode	***		Khalapur	Raigad
145	Nimbode			Khalapur	Raigad
146	Vanave	•••		Khalapur	Raigad
147	Shiravali Tarf Boreti			Khalapur	Raigad
148	Khalapur			Khalapur	Raigad
	Ghodivali			Khalapur	Raigad
150	Kandharoli Tarf Boreti		•••	Khalapur	Raigad
	Navandhe	•••		Khalapur	
	Wangani (Excluding area East of Karjat-Khopoli Rai	llina)	`		Raigad
153	Kelavali (Excluding area East of Karjat-Khopoli Rai	line)		Khalapur	Raigad
154	Dolavali (Excluding area East of Karjat-Khopoli Rail	line)	•••	Khalapur	Raigad
155	Shengaon (Excluding area East of Karjat-Khopoli Ra	ine)	•••	Khalapur	Raigad
156	Mankivali (Excluding area East of Karjat-Khopoli Ra	illine)	•••	Khalapur	Raigad
157	Anjrun	ailline)	•••	Khalapur	Raigad
	Hal Khurd		•••	Khalapur	Raigad
				Khalapur	Raigad
	Mahad	•••		Khalapur	Raigad
	Nitalas (Excluding area under MESZ)	• • •		Panvel	Raigad
	Nitale (Excluding area under MESZ)	•••	• • • •	Panvel	Raigad
	Kherane Khurd			Panvel	Raigad
163	Vavanje (Excluding area under MESZ)			Panvel	Raigad
164	Mahodar (Excluding area under MESZ)			Panvel	Raigad
165	Kondap (Excluding area under MESZ)		•••	Panvel	Raigad
166	Wangani Tarf Taloje (Excluding area under MESZ)			Panvel	Raigad
167	Karambeli Tarf Taloje (Excluding area under MESZ)		Panvel	Raigad
168	Shiravali (Excluding area under MESZ)			Panvel	Raigad
169	Ambe tarf taloje (Excluding area under MESZ)			Panvel	Raigad
	Chinchavali Tarf Taloje			Panvel	Raigad
	Mahalungi			Panvel	Raigad
	Chindharan			Panvel	Raigad
	Kanpoli			Panvel	
	Valap			Panvel	Raigad
	Pale Budruk	***	•••		Raigad
				Panvel	Raigad



महाराष्ट्र शासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४ ५१

r. No. (1)	Name of Village (2)			Tahsil (3)	District (4)
176	Hedutane			Panvel	Raigad
177	Kevale			Panvel	Raigad
178	Khanav			Panvel	Raigad
179	Morbe (Excluding area under MESZ)			Panvel	Raigad
180	Kondale (Excluding area under MESZ)		•••	Panvel	Raigad
181	Khairwadi (Excluding area under MESZ)		•••	Panvel	Raigad
182	Tamsai (Excluding area under MESZ)	•••		Panvel	Raigad
183	Maldunge (Excluding area under MESZ)	•••	•••	Panvel	Raigad
184	Dhodani (Excluding area under MESZ)			Panvel	Raigad
185		***	•••	Panvel	Raigad
186	Deharang (Excluding area under MESZ)			Panvel	
	Dhamani (Excluding area under MESZ)	•••			Raigad
187	Gadhe (Excluding area under MESZ)		•••	Panvel	Raigad
188	Ambe tarf waje	•••	2	Panvel	Raigad
189	Shivansai			Panvel	Raigad
190	Dundre (Excluding area under MESZ)	•••		Panvel	Raigad
191	Ritghar (Excluding area under MESZ)		•••	Panvel	Raigad
192	Usarli Budruk (Excluding area under MESZ)		•••	Panvel	Raigad
193	Umroli		•••	Panvel	Raigad
194	Chinchavali Tarf Waje	•••	•••	Panvel	Raigad
195	Vakadi		•••	Panvel	Raigad
196	Nere (Excluding area under MESZ)			Panvel	Raigad
197	Koproli			Panvel	Raigad
198	Harigram			Panvel	Raigad
199	Adai			Panvel	Raigad
200	Akurli			Panvel	Raigad
201	Palidevad			Panvel	Raigad
202	Devad			Panvel	Raigad
203	Shilottar Raichur			Panvel	Raigad
204	Chipale			Panvel	Raigad
205	Bonshet			Panvel	Raigad
206	Vihighar (Excluding area under MESZ)			Panvel	Raigad
207	Ambivali (Excluding area under MESZ)			Panvel	Raigad
208	Sangatoli (Excluding area under MESZ)			Panvel	Raigad
209	Waje (Excluding area under MESZ)			Panvel	Raigad
210	Cheravali (Excluding area under MESZ)			Panyel	Raigad
211			• • •	Panvel	Raigad
	Wajapur		•••	Panvel	
212	Loniwadi (Excluding area under MESZ)				Raigad
213	Wangani Tarf Waje (Excluding area under MESZ)	•••		Panvel	Raigad
214	Pali Khurd '	***		Panvel	Raigad
215	Chikhale	•••		Panvel	Raigad
216	Moho	•••		Panvel	Raigad
217	Shivkar	The artist		Panvel	Raigad
218	Vichumbe		ATT 145	Panvel	Raigad
219	Usarli Khurd	***	***	Panvel	Raigad
220	Kolkhe			Panvel	Raigad
221	Kon			Panvel	Raigad
222	Borle			Panvel	Raigad
223	Sangade			Panvel	Raigad
224	Belavali			Panvel	Raigad
225	Wardoli (Excluding area under MESZ)			Panvel	Raigad
226	Bherle (Excluding area under MESZ)			Panvel	Raigad
227	Bhingar (Excluding area under MESZ)			Panvel	Raigad
228	Ajivali			Panvel	Raigad
229	Ariwali			Panvel	Raigad
230	Derawali	•••	•••	Panvel	Raigad
231	Palaspe	***	•••	Panvel	Raigad
201	1 alaspe	•••	• • • •	Panvel	Raigad

भाग एक (को.वि.पु.)--७अ



५२ महाराष्ट्र शासन राजपत्र भाग एक-कोकण विभागीय पुरवणी, गुरुवार ते बुधवार, फेब्रुवारी १४-२०, २०१३/माघ २५-फाल्गुन १, शके १९३४

Sr. No. (1)	Name of Village (2)		4	Tahsil (3)	District (4)
233	Nandgaon			Panyel	Raigad
234	Mosare			Panyel	Raigad
235	Patnoli			Panvel	Raigad
236	Vadavali			Panyel	Raigad
237	Turmale			Panyel	Raigad
238	Chirvat			Panvel	Raigad
239	Shirdhon			Panyel	Raigad
240	Giravale	***	***	Panvel	Raigad
241	Somtane			Panyel	Raigad
242	Kasal Khand			Panvel	Raigad
243	Ashte			Panvel	Raigad
244	Shedung			Panvel	Raigad
245	Bhingarwadi			Panyel	Raigad
246	Mohope (Excluding area under MESZ)			Panvel	Raigad
247	Poyanje (Excluding area under MESZ)			Panyel	Raigad
248	Pali Budruk (Excluding area under MESZ)			Panvel	Raigad
249	Bhokarpada (Excluding area under MESZ)			Panyel	Raigad
250	Barwai (Excluding area under MESZ)	***	***	Panyel	Raigad
251	Khanavale			Panvel	Raigad
252	Bhatan			Panvel	Raigad
253	Narpoli			Panyel	Raigad
254	Dahiyali		***	Panvel	Raigad
255	Nanoshi			Panyel	Raigad
256	Sangurli		•••	Panyel	Raigad
257	Chinchavan			Panvel	Raigad
258	Devloli Budruk			Panyel	Raigad
259	Savale	•••		Panvel	Raigad
260	Jatade			Panvel	Raigad
261	Dapiwali			Panyel	Raigad
262	Vaveghar			Panvel	Raigad
263	Gulsunde			Panvel	Raigad
264	Posari			Panyel	Raigad
265	Turade		1.	Panvel	Raigad
266	Kalhe	***		Panyel	Raigad
267	Koral			Panyel	Raigad
268	Apte			Panvel	Raigad
269	Akulwadi			Panyel	Raigad
270	Ladiwali	•••		Panyel	Raigad

Note.—

 $This \ notification \ shall \ also \ be \ published \ on \ the \ Government \ website \ www.urban.maharashtra.gov. in$

By order and in the name of the Governor of Maharashtra,

SANJAY V. PAWAR Desk Officer.

⁽¹⁾ MESZ = Matheran Eco-Sensitive Zone

⁽²⁾ Boundary of Matheran Eco-Sensitive Zone shall be as per the Ministry of Environment and Forests, Govt. of India, Notification No. S.O. 133 (E) dated 4th February 2003.



ANNEXURE 1-2 MIDC 9 VILLAGES NOTIFICATION

RNI No. MAHBIL /2009/37831



महाराष्ट्र शासन राजपत्र

असाधारण भाग चार–ब

वर्ष १, अंक १०६]

बुधवार, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

[पृष्ठे ५१, किंमत : रुपये ९.००

असाधारण क्रमांक २२७ प्राधिकृत प्रकाशन

महाराष्ट्र शासनाने महाराष्ट्र अधिनियमांन्वये तयार केलेले (भाग एक, एक-अ आणि एक-ल यांमध्ये प्रसिद्ध केलेले नियम व आदेश यांव्यतिरिक्त) नियम व आदेश.

उद्योग, ऊर्जा व कामगार विभाग

मादाम कामा मार्ग, हुतात्मा राजगुरू चौक, मंत्रालय, मुंबई ४०० ०३२, दिनांक २२ सप्टेंबर २०१५.

अधिसूचना

महाराष्ट्र औद्योगिक विकास अधिनियम, १९६१.

क्रमांक आयडीसी. २००७/(७१८)/उ-१४.—महाराष्ट्र औद्योगिक विकास अधिनियम, १९६१ (१९६२ चा महा. तीन) चे कलम १, पोट-कलम (३) अन्वये प्रदान केलेल्या शर्क्तींचा वापर करून महाराष्ट्र शासन याद्वारे मौजे केळवली, वांगणी, घोडीवली, कांढरोली, नावंढे, मानिकवली, हाळखुर्द, अंजरुण, तालुका खालापूर, जिल्हा रायगड व मौजे तळवली, तालुका कर्जत, जि. रायगड येथील सोबत जोडण्यात आलेल्या अनुसूचीत उल्लेखिलेल्या क्षेत्रात उक्त अधिनियमाचे प्रकरण ६ ज्या तारखेस अंमलात येईल ती तारीख २३ सप्टेंबर, २०१५ म्हणून नियुक्त करीत आहे व उक्त क्षेत्र अधिनियमाच्या कलम २ खंड (ग) अन्वये औद्योगिक क्षेत्र म्हणून जाहीर करीत आहे.

उक्त क्षेत्र मुख्य कार्यकारी अधिकारी, महाराष्ट्र औद्योगिक विकास महामंडळ, अंधेरी (पूर्व), मुंबई-९३ आणि उप विभागीय अधिकारी, खालापूर विभाग, खालापूर, जि. रायगड यांचे कार्यालयात ठेवलेल्या नकाशात लाल रंगाने जास्त स्पष्टपणे दाखिवले आहे आणि सोबतच्या अनुसूचीत दर्शविल्याप्रमाणे त्याच्या चतुःसीमा आहेत.

अनुसूची जिल्हा रायगड, तालुका खालापूर, मौजे केळवली

अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र	अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(7)	(\$)	(8)	(१)	(7)	(3)	(8)
१	१	0	०.७९१	3	११	o	०.७५८
?	9	0	१.२३८	8	१२	0	8.080

भाग चार-ब-२२७-१



२ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची— चालू									
(१)	(5)	(३)	(8)	(१)	(5)	(३)	(8)		
ų	१४	o	0.700	४५	४८	o	१.१४३		
६	१५	o	0.840	४६	89	0	9.340		
७	१६	१	०.२३५	४७	40	0	०.४२६		
6	१७	o	088.0	४८	५१	o	०.४१७		
9	१८	o	०.४८२	४९	42	0	0.099		
१०	१९	o	0.480	40	५३	o	0.337		
११	२०	o	0.390	५१	48	अ	0.383		
१२	२१	o	१.५३२	५२		ৰ	०.३५७		
१३	२२	o	०.८३६	५३	44	o	0.880		
१४	२३	o	0.730	48	५६	0	०.५७८		
१५	28	o	0.800	५५	40	o	0.786		
१६	२५	o	0.790	५६	40	0	०.२२८		
१७	२६	अ	०.४०६	40	49	0	१.०१०		
१८		ब	०.६२०	46	६०	o	०.३५१		
१९		क	०.४६८	49	६१	अ	9,300		
२०	२७	o	०.६४२	६०		ब	0.890		
२१	25	o	०.२२५	६१	६२	0	०.५३०		
२२	29	o	०.६७२	६२	६३	0	0.870		
२३	३०	१	0,500	६३	६४	0	०.३७५		
28		2	٥.३३१	६४	६५	0	०.३५६		
२५	३ १	अ	0.888	६५	६६	0	0.686		
२६		ब	ο,οξο	६६	६७	१	0.400		
२७	३ १	१	0.600	६७		२	0.800		
25		7	0.700	६८		ş	०.३८५		
29	३ २	o	०.७५९	६९	६८	0	१.६४०		
30	33	0	०.८२२	90	६९	0	0.390		
38	38	o	१७७.०	७१	90	0	०.६९८		
32	३५	o	०.४५५	७२	७१	0	0.976		
33	३६	0	०.४५५	७३	७२	0	०.७५६		
38	३ ७	0	०.१०४	७४	७३	0	०.६१०		
३५	36	o	0.840	७५	७४	0	0.868		
३६	39	o	0.738	७६	७६	o	१.१४६		
३७	४०	0	०.७१८	७७	७७	0	9.604		
36	४१	o	٥٥٤.٥	30	20	o	०.८५३		
39	85	o	१.०९५	७९	७९	o	0.800		
80	४३	o	0.994	60	८०	o	0.470		
४१	88	o	१.१३०	८१	८१	0	०.५३०		
82	४५	o	०.५२६	८२	८२	0	०.४१०		
83	४६	o	0.397	८३	८३	o	०.०५७		
88	४७	0	0.700	८४	८४	0	०.०५७		

3



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची— चालू									
(१)	(5)	(3)	(8)	(१)	(२)	(3)	(8)		
८५	८५	o	०.४४६	१२५	१२१	o	०.६२०		
८६	८६	o	0.200	१२६	१२२	0	०.४६२		
८७	८७	0	०.६६०	१२७	१२३	o	०.४१०		
22	22	0	0.370	१२८	१२४	o	0.000		
८९	८९	0	१.५८१	१२९	१२५	o	०.६९१		
90	90	0	०.०५०	१३०	१२६	o	0.228		
९१	९१	0	०,०५०	१३१	१२७	o	०.०२५		
92	99	0	०.६६२	१३२	१२८	0	0.399		
93	93	0	०.०१०	१३३	१२९	o	0.870		
88	88	0	०.७९१	१३४	१३०	0	०.७२८		
९५	९५	0	०.१६०	१३५	१३१	o	०.१६३		
९६	९६	o	०.०६९	१३६	१३२	0	0.890		
90	90	0	१७६.०	१३७	१३३	o	१.११३		
९८	९८	0	0.766	१३८	१३४	0	0.379		
99	99	o	0.690	१३९	१३५	o	०.३८६		
१००	१००	o	०.४१७	१४०	१३६	0	०.३७२		
१०१	१०१	o	0.340	१४१	१३७	0	0.986		
१०२	१०२	0	0.040	१४२	१३८	o	0.888		
१०३	१०३	अ	०.६३७	१४३	१३९	0	०,०६०		
१०४		ब	0,0\$0	१४४	१४०	o	0.888		
१०५	१०४	o	0.370	१४५	१४१	o	०.०२५		
१०६	१०५	o	०.५८५	१४६	१४२	o	१.०९५		
१०७	१०६	o	۶۵۶.٥	१४७	१४३	o	०.९१६		
१०८	१०७	0	0.098	१४८	१४४	o	0.879		
१०९	१०८	0	०.२१०	१४९	१४५	o	०.५२०		
११०	१०९	0	०,७३७	१५०	१४६	0	0.988		
१११	११०	0	०.५४६	१५१	१४७	o	०.४१०		
११२	१११	0	0.980	१५२	१४८	0	०.४१०		
११३	११२	0	0.040	१५३	१४९	0	०.४६०		
११४	११३	0	0.73८	१५४	१५०	o	0.760		
११५	११४	अ	0.700	१५५	१५१	0	१.९१०		
११६		ब	0.099	१५६	१५२	0	०.१५५		
११७		क	0,0\$0	१५७	१५३	0	०.१५५		
११८	११५	0	0.860	१५८	१५४	0	०.१८५		
११९	११६	0	0.790	१५९	१५५	0	0.700		
१२०	११७	0	०.०५६	१६०	१५६	0	0.900		
१२१	११८	0	१.९५५	१६१	१५७	0	٥٤٥.٥		
१२२	११९	0	008.0	१६२	१५८	0	०.६१०		
१२३	१२०	१	0.379	१६३	१८२	0	०.७१०		
१२४		2	0.800	१६४	१८३	o	0.870		

भाग चार-ब-२२७-१अ



र महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

(8)	(5)	(३)	(8)	(१)	(3)	(३)	(8)
१६५	१८४	o	0.004	१७२	१९१	0	०.०१०
१६६	१८५	o	०.४६३	१७३	१९२	0	०.०१५
१६७	१८६	o	0.760	१७४	१९३	o	०.०२५
१६८	१८७	0	0.790	१७५	१९४	0	0.080
१६९	१८८	o	१.६२०	१७६	१९५	0	०.०२३
१७०	१८९	o	9.880	१७७	१९६	0	०,०१०
१७१	१९०	o	ο,οξο	१७८	१९७	0	१.१२५
				१७९	१९८	0	०.४२०
						एकूण	९७.२९१

चतुःसिमा :

उत्तरेस.—मध्य रेल्वे

दक्षिणेस.—मौजे रुखईची शीव व नाला.

पूर्वेस.—मौजे केवली सर्व्हें नं. १३७,१३८,१३९,१४०, १४१, १४२, १४६, १४९, १५२, १६०

पश्चिमेस.—मोजे वांगणी व नांवढेची शीव.

जिल्हा रायगड, तालुका खालापूर, मौजे वांगणी

अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र	अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(7)	(\$)	(8)	(१)	(7)	(ξ)	(8)
१	१	o	०,०१०	88	२०	o	०.०२८
?	२	o	०.५९०	२०	२१	0	6.033
3	3	o	0.308	78	२२	0	०.२१७
8	8	o	०.५७३	25	२३	0	२.०५०
4	ų	0	0,390	२३	58	o	०.६१८
६	६	0	0.378	58	२५	0	0.699
७	6	0	०.४७४	२५	२६	0	०.३५०
۷	9	0	०.४१७	२६	२७	0	0.328
9	१०	o	०.०६०	२७	२८	0	0.800
१०	११	o	0.707	२८	२९	0	०.७५०
११	१२	o	0.880	79	३०	अ १	०,४६०
१२	१३	o	१.१४०	३०		ब २	०.०६०
१३	१४	o	0.099	38	38	0	0.000
१४	१५	o	०.४६३	३ २	३ २	0	7.480
१५	१६	o	०.५५४	33	33	0	0.920
१६	१७	o	०.०६०	38	38	0	0.790
१७	१८	o	0.833	३५	३७	0	0.220
१८	१९	0	१.२१०	३६	36	o	0.880



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची —चालू										
(१)	(5)	(३)	(8)	(१)	(5)	(३)	(8)			
३७	39	o	0.880	६५	६८	o	०.०१५			
36	80	0	२.६९०	६६	६९	0	०.४६५			
39	४१	o	2.800	६७	90	o	०.१६३			
80	83	o	०.१६२	६८	७१	o	०.१५२			
४१	83	o	0.938	६९	७२	o	१.०७२			
85	88	o	0.930	90	७३	o	0.822			
83	४५	o	०.०४५	७१	७४	o	१.४११			
88	४६	o	०.५५५	७२	७५	o	0.798			
४५	४७	0	०.६८६	<i>७</i> ३	७६	o	०.८६६			
४६	४८	o	०.६७०	७४	७७	o	8,58,0			
४७	४९	o	०,०५०	७५	90	o	0,830			
४८	40	o	१.८३ ३	७६	७९	o	0.000			
88	५१	o	7.446	७७	60	o	0.337			
40	५२	o	0.708	90	८१	o	०.५८२			
48	५३	o	०.५३७	७९	८२	o	०.४९३			
42	48	o	०.५८४	60	८३	o	०.६५३			
५३	५५	0	0.800	८१	८४	o	0.347			
48	५६	o	0,080	८२	24	o	0.830			
44	40	o	0.270	८३	८६	o	०.५९१			
५६	40	o	0.7८८	८४	८७	o	٥.८२४			
40	49	o	१.३७६	८५	66	o	0.828			
40	६०	o	0.807	८६	८९	o	०.४९३			
49	६१	o	०.१५०	८७	90	o	०.५७१			
६०	६२	o	0.270	22	98	o	0.807			
६१	६३	0	०.६४६	८९	99	0	०.५११			
६२	६५	o	8.838	90	93	0	०.६०७			
६३	६६	o	0.890	९१	88	o	०.५८२			
६४	६७	o	०.७०६	99	९५	o	0.070			
				S0 		एकूण	५२.६६१			

चतुःसिमा ः

उत्तरेस.—मौजे तळवलीची शीव दक्षिणेस.—मौजे केळवलीची शीव पूर्वेस.—मौजे केळवलीची शीव

पश्चिमेस.—मौजे नांवढेची शीव



६ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची—चालू मौजे घोडीवली, तालुका खालापूर, जिल्हा रायगड

अनुक्रमांक	गट	हिस्सा	क्षेत्र	अनुक्रमांक	गट	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(२)	(\$)	(8)	(१)	(7)	(\$)	(8)
१	१		०.३५४	४१	83		0.888
२	२	१	0.880	85	83		0.838
3	२	२	0.084	83	88		0.084
8	3		0.839	88	४५		०.५२०
ų	8		0.830	४५	४६		0.804
ξ	ų		0.480	४६	80		०.३५८
9	Ę		०.२५०	४७	88		०.०६०
۷	9		0.888	88	88		०.६४०
9	6		०.४६९	88	40		०.१५०
१०	9		०.९७९	40	५१		0.777
११	१०		0.800	५१	५२		०.१२०
१२	११		१.३६८	42	५३		०.०१५
१३	१२		१.१९३	५३	48		०,०१०
१४	१३		0.873	48	५५		0.220
१५	१४		०.५५६	५५	५६		०.३८१
१६	१५		0,004	५६	40		0.370
१७	१६		0.800	40	40		०.३४७
१८	१७		०.०७१	46	49		0.040
१९	१८		0.888	49	६०		0,070
२०	१९		ο,οξο	६०	६१		०.४२१
२१	२०		०.८५६	६१	६२		०.६५९
25	२१		088.0	६२	६३		0.800
२३	२२		०.३२१	६३	६४		०.५२०
58	२३		१.२०५	६४	६५		900.0
२५	58		०.४५०	६५	६६		०.११७
२६	२६		१.७७५	६६	६७		०.६१०
२७	२७		०.३११	६७	६८		0.600
२८	२८		0.860	६८	६९		०.१८६
28	38		9.969	६९	90		0.290
३ 0	32		833.0	90	७१		0.070
38	33		०.४१०	७१	७२		0.739
32	38		०.१००	७२	७३		0.600
33	३५	8	०.१२०	७३	७४		०.४८३
38	३५	7	0.830	७४	७५		०.६३०
३५	३६		१.०८६	७५	७६		०.८५०
३६	30		०.७९८	७६	७७		0.307
३७	36		०.४७५	७७	७८		०.४४५
36	39		०.९६६	20	७९		०.५४०
39	80		०.३१८	७९	८०		0.800
80	४१		900.0	८०	८१		0.800



अनुसूची— चालू										
(१)	(२)	(३)	(8)	(१)	(२)	(३)	(8)			
८१	८२		0.303	१२४	१२३		०.६४६			
८२	८३		٥.८४२	१२५	858		888.0			
८३	८४		०.४५४	१२६	१२५		0.783			
85	64		०.२५३	१२७	१२६		0,090			
८५	८६		०.२६०	१२८	१२७		०.८५१			
८६	८७		०८६.०	१२९	१२८		०.७२५			
८७	22		0.334	१३०	१२९		१.२९७			
22	८९		0.220	१३१	१३०		०.११६			
८९	90		0.300	१३२	१३१		0.887			
90	98		०.२२८	१३३	१३२		6,063			
९१	99		०.३८४	१३४	१३३		०.६७३			
97	93		०.५८२	१३५	१३४		0.840			
93	98		०.१६५	१३६	१३५		०.११७			
98	९५		०.६२५	१३७	१३६		8.489			
94	९६		0.800	१३८	१३७		0.800			
९६	90		१.१३८	१३९	१३८		०.२७३			
90	96		०.०६०	१४०	१३९		०.५३८			
96	99		0.980	१४१	१४०		०.५१०			
१००	१००		0.36.0	१४२	१४१		०.५३०			
१०१	१०१		०.७१०	१४३	१४२		०.४६०			
१०२	१०२		0.799	१४४	१४३		0.800			
१०३	१०३		0.460	१४५	888		०.१५०			
१०४	१०४		०.५११	१४६	१४५		0.830			
१०५	१०५		०.२१५	१४७	१४६		०.१५९			
१०६	१०६		0.480	१४८	१४७		०.६४०			
१०७	१०७		0.880	१४९	१४८		०.५०७			
१०८	१०८		0.376	१४९	१४९		0.888			
१०९	१०९		0.880	१५०	१५०		0.830			
११०	११०		0.400	१५१	१५१		0,090			
१११	१११		१.१६०	१५२	१५२		0.440			
११२	११२		०.१८९	१५३	१५३		8.200			
११३	११३		0.640	१५४	१५४		०.४६०			
११४	११४		0,070	१५५	१५७		0.970			
११५	११५		0.690	१५६	१५८		0.700			
११६	११६		०.११०	१५७	१५९		०.४१०			
११७	११७		٥٤٥.٥	१५८	१६०		0.890			
११८	११८		0.790	१५९	१६१		0.993			
११९	११९	१	0.878	१६०	१६२		8.660			
१२०	११९	` ?	0.350	१६१	१६३		०.६९६			
१२१	१२०	1	0.380	१६२	१६४		0.769			
१ २२	१२१		0.880	१६३	१६५		0.000			
१२३	855		०.५५०	१६४	१६६		०.६९०			



	अनुसूची— चालू									
(१)	(२)	(3)	(8)	(१)	(२)	(3)	(8)			
१६५	१६७		०.४६६	२०७	२०५		०.६२०			
१६६	१६८		०.४२५	208	२०६		0.830			
१६७	१६९	8	०.११०	709	२०७		०.२५६			
१६८	१६९	7	०.११०	२१०	२०८		०.८६३			
१६९	१७०		०.०९६	२११	२०९		३.७९०			
१७०	१७१		०.०६९	२१२	२१०		3.890			
१७१	१७२	१	0.499	२१३	२११		0.380			
१७२	१७२	2	0.080	२१४	२१२		०.१६०			
१७३	१७३		०.६१४	२१५	२१३		०.६४२			
१७४	१७४		०.७७९	२१६	२१४		0.200			
१७५	१७५		0.38.0	२१७	२१५		0.886			
१७६	१७६		०.१४०	२१८	२१६		8.379			
१७७	१७७		१.५२०	२१९	२१७		०.२१७			
१७८	२७८		०.७१०	220	२१८		0.083			
१७९	१७९		०.१५०	२२१	२१९		0.800			
१८०	१८०		१.६२०	222	220		0.083			
१८१	१८१		085.0	२२३	२२१		०.१५२			
१८२	१८२	१	०.१७७	258	२२२		8.077			
१८३	१८२	2	०.१७०	२२५	223		१.२३२			
१८४	१८३	8	0.780	२२६	२२४		0.798			
१८५	१८३	२	०.१५०	२२७	२२५	१	३.३५ ४			
१८६	१८४		0.380	२२८	२२५	7	0.990			
१८७	१८५		0.790	२२९	२२६		०.५६०			
१८८	१८६		०.७५०	२३०	२२७	7	१.०९०			
१८९	१८७		0.780	२३१	२२८		०.५६०			
१९०	१८७		०,२६०	२३२	256		0.790			
१९१	१८८		१.२१०	२३३	२३०		0.733			
१९२	१८९		०.६५०	२३४	२३१		१.४९९			
१९३	१९०		0.700	२३५	२३२		0.080			
१९४	१९२		०.५५०	२३६	२३३		0.800			
१९५	१९३		०.९६०	२३७	२३५		0.300			
१९६	१९४		2.040	२३८	२३६		0.200			
१९७	१९५		१.६५०	२३९	२३७		0.066			
१९८	१९६		7.500	580	२३८		0,330			
१९९	१९७		4.330	२४१	२३९	१	०.६४०			
२००	१९८		१.२३०	585	२३९	7	०.५८४			
२०१	१९९		३.५१०	583	२४०		०.२२८			
२०२	200		०.६८०	588	२४१		0.040			
२०३	२०१		०.२६०	२४५	585		०.२३५			
808	२०२		२.०१९	२४६	583		१.३९८			
२०५	२०३		0.700	२४७	२४५		१.१७०			
२०६	२०४		०,४१०	२४८	२४७		०.३५४			



	अनुसूची— चालू										
(१)	(5)	(३)	(8)	(१)	(5)	(३)	(8)				
586	२४८		0,090	798	२८९		०.३४७				
२५०	288		0.302	797	290		0.300				
२५१	२५०		0.740	२९३	288		१.७३९				
२५२	२५१		0.099	288	282		०.९१८				
२५३	२५२		०.०९६	२९५	२९३		१.४३०				
२५४	२५३		0.888	२९६	388		०.५४१				
२५५	248		0.798	280	२९५		१.६७४				
२५६	२५५		०.१७५	298	२९६		0.896				
२५७	२५६		०.४६६	799	290		१.०४७				
२५८	२५७		0.538	300	२९८		०.१३७				
२५९	२५८		१.०६७	३०१	299		0.650				
२६०	२५९		०.६४०	३०२	300		०.५३२				
२६१	२६०		0.222	३०३	३०१		०.२६४				
२६२	२६१		0.084	३०४	३०२		0.706				
२६३	२६२		0.080	३०५	३०३		०.३१८				
२६४	२६३		9.060	३०६	३०४		०.१९६				
२६५	२६४		०.०२५	३०७	३०५		0.380				
२६६	२६५		٥٤٥.٥	३०८	३०७		०.३५८				
२६७	२६६		0.878	३०९	३०८		०.०६०				
२६८	२६७		१.४४०	३१०	३०९		0.838				
२६९	२६८		0.070	388	३ १०		०.०५६				
200	२६९		0.800	३ १२	388		०.११४				
२७१	200		०.१६३	383	388		0.086				
२७२	२७१		०.०६४	388	383		0.790				
२७३	२७२		०.६८३	३१५	388		0.700				
२७४	२७३		१.०३०	३१६	384		०.०१३				
204	२७४		5€0.0	380	३१६		0.789				
२७६	२७५		०.०६८	३१८	३१७		0.086				
२७७	२७७		0,000	388	३१८		०.३४४				
२७८	२७८		०.८५०	३ २०	388		٥.११३				
२७९	२७९		0.870	३२१	370		0.380				
260	२८०		०.६४२	३ २२	३२१		१.४७२				
२८१	२८१		0.700	३ २३	३२२		०.१२०				
727	२८२		०.६६२	328	३ २३		०.९७६				
२८३	२८३		०.०८१	३२५	358		१.४८५				
२८४	२८४		0.303	३२६	३२५		0.600				
२८५	२८५		0.830	३२७	३२६		०.१८७				
२८६	२८६		0.700	३२८	३२७		0,090				
२८७	२८७	8	0.709	३ २९	३२८		०.२८९				
225	२८७	7	0.733	330	379		6,063				
२८९	२८८	१	०.५७२	३३१	330		०.९५४				
२९०	225	7	०.१३५	332	३३१		०.१६०				
			78.7								

भाग चार-ब-२२७-२



अनुसूची— चालू									
(१)	(5)	(३)	(8)	(१)	(२)	(३)	(8)		
333	337		0,3६0	३७५	३७२		०.२५३		
338	333		0.890	३७६	३७३		०.२६४		
३३५	338		0.784	३७७	४७४		२.२०५		
३३६	३३५		०.३५०	306	३७५	१	0.700		
330	३३६		०.३१०	308	३७५	2	0.040		
336	३३७		०.०८६	३८०	३७६		०.६२०		
339	336		०.६०४	३८१	०७६		0.930		
380	339		0.079	३८२	३७८		0.370		
388	380		0.780	३८३	३७९		0.900		
385	388		०.१६०	४८६	३८०		०.०६०		
383	385		०.०६०	३८५	१८६		0.820		
388	383		0.700	३८६	३८२		0.740		
३४५	388		०.१६७	७८६	३८३		०.०७५		
३४६	३४५		0.389	328	४८६		0.733		
३४७	३४६		०.२२६	३८९	३८५		०.१४२		
३४८	३४७		0.000	390	३८६		०.५४०		
388	388		0.300	398	३८७		०.२७१		
340	388		०.८६२	399	326		0.860		
३५१	340		0.370	393	३८९		०.०१५		
347	३५१		0.700	388	390		0.863		
343	347		6.033	३९५	398		०.२६०		
३५४	३५३		0.870	३९६	397		०.३२६		
३५५	३५४		0.390	390	393		0.839		
३५६	३५५		०.१८२	396	388		0.790		
340	३५६		०.१५४	399	394		0.770		
३५८	340		0.033	800	३९६		०.११०		
349	346		०.१८०	४०१	390		०.०१५		
३६०	३५९	१	0.880	805	४०१		०.१७५		
३६१	349	२	०.१८६	803	808		०.११०		
३६२	३६०		0.888	808	४०५		०.१६७		
363	३६१		०.२५३	४०५	४०६		०.७२१		
३६४	३६२		०.१०४	४०६	800		०.१४७		
३६५	३६३		०.०८६	४०७	४०८		०.५५२		
३६६	३६४	१	0.470	४०८	४०९		०.१४१		
३६७	३६४	2	१.२४५	808	४१०		०.१४७		
३६८	३६५		0.099	४१०	४११		०.०६६		
३६९	३६६		०.०५६	४११	४१२		0.880		
300	३६७		०.२१०	४१२	४१३	१	५.५३३		
३७१	३६८		0.800	४१३	४१३	7	0.780		
३७२	३६९		0.888	888	४१३	3	0.280		
३७३	300		0.822	४१५	४१४		०.०६०		
३७४	३७१		०.५१०	४१६	४१५		۶وی.٥		



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

भाग चार-ब-२२७-२अ



१२ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

			अनुसृ	ची—चालू			
(१)	(5)	(3)	(8)	(१)	(5)	(3)	(8)
५०१	899		०.८२२	५३५	५३५		0.890
407	400		0.880	५३६	५३६		०.८६०
५०३	५०१		०.६७३	५३७	५३७		0.370
408	402		०.७५७	५३८	५३८		0.084
404	५०३		०.०९६	439	439		0.780
५०६	408		0.009	480	480		०.११४
4019	५०६		0.886	५४१	488		०.०३५
406	400		०.०५३	487	487		०.१७४
409	406		ο.οξξ	५४३	483		०.४४५
५१०	409		0.788	488	488		0.099
488	490		0,330	५४५	484		०.१६४
५१२	५११		0.000	५४६	५४६		०.५४७
५१३	487		0.820	480	480		०.१८४
488	५१३		०.१६०	486	486		०.१०१
484	५१४		822.0	489	489		0.046
५१६	५१५		०.६८८	440	440		0.869
५१७	५१६		०.०५६	५५१	५५१		0.733
486	480		०.११०	447	५५२		€05.0
489	486		0.370	५५३	५५३		०.०५६
420	५१९		०.०१५	448	448		१.४३३
478	420		२.१८२	५५५	५५५		0.084
422	५२१		०.४६७	५५६	५५६		0,083
५२३	422		०.३५९	440	440		०.७१८
५२४	५२३		०.१०४	५५८	440		०.८१७
424	428		0.087	449	449		0.200
५२६	474		०.०५०	५६०	५६०		950.0
420	५२६		0.307	५६१	५६१		०.१५०
426	420		0.890	५६२	५६२		२.५६१
429	426		०.६५०	५६३	५६३		०.१०७
430	479		०.२७१	५६४	५६४		0.786
५३१	५३१		0.080	५६५	५६५		0.349
५३२	५३२		०.७६१	५६६	५६६		0.888
५३३	433		0.380	५६७	५६७		०.१२७
५३४	५३४		०.१३०	५६८	५६९		0.882
						एकूण	२५६.५५१

चतुःसिमा :

उत्तरेस.—मौजे घोडीवलीचे गट नं. १५५ व १९१.

दक्षिणेस.—नाला

पूर्वेस.—मौजे कांढरोलीची शीव

पश्चिमेस.—मौजे खालापूरची शीव व कांढरोलीचे गट नं. २९ व ३०.



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची—चालू मौजे कांढरोली, तालका खालापुर, जिल्हा रायगड

अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र	अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(9)	(3)	(8)	(१)	(7)	(3)	(8)
१	2	१	१.२२०	80	٩	Х	०.०२५
?	२	3	0.090	४१	9	4	१.९२३
3	२	8	0,000	४२	9	ξ	0,880
8	२	4	०,२५०	83	9	9	0.069
ч	२	ξ	०,०६०	88	9	۷	0.000
६	२	9	१.६७०	४५	9	9	٥.٥٤٧
७	3	१	५.६१०	४६	१०	१	0,023
6	3	9	0,070	80	१०	7	0.307
9	3	3	0.090	88	१०	३ब	०.३४५
१०	8	8	०,०६०	88	१०	३क	8.798
११	8	9	0.888	40	१०	8	०.१६७
१२	8	3	०,०३५	५१	१०	ξ	0,700
१३	8	8	०.०६७	५२	१०	۷	0.888
१४	8	4	0.009	५३	१०	9	०,०१०
१५	8	ξ	०.०६१	48	१०	१०	०.१६०
१६	8	9	०.१०४	५५	१०	११	0.004
१७	8	۷	०.०२५	५६	१०	१२	0.707
१८	ц	१	0.880	40	१०	१३	०.१२०
१९	ų	7	0.002	५८	१०	१४	०.१५७
२०	६	१अ	500.0	49	११	१	०.४१४
२१	६	१ब	0.660	६०	११	7	०.३३७
२२	६	१क	०.७८९	६१	११	3	०.४१९
२३	६	7	०.१६७	६२	११	४अ	०,०१०
58	६	3	6,033	६३	११	४ब	०.०१५
२५	६	8	0,070	६४	११	4	०.२३०
२६	9	8	०.४४६	६५	११	ξ	०.१६५
२७	9	?	0.766	६६	१३	१	6,033
२८	9	३अ१	०.४९५	६७	१३	?	0.770
28	७	३अ२	०.४९५	६८	१३	3	0,030
30	9	३अ३	०.५०६	६९	१३	४अ	०.४७५
38	७	३ब	०.३६७	90	१३	४ब१	850.0
३ २	७	8	०.१७७	१९	१३	४ब२	0.079
33	७	4	०.१३०	७२	१३	४ब३	0.079
38	9	ξ	0,00	७३	१३	४ब४	0.070
३५	6	7	१.१००	७४	१३	४ब५	0.076
३६	9	१	०.०७६	७५	१३	४ब६	०.०२६
३७	9	२अ	0.802	७६	१३	४ ब७	0,030
36	9	२ब	0.800	७७	१३	४ब८	0.032
39	9	3	०.०८६	১৩	१३	४ब९	0.080



अनुसूची —चालू										
(१)	(5)	(३)	(8)	(१)	(5)	(३)	(8)			
७९	१३	४ब१०	2.960	११९	१८		٤٥٥.٥			
60	१३	४ब११	0,079	१२०	१९	१	०,११०			
८१	१३	४ब१२	0.080	१२१	१९	2	0.300			
८२	१३	४ब१३	०.०२८	१२२	१९	ş	0,000			
८३	१३	४ब१४	०.०५५	१२३	१९	8	0.300			
८४	१३	४ब१५	0.029	१२४	१९	4	0.080			
८५	१३	४ब१६	0.079	१२५	२०	१	०.४७३			
८६	१३	४ब१७	7.980	१२६	२०	२	०.१४०			
८७	१३	४ब१८	०.०४६	१२७	२०	3	۶۶٥.٥			
22	१३	४ब१९	0.037	१२८	२०	8	0.200			
८९	१३	४ब२०	०.०३१	१२९	२०	4	०.११६			
90	१३	४ब२१	۶γ٥.٥	१३०	२०	ξ	०.५६९			
98	१३	४ब२२	०.०२८	१३१	२०	9	०.०८६			
99	१३	४ब२३	०.०२८	१३२	२०	۷	0.840			
93	१३	४ब२४	०.०२८	१३३	२०	9	0.76.0			
88	१३	४ब२५	०.०३६	१३४	२०	१०	0.098			
९५	१३	४ब२६	०.०२८	१३५	२०	११	0.033			
९६	१३	४ब२७	0.079	१३६	२१	१	०.१७२			
९७	१३	४ब२८	0.079	१३७	२१	?	0.827			
९८	१३	४ब२९	ο,οξο	१३८	२१	3	0,700			
99	१३	४ब३०	ο,οξο	१३९	२१	8	0.363			
१००	१३	४ब३१	०.३६७	880	२१	4	०,०६०			
१०१	१५	१	959.0	१४१	२२	१	०.५९५			
१०२	१५	२अ	०.३६६	१४२	२२	२	0.300			
१०३	१५	२ब	0.000	883	२२	3	0.030			
१०४	१७	१अ	०.८६१	888	२२	8	0.020			
१०५	१७	?	०.०६१	१४५	२२	4	०.१६०			
१०६	१७	३ब	0.380	१४६	२२	ξ	०.५७०			
१०७	१७	३क	۶γ٥.٥	१४७	२३	8	०.२५८			
१०८	१७	३अ१	885.0	१४८	२३	२	०.६१७			
१०९	१७	३अ२	0.38.0	१४९	२३	3	०.२६१			
११०	१७	ų	ο,οξο	१५०	२३	8	0.760			
१११	१७	६अ	०.०१५	१५१	२३	ч	0.880			
११२	१७	६ब	०.१३०	१५२	58	१	0.788			
११३	१७	८अ	०.१९०	१५३	58	?	०.२८७			
११४	१७	८ब	6,503	१५४	58	ş	०,०६०			
११५	१७	९अ	0.800	१५५	58	X	०.४८९			
११६	१७	९ब	\$00.0	१५६	28	4	0.290			
११७	१७	११अ	०.१०६	१५७	58	ξ	0.099			
११८	१७	१३	0.000	१५८	२५	१	०,६९०			



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

	अनुसूची— चालू										
(१)	(5)	(3)	(8)	(१)	(7)	(३)	(8)				
१५९	રૃપ	7	0.888	१९९	79	२ब	०.६६०				
१६०	२५	3	0.8%0	200	79	3	0.073				
१६१	२५	8	0.080	२०१	79	8	०.१६०				
१६२	२५	4	०.११६	202	79	4	0.000				
१६३	२५	ξ	०.०५६	२०३	29	६अ	०.२६९				
१६४	२५	9	०.२६६	808	79	६ब	०.१९७				
१६५	२५	۷	०.०७१	२०५	79	८अ	0.703				
१६६	२५	9	०.३२६	२०६	29	८ब	०,०६०				
१६७	२५	१०	०.१२६	२०७	30	१	0.787				
१६८	२५	११	€00.0	२०८	३०	2	0.308				
१६९	२५	१२	0,0\$0	२०९	३०	3	०.३३५				
१७०	२५	१३	200.0	२१०	३०	X	०.२१०				
१७१	२५	१४	0,0%0	788	३०	4	€00.0				
१७२	२५	१५	εξο.0	२१२	३०	६अ	0.794				
१७३	२६	8	०.३३८	२१३	३०	६ब	0.233				
१७४	२६	३अ	0,070	788	30	६क	०.१८२				
१७५	२६	३ब	0,0%0	२१५	30	v	०.०५८				
१७६	२६	8	०.२०६	२१६	३०	9	0.700				
१७७	२६	9	0.073	२१७	30	१०	०.२६७				
१७८	२६	८अ	०.४६०	२१८	30	११	0.220				
१७९	२६	८ब	608.0	२१९	३०	१२	०.०२३				
१८०	२६	८क	०.४५५	220	38		0.280				
१८१	२७	१अ	०.१७२	२२१	32	१	0,090				
१८२	२७	१ब	०.२१०	222	32	२अ	०.११५				
१८३	२७	3	०.२६०	२२३	32	२ब	०.०१६				
१८४	२७	४अ	0.39.4	558	35	३अ	0.885				
१८५	२७	४ब	0.382	२२५	32	३ब	0.380				
१८६	२८	8	0.830	२२६	३ २	३क	०.३४५				
१८७	२८	२अ	१.००३	२२७	३२	५अ१	0.099				
328	२८	२ब	०.१८०	२२८	32	५अ२	०.०९१				
१८९	२८	3	0.232	228	32	ξ	805.0				
१९०	२८	4	0.098	२३०	32	७अ	०.२३०				
१९१	२८	ξ	०.१३१	२३१	32	८अ	598.0				
१९२	२८	७अ	008.0	737	32	9	०.१६३				
१९३	२८	৩ब	०.०९६	233	32	१०	0.790				
१९४	२८	۷	०.१८२	२३४	32	११	0.880				
१९५	२८	9	0.399	२३५	33	१	0.800				
१९६	२८	१०	0.004	२३६	33	२	०,०६०				
१९७	79	8	0,090	२३७	33	३अ	०,४१०				
१९८	79	२अ	0.390	२३८	33	३ब	0.890				



१६ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

(१)	(२)	(३)	(8)	ची —चालू (१)	(२)	(३)	(8)
(1)	(1)	(4)	(6)		(1)	(4)	(0)
२३९	33	8	०.१६०	२५६	38	१०	560.0
580	33	4	०.११०	२५७	३५	8	०,०१०
२४१	33	9	०.१९५	२५८	३५	7	०,०१०
585	33	6	०.२६८	२५९	३६	8	०.६६१
२४३	33	9	0.870	२६०	३६	२अ	०.०५८
२४४	33	१०	०.६२०	२६१	३६	२ब	680.0
२४५	33	११	ο,οξο	२६२	36	8	0.084
२४६	38	१अ	0,070	२६३	36	7	०.०२८
२४७	38	१ब	0.000	२७९	35	3	०.०२७
२४८	38	7	0.890	२८०	36	४अ	6,033
586	38	3	0.890	२८१	36	४ब	0.023
240	38	8	ο,οξο	२८२	36	ų	6.033
२५१	38	4	०.१११	२८३	36	६	6,083
२५२	38	ξ	१.१९१	२८४	36	9	6,083
२५३	38	O	०.२५१	२८५	36	۷	०.०१८
२५४	38	۷	0.086	२८६	36	9	०.०१५
२५५	38	9	०.१४८	२८७	38	१०	०,०१०
				२८८	36	११	0,030
						एकूण	६८.३२०

चतुःसीमा :

उत्तरेस.—मौजे नवांदेची शीव

दक्षिणेस.—नाला

पूर्वेस.—मौजे नवांदेची शीव

पश्चिमेस.—मौजे घोडवलीची शीव

मौजे नावंढे, तालुका खालापूर, जिल्हा रायगड

अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र	अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(7)	(3)	(8)	(१)	(7)	(\$)	(8)
१	१०२		0.790	٩	११८		०,४१०
7	१०७	8	0.730				
ş	१०८	8	0.700	१०	११९		0.870
8	११३		१.२६०	११	१२०		०,३५०
				१२	१२१		0.820
ų	११४		०.५५०	१३	१२२		0.६३०
६	११५		१.५५०	१४	१२३		0.220
9	११६		०,५३०			70	
۷	११७		0.38.0	१५	१२७	Pt.	०.११०



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

भाग चार-ब-२२७-३



			अनुसू	ची—चालू			
(१)	(5)	(३)	(8)	(१)	(5)	(३)	(8)
९६	220		०.०८६	१३६	२६१	۷	0,000
90	२२८		०.९५०	१३७	२६१	9	०.०७२
98	229		0.000	१३८	२६१	१०	0.007
99	२३०		०.०१०	१३९	२६१	११	0.066
१००	२३१		6.883	१४०	२६१	१२	०.०६९
१०१	232		०.८१५	888	२६१	१३	0.090
१०२	233		0.080	१४२	२६२		0,070
१०३	238		०.०१०	१४३	२६३		0,080
१०४	२३५		१.१७०	888	२६४	१	9ξο.0
१०५	२३६		2.979	१४५	२६४	7	0.037
१०६	२३७		०.१६०	१४६	२६४	3	0.032
१०७	२३८		0.388	१४७	२६४	8	ο.ο३२
१०८	२३९		०.१७७	१४८	२६४	4	0.037
१०९	280		०.०५०	१४९	२६४	ξ	0.037
११०	285		0,090	१५०	२६४	9	0.037
१११	283		०.१०६	१५१	२६४	۷	0.070
११२	588	१	४.६६९	१५२	२६४	9	0.070
११३	588	२	०.२५०	१५३	२६४	१०	ο,οξο
११४	२४६		2.089	१५४	२६४	११	०.०३५
११५	२४७		0.084	१५५	२६४	१२	ο,ο33
११६	२४८		०.०६०	१५६	२६४	१३	०.०३५
११७	588		0.409	१५७	२६४	१४	0.037
११८	२५०		0.309	१५८	२६४	१५	٥,٥٥
११९	२५१		0,080	१५९	२६४	१६	ο,οξο
१२०	२५२		0.073	१६०	२६४	१७	०.०३६
१२१	२५३		٥.८४२	१६१	२६४	१८	०.०२१
१२२	२५४		0.870	१६२	२६४	१९	०.०२८
१२३	२५५		0.043	१६३	२६४	२०	0.076
१२४	२५६		०.१४९	१६४	२६४	२१	0.076
१२५	२५७		०.५४४	१६५	२६४	22	0.076
१२६	२५८		०.२५८	१६६	२६४	२३	०.०२८
१२७	२५९		०.०१०	१६७	२६४	58	०.०२८
१२८	२६०		0,030	१६८	२६४	24	0.072
१२९	२६१	१	0.870	१६९	२६४	२६	०.०२८
१३०	२६१	?	०.०६०	१७०	२६४	२७	εξο.o
१३१	२६१	3	0.000	१७१	२६४	२८	0.076
१३२	२६१	8	०.०७१	१७२	२६४	79	00\$,0
१३३	२६१	ų	०.०६६	१७३	२६४	30	εξο.ο
१३४	२६१	६	0,030	१७४	२६४	38	0.088
१३५	२६१	Ø	०.०६१	१७५	२६४	३ २	9,039



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

(१)	(5)	(3)	(8)	(१)	(२)	(\$)	(8)
१७६	२६४	33	0.039	१९९	200		6,083
१७७	२६४	38	0.033	200	२७१		०.४५५
१७८	२६४	34	ο,οξο	२०१	२७२		१.७९७
१७९	२६४	३६	0.076	२०२	२७३		१.१०५
१८०	२६४	३७	०.०२८	२०३	२७४		०,०६०
१८१	२६४	36	0.0₹Ę	808	२७५	१	१.२८०
१८२	२६४	39	०.०३५	२०५	२७५	2	०.१५४
१८३	२६४	४०	०.०२८	२०६	२७६		0.090
१८४	२६४	४१	०.०२८	२०७	२७७		०.४३४
१८५	२६४	85	०.०२८	२०८	२७८		०.२८९
१८६	२६४	83	0.040	२०९	२७९		१.०८९
१८७	२६४	88	0.079	२१०	२८४		१.६६२
१८८	२६४	४५	०.०२८	२११	२८५		०.५३९
१८९	२६४	४६	०.०२८	२१२	२८६		०.२६०
१९०	२६४	४७	०.०४५	२१३	२८७		0.070
१९१	२६४	88	०.६४७	२१४	३१०		0.006
१९२	२६४	88	०.२४१	२१५	१३५		0,800
१९३	२६४	40	१.२३४	२१६	२८०	8	१.९८०
१९४	२६५		०.०६६	२१७	२८०	7	०.६५०
१९५	२६६		0.040	२१८	२८०	3	0.860
१९६	२६७		०.२३७	288	२८१		०.०६०
१९७	२६८		१.०८७	220	२८२		०.८९०
१९८	२६९		०.०५८	२२१	२८३		0.890
				3		एकूण	८९.५७१

चतुःसीमा :

उत्तरेस.—गट नं. २९२, २९३, ३१२, १५०, १४५, १४४, १८१, १२४, १८८, ६६, १८०, १३५, २९९

दक्षिणेस.—नाला

पूर्वेस.—हल बुद्रुक ते कर्जत रोड

पश्चिमेस.—मौजे कांढरोलीची शीव

मौजे मानिकवली, तालुका खालापूर, जिल्हा रायगड

अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र	अनुक्रमांक	सर्व्हे	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(8)	(7)	(\$)	(8)	(१)	(7)	(\$)	(8)
१	१५		०.६४०	8	३५		0.890
2	३ २		०.५४७	4	३६		0.900
3	33		0.880	Ę	३७		०.२३५

भाग चार-ब-२२७-९अ



(१)	(7)	(3)	(8)	(१)	(२)	(3)	(8)
9	36		0.099	84	७६		०.६८०
۷	39		0.300	४६	99		0.340
9	80		०.४७५	80	७८		0.800
१०	४१		0.800	४८	७९		0.888
११	82		0.870	४९	८०		0.030
१२	83		0.700	40	८१		०.६७९
१३	88		०.२२८	48	८२		0.508
१४	४५		0.028	42	८३		0.833
१५	४६		०.०६०	43	28		0.043
१६	80		0.703	48	64		0.048
१७	४८		0.080	44	८६		0.495
१८	४९		0.738	५६	66		0.53
१९	40		0.708	40	८९	8	0.848
२०	42		०.६२०	40	८९	?	0.80%
२१	५३		०.२०६	49	90	1	0.808
२२	48		0.730	٠,٠ <i>६</i> ٥	९१		०.१६८
२३	44		0.800	६१	9 7		0.080
28	५६	8	8.022	६२	, ° , °		0.889
२५	५६	2	0,070	६३	98		0.800
२६	40		0.099	ĘX	९५		0.306
२७	40		०.२१५	६५	९६		0.700
२८	49		०.७११	६६	90		0.983
29	६०		905.0	६७	९८		0.840
३०	६१		0,5%	६८	99		0.900
38	६२		०.६९६	६९	१००		0.530
32	६३		0.086	90	१०१		0.080
33	६४		०.२३८	৩१	१०२		۶.३८७
38	६५		0.394	<u>७२</u>	१०३		2.000
34	६६		0,070	७३	१०४		०.६१३
३६	६७		०.१८२	98	१०५		0.090
३७	६८		०.४३५	૭५	१०६		7.540
36	६९		0.783	७६	१११		0.646
39	90		۶۵۶.۰	99	११२		0.80
४०	৩१		०.६०४	96	११३	१	०.६९८
४१	७२		०.०८६	७९	११३	٠ २	0.070
82	७३		०,६८०	60	११६		0.870
83	७४		०.४८६	८१	११७		0.000
88	७५		0.870	८२	११८		0.878



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

			अनुसृ	ची—चालू			
(१)	(7)	(३)	(8)	(१)	(२)	(३)	(8)
८३	११९		0.798	१२२	१९५		0.808
85	१२०		४,४३४	१२३	१९६		0.340
64	१२१		०,०१०	१२४	१९७		٥,४३८
८६	१२२		०.२३८	१२५	१९८		०.०७१
८७	१२३		0.370	१२६	१९९		०.६०२
22	१२४		6,083	१२७	२००		80%
८९	१२५		०.०७६	१२८	२०१		१.१६१
90	१२६		0.098	१२९	२१६		०.४१३
98	१२७	१	0.746	१३०	२१७		०.१९५
99	१२७	2	0.786	१३१	२१८		०.६९१
93	१२८		०.१०६	१३२	२१९		0.888
98	१२९		०.११४	१३३	२२०		०.४७५
९५	१३०		0.733	१३४	२२१		0.098
९६	१३१		०.०८६	१३५	२२२		०.८९५
90	१३३	पैकी	888.0	१३६	२२३		0.77८
९८	१३४		०.६९२	१३७	२२४		०.२४१
99	१३५		०.२३५	१३८	२२५	8	०.६११
१००	१३६		०.०८६	१३९	२२५	2	०.२१०
१०१	१३७		0.730	१४०	२२६		0.098
१०२	१३८		0.730	१४१	२२७		०.५९१
१०३	१३९	१	०.४७१	१४२	२२८		0.066
१०४	१३९	2	०.०७१	१४३	२२९		0.706
१०५	१४०		०.१५०	888	२३०		0,880
१०६	१४१		०.३०६	१४५	२३१		०,१७०
१०७	१४२		0.830	१४६	२३२		०.१४६
१०८	१४३		१.१९७	१४७	२३३		0.040
१०९	888		0.880	१४८	538		0.8%0
११०	१४५		०.४२७	१४९	२३५		०.०५६
१११	१४६		०.६५४	१५०	२३६		0.978
११२	१४७		0,000	१५१	२३७		0,086
११३	१४८		०.२१३	१५२	२३८		0,070
११४	१४९		0,030	१५३	२३९		0.439
११५	१८८		0.989	१५४	280		०.१८१
११६	१८९		०.०५१	१५५	२४१		०.०१५
११७	१९०		0.006	१५६	282		०.२१७
११८	१९१		०.०६६	१५७	583		0.830
११९	१९२		०.०२५	१५८	588		0.880
१२०	१९३		0.783	१५९	२४५		१.२१४
१२१	898		0.000	()		एकूण	५९.०६०

November 2016



अनुसूची—चालू

चतुःसिमा :

उत्तरेस.—मौजे हाळ बुद्रुक ते कर्जत रोड व मौजे मानिकवलीचे गट नं. १०७, १०९, ११०, ११४, ११५.

दक्षिणेस.—नाला

पूर्वेस.—कर्जत-खोपोली रेल्वे लाईन

पश्चिमेस.—नाला व मौजे अंजरुनची शीव.

मौजे हाळखुर्द, तालुका खालापूर, जिल्हा रायगड

अनुक्रमांक	सर्व्हे नंबर	गट नंबर	क्षेत्र (हे. आर)	अनुक्रमांक	गट नंबर	हिस्सा नंबर	क्षेत्र (हे. आर)
(१)	(२)	(३)	(8. MK)	(१)	(२)	(३)	(8. MK)
100		2.5.5	W W	MS I MAI		300-9934 (1 + 140)	
8	48	पैकी	0.700	38	५७	१५	०.१००
7	५५	8	०,०६०	32	५७	१६	90.0
3	५५	?	०.१९०	33	५७	१७	0,000
8	५५	३अ	१.०८०	38	40		0.270
4	५५	8	०,०२०	३५	५९	8	०.५९०
ξ	५५	ų	०.११०	३६	५९	?	१.२५०
9	44	६	०.२२०	३७	49	ş	०.४५०
6	५५	9	0,390	36	49	8	०.४५०
9	५५	८अ/१	ο,οξο	39	६०	१अ	०,६३०
१०	५५	८अ/२	0,080	80	६०	१ब	0.330
११	44	८अ/३	0,080	४१	६०	२	०.५७०
१२	५५	८अ/४	0,090	85	६०	3	०.२८०
१३	44	9	०.१८०	83	६१	१अ	७.१८४
१४	५५	१०	०.०१०	88	६१	१ब	०.१३७
१५	44	११अ	०.०६०	४५	६१	२अ	०.५२९
१६	५५	११ब	0,070	४६	६१	२ब	०.४७५
१७	40	8	०.०१०	80	६१	३अ	०.२३६
१८	40	?	०.०७१	88	६१	३ब	०.१८७
१९	40	3	०.२२८	88	६१	३क	0.700
२०	40	8	०.१०१	40	६१	३क	०.०६१
२१	40	4	०.०७१	५१	६२	१	०,०१०
२२	40	ξ	0.886	५२	६२	२	ο,οξο
२३	40	9	०.१९०	५३	६२	3	0.000
58	40	۷	०.४६२	48	६२	४अ	0,830
२५	40	9	0.730	५५	६२	४ब	0.878
२६	40	१०	0.070	५६	६२	ц	०.५२१
२७	40	११	0.822	40	६२	६	0,030
२८	40	१२	0.783	40	६२	9	0.860
29	40	१३	०.११०	49	६२	۷	०,०६०
30	40	१४	०.११४	६०	६३	अ	१.०२२



(१)	(5)	(3)	(8)	(१)	(5)	(३)	(8)
६१	६४		१.१५३	७९	६७	१	0.838
६२	६५	8	०.०९१	८०	६७	?	०.५७९
६३	६५	२अ	०.१७०	८१	६८	१	0.932
६४	६५	२ ब	0.800	८२	६८	२	०.६७६
६५	६५	3	0,38.0	८३	६८	3	0.020
६६	६५	8	0.533	८४	६९	१	१.६७१
६७	६५	ų	०.०६०	८५	६९	२	0.879
६८	६५	ξ	0.820	८६	90	१	0.040
६९	६५	9	0.220	८७	90	२	0.89.0
90	६६	१अ	0.730	22	90	३अ	0,880
७१	६६	१ब	0.730	८९	90	३ब	0,830
७२	६६	7	०.३४१	90	90	8	0.220
७३	६६	3	०,८१०	९१	90	५अ	०,०६०
७४	६६	X	0.893	92	90	५ब	०,०६०
७५	६६	ų	०.०६६	९३	90	६	०,१६०
७६	६६	ξ	9,58.0	88	90	9	०,०६०
७७	६६	9	0.770	९५	90	۷	0.832
७८	६६	۷	०.१९५	९६	90	9	०.२५०
				90	90	१०	0,070
						एकूण	२८.५१९

चतुःसिमा :

उत्तरेस.—मौजे अंजरुनची शीव.

दक्षिणेस.—राष्ट्रीय महामार्ग क्र. ४ (मुंबई-पुणे).

पूर्वेस.—मौजे हाळ सर्व्हे नं. ७१, ७२, ४, २.

पश्चिमेस.--मौजे हाळ सर्व्हे नं. ६६अ, ५९, ६०.

मौजे अंजरुण, तालुका खालापूर, जिल्हा रायगड

अनुक्रमांक	गट	हिस्सा	क्षेत्र	अनुक्रमांक	गट	हिस्सा	क्षेत्र
	नंबर	बर नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(7)	(3)	(8)	(१)	(3)	(3)	(8)
१	१	१	0.040	۷	8		0.१२७
?	१	२अ	०.२७२	9	ч	8	०.०२५
3	१	२ब१	0,0\$0	१०	ч	7	0.099
8	१	२ब२	०.०५०	११	६		0.070
4	२	85	०.१६०	१२	७		०.४६४
ξ	२		0,070	१३	۷		०.३२६
9	3		०.७८६	१४	9		0.389



२४ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची— चालू										
(१)	(२)	(३)	(8)	(१)	(२)	(३)	(8)			
१५	१०		०७६.०	48	४८		०.०९६			
१६	११		0.780	५५	४९		0,370			
१७	१२		889.0	५६	40		०.११६			
१८	१३		०.१०१	40	48		०.२८०			
१९	१४		6,03	46	५२	१	0.888			
२०	१५	१	0.890	49	42	7	०.२६६			
२०	१५	2	०.०६०	६०	५३		०.६९६			
२१	१६		0.049	६१	48		0,083			
22	१७		٥.٥٥	६२	५५	१	808.0			
२३	१८		0.7८८	६३	44	7	०.१४०			
28	१९		०.१८६	६४	५६		0.808			
२५	२०		१.०००	६५	40		०.०६०			
२६	२१		०.०१०	६६	40		0.880			
२७	२२		0.000	६७	49		0.780			
२८	२३		0.370	६८	६०		0.900			
29	28		0.800	६९	६१		०.१०१			
30	२५		0.070	90	६२		०.०६५			
38	२६		१.३६५	७१	६३		0.042			
32	२६		०.२६७	७२	६४		0.883			
33	२७		0.300	७३	६५		०.२५३			
38	२८		0.800	७४	६६		0,870			
34	29		०.११०	७५	६७		०.१०६			
३६	३०		०.१४५	७५	६८		0.38.0			
३७	38		0.379	७६	६९		0.760			
36	32		888.0	७७	90		0,080			
39	33		0.749	90	७१		०.१२६			
80	38		०.५३९	७९	७२		०.०६०			
४१	३५		0.040	८०	७४	7	0.790			
83	३६		०.१८७	८१	७६		०,३६४			
83	३७		०.४१०	८२	७७		2.822			
88	36		0.908	८३	90		0.489			
४५	39		0.348	८४	७९		०.७५६			
४६	80		०.१५०	८५	60		0.770			
४७	४१		0.830	८६	८१		०.२६८			
४८	85		०.२६७	७১	८२		0,060			
४९	४३		0.38.0	22	८३		0.882			
40	88		०.०६९	८९	68		०.४३१			
48	४५		०.०६०	९०	64		१.२७३			
42	४६		0.008	98	८६		०.५८५			
५३	४७		०.५३०	99	20		०.४६०			



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

अनुसूची— चालू										
(१)	(3)	(3)	(8)	(१)	(5)	(3)	(8)			
९३	22		०.२६८	१३३	१२७		०.५३४			
98	८९		०.२६८	१३४	१२७	7	०,३८२			
९५	90		०.२६०	१३५	१२८		0.802			
९६	९१		०.७५४	१३६	१२९		0.049			
90	99		0.388	१३७	१३०		०.२८१			
38	93		0.760	१३८	१३१		०.३५७			
99	98	१	०.०६०	१३९	१३२		0.733			
१००	98	7	0.888	१४०	१३३		0.33८			
१०१	९५		०.२८६	१४१	१३४		०.३८२			
१०२	९६		०.५०१	१४२	१३५		०.१०६			
१०३	90		०.४३८	१४३	१३६		0.389			
१०४	96		0.379	१४४	१३७		०.४२५			
१०५	99		0.400	१४५	१३८		०.१३७			
१०६	१००		०.११०	१४६	१३९		०.०६१			
१०७	१०१		0.390	१४७	१४०		0.448			
१०८	१०२		०.९१६	१४८	१४१		0.084			
१०९	१०३		0,830	888	१४२		0.084			
११०	१०४		9,63.0	१५०	१४३		०.२६०			
१११	१०५		०.४८१	१५१	१४४	१	०.१७७			
११२	१०६		०.५६४	१५२	१४५		0.090			
११३	१०७		०.१५०	१५३	१४६		०.२६३			
११४	२०८		0.883	१५४	१४७		0.086			
११५	१०९		0.700	१५५	१४८		७.७२८			
११६	११०		०.४१४	१५६	१४९		8\$5.0			
११७	१११		0.223	१५७	१५०		०.४८६			
११८	११२		0.903	१५८	१५१		०.२६३			
११९	११३		०.५७४	१५९	१५२		०.६७७			
१२०	११४		0.660	१६०	१५३		१.६०९			
१२१	११५		0.338	१६१	१५४		०.२३८			
१२२	११६		0.370	१६२	१५५		०.२१५			
१२३	११७		०.५१७	१६३	१५६		०.८६०			
१२४	११८		0.007	१६४	१५७		०.४४५			
१२५	११९		०.१८५	१६५	१५८		१.१४३			
१२६	१२०		०.७२६	१६६	१५९		१.२४२			
१२७	१२१		०.३८५	१६७	१६०		०.८९५			
१२८	१२३		०.४०५	१६८	१६१		0.880			
१२९	१२५	१	0.220	१६९	१६२	१	०.२७८			
१३०	१२५	7	0.700	१७०	१६२	7	०.२१५			
१३१	१२६	१	0.778	१७१	१६३		०.७८६			
१३२	१२६	7	०.१६२	१७२	१६४	१	0.866			

भाग चार-ब-२२७-४



			अनुसू	ची —चालू			
(१)	(۶)	(३)	(8)	(१)	(5)	(३)	(8)
१७३	१६४	2	०.६६८	२१३	२०४		०.१२४
१७४	१६५		0,300	788	२०५		०.१७४
१७५	१६६		०.२८३	२१५	२०६	8	0.800
१७६	१६७		०.५२९	२१६	२०६	7	१.१६४
१७७	१६८		०.९३६	२१७	२०७		0.887
१७८	१६९		0.800	२१८	२०९		0.780
१७९	१७०		680.0	२१९	२१०		0.808
१८०	१७१		०.२२५	२२०	२११		०.११४
१८१	१७२		०.३२६	२२१	२१२		०.५९४
१८२	१७३		०.४५७	222	२१३		०.२६६
१८३	१७४		०.२४१	२२३	२१४		०.२३५
१८४	१७५		०.२७१	258	२१५		०.९६४
१८५	१७६		०.२९८	२२५	२१६	१	१.०३१
१८६	१७७		१.११०	२२६	२१६	2	०.१६०
१८७	२७८		00\$,0	२२७	२१७		०.२७६
328	१७९		०.२५३	२२८	२१८		0.338
१८९	१८०		०.१६४	228	२१९		0.700
१९०	१८१		०.८५०	२३०	२२०		0.046
१९१	१८२		०.२७३	२३१	२२१		०.६८८
१९२	१८३		०.६२०	२३२	२२२		०.२५६
१९३	१८४		०,०१०	२३३	२२३		०.०६१
१९४	१८५		0.709	२३४	२२४		०.५४६
१९५	१८६		0,070	२३५	२२५		0.880
१९६	१८७		०.०८६	२३६	२२६		0.404
१९७	१८८		०.५३२	२३७	२२७		£80.0
१९८	१८९		0.36.0	२३८	२२८		०.०५६
१९९	१९०		0.88.0	२३९	२२९		०.३६६
200	१९१		०.१५७	580	२३०		0.900
२०१	१९२		880.0	588	२३१		०.४२८
२०२	१९३		०.२७६	285	२३२		0.090
२०३	१९४		०.६७३	583	२३३		0.770
808	१९५		०.७७९	588	538		०.०४५
२०५	१९६		888.0	२४५	२३५		0.270
२०६	१९७		०.८०१	२४६	२३६		०.१८५
२०७	१९८		0.58.0	२४७	२३७		०.५३०
२०८	१९९		०.१६७	२४८	२३८		०.०९६
२०९	२००		०.८३२	586	२३९		0.080
२१०	२०१		०,०६०	२५०	280		0,800
२११	२०२		0.780	२५१	२४१		9,839.0
२१२	२०३		0.822	२५२	२ ४२		०.२८१



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

(8)	(5)	(३)	(8)	(१)	(3)	(३)	(8)
२५३	२४३		०.१७६	२५९	२४९		०.०१०
२५४	288		०.०१०	२६०	२५०		०,०१०
२५५	२४५		०.०१०	२६१	२५१		०,०१०
२५६	२४६		0.080	२६२	२५२		०,०१०
२५७	२४७		0.080	२६३	२५३		०.०११
२५८	२४८		0.080	२६४	२५४		०.६९३
				39		एकण	८९.२५७

चतुःसिमा :

उत्तरेस.—नाला

दक्षिणेस.—मौजे हळखुर्दची शीव.

पूर्वेस.—मौजे मानिकवलीची शीव व मौजे अंजरुनचे गट नंबर २०८.

पश्चिमेस.—नाला.

मौजे तळवली, तालुका कर्जत, जिल्हा रायगड

अनुक्रमांक	गट	हिस्सा	क्षेत्र	अनुक्रमांक	गट	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(२)	(\$)	(8)	(१)	(7)	(\$)	(8)
१	२०	१	٥,٤٥٥	२२		२	०.५३१
?		२अ	0.984	२३		3	0.699
3		२ ब	०.२६०	58		8	०.४४३
8	२५	8	0.286	२५	३ ३	o	०.३७४
4		?	०.६९३	२६	38	o	0.500
ξ	२६	१अ	१.४९१	२७	३५	o	०.५०६
9		१ ब	2.000	२८	३६	8	०.२६८
6		२	०.२८३	29		२	०.२६८
9	२७	8	१.३३७	३०		3	०.४९१
१०		7	०.१६०	३ १	३७	१अ	०.३५९
११	२८	o	०.५५६	32		१ब	0.379
१२	79	8	0.040	33	३७	२	०.५७९
१३		२	०.१५०	38	३८	१	०.८१९
88		3	0.790	३५		२	०.६५६
१५		8	०.१५०	3Ę	39	0	१.१२१
१६		ų	१.४१०	३७	80	१अ	०.५४३
१७	३०	0	०.४८८	36		२अ	908,0
१८	38	የ	0.882	39		3	०.०२५
१९		२	\$20.0	४०		४अ	०.३४४
२०		3	0,408	४१	४१	१	१.६६०
२१	32	१	0.388	85		२अ	१.९१०

भाग चार-ब-२२७-४अ



२८ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

			अनुसूर्च	ो—समाप्त.			
(१)	(7)	(\$)	(8)	(१)	(२)	(\$)	(8)
\$\$		२ ब/१	0.730	६१	४५	१	०.३६०
88		२ ब/२	०,२६०	६२		२	0,800
४५		3	٥٥٤.٥	६३	४६	o	0.800
४६		8	०.०६०	६४	४७	१	१.४४८
80	85	8	०.१९५	६५		२	0.000
86		२	०.०९६	६६		3	0.700
88		3	०.५५२	६७	86	0	०,४१०
40		8	०.२५५	६८	५६	१	०.५३०
५१		ч	१.३५०	६९	५६	?	0.890
42		६	50€.0	90		3	०.१४०
५३		9	٥.۶٤.٥	७१		8	०,६७०
48		۷	०.०२५	७२		५अ	१.२३३
44		9	٥.٥٥	७३		५ब	०.५८६
५६	83	0	०.७११	७४	५६	६	0.733
40	88	8	8.378	७५		9	0.840
40		२अ	0.870	७६		८अ	0.220
49		२ब	0.866	७७		८ब	0.409
६०		3	०.५३२	96	40	0	०.२३५
				£.		एकूण	३९.२६९

चतुःसिमा :

उत्तरेस.—मौजे तळवली सर्व्हे नं. १, २, गावठाण, १०, ९, २२.

दक्षिणेस.—मौजे नावंढे व वांगणीची शीव

पूर्वेस.—मौजे तळवली सर्व्हे नं. २४.

पश्चिमेस.—फॉरेस्ट.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने,

वै. भू. लटके, शासनाचे उप सचिव.

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

INDUSTRIES, ENERGY AND LABOUR DEPARTMENT

Madam Cama Marg, Hutatma Rajguru Chowk, Mantralaya, Mumbai 400 032, dated the 22nd September 2015

NOTIFICATION

Maharashtra Industrial Development Act, 1961.

No. IDC. 2007/(718)/IND-14.—In exercise of powers conferred by sub-section (3) of section I of the Maharashtra Industrial Development Act, 1961 (Mah. III of 1962), the Government of Maharashtra hereby appoints 23rd September 2015 to be the date from which the provisions of Chapter VI of the said Act shall take effect in certain areas of villages Kelvali, Vangni, Ghodivali, Kandroli, Navandhe, Mankivali, Helkhurd, Anjarun, in Taluka Khalapur of District Raigad and village Talavli in Taluka Karjat of District Raigad, mentioned in the Schedule appended hereto and declares the said area to be an industrial area under clause (g) of section 2 of the said Act, for the purpose of the said Act;

The said area is more clearly defined in red in the maps deposited in the offices of the Chief Executive Officer, Maharashtra Industrial Development Corporation, Andheri (East) Mumbai 400 093 and Sub Divisional Officer, Khalapur, Division Khalapur, District Raigad and is bounded by the areas as indicated in the said schedule.

Schedule Village Kelvali, Taluka Khalapur, District Raigad

Serial No.	Survey No.	Hissa No.	Area (H. R.)	Serial No.	Survey No.	Hissa No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	0	0.791	26		В	0.030
2	9	0	1.238	27	31	1	0.800
3	11	0	0.758	28		2	0.200
4	12	0	1.047	29	32	0	0.759
5	14	0	0.207	30	33	0	0.822
6	15	0	0.150	31	34	0	0.781
7	16	1	0.235	32	35	0	0.455
8	17	0	0.347	33	36	0	0.455
9	18	0	0.482	34	37	0	0.104
10	19	0	0.540	35	38	0	0.457
11	20	0	0.397	36	39	0	0.234
12	21	0	1.532	37	40	0	0.718
13	22	0	0.836	38	41	0	0.380
14	23	0	0.230	39	42	0	1.095
15	24	0	0.100	40	43	0	0.995
16	25	0	0.290	41	44	0	1.130
17	26	A	0.406	42	45	0	0.526
18		В	0.620	43	46	0	0.392
19		C	0.468	44	47	0	0.200
20	27	0	0.642	45	48	0	1.143
21	28	0	0.225	46	49	0	1.350
22	29	0	0.672	47	50	0	0.426
23	30	1	0.600	48	51	0	0.417
24		2	0.331	49	52	0	0.099
25	31	A	0.419	50	53	0	0.332



३० महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

			Sorroad	o commun.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
51	54	A	0.343	99	99	0	0.890
52		В	0.357	100	100	0	0.417
53	55	0	0.440	101	101	0	0.350
54	56	0	0.578	102	102	0	0.050
55	57	0	0.248	103	103	\mathbf{A}	0.637
56	58	0	0.228	104		В	0.030
57	59	0	1.010	105	104	0	0.320
58	60	0	0.351	106	105	0	0.585
59	61	A	1.300	107	106	0	0.383
60		В	0.190	108	107	0	0.091
61	62	0	0.530	109	108	0	0.210
62	63	0	0.120	110	109	0	0.737
63	64	0	0.375	111	110	0	0.546
64	65	0	0.356	112	111	0	0.947
65	66	0	0.898	113	112	0	0.050
66	67	1	0.500	114	113	0	0.238
67		2	0.400	115	114	A	0.200
68		3	0.385	116		В	0.099
69	68	0	1.640	117		C	0.030
70	69	0	0.397	118	115	0	0.480
71	70	0	0.698	119	116	0	0.290
72	71	0	0.928	120	117	0	0.056
73	72	0	0.756	121	118	0	1.955
74	73	0	0.610	122	119	0	0.370
75	74	0	0.484	123	120	1	0.329
76	76	0	1.146	124		2	0.400
77	77	0	1.705	125	121	0	0.620
78	78	0	0.853	126	122	0	0.462
79	79	0	0.407	127	123	0	0.410
80	80	0	0.520	128	124	0	0.700
81	81	0	0.530	129	125	0	0.691
82	82	0	0.410	130	126	0	0.221
83	83	0	0.057	131	127	0	0.025
84	84	0	0.057	132	128	0	0.392
85	85	0	0.446	133	129	0	0.420
86	86	0	0.270	134	130	0	0.728
87	87	0	0.660	135	131	0	0.163
88	88	0	0.320	136	132	0	0.190
89	89	0	1.581	137	133	0	1.113
90	90	0	0.050	138	134	0	0.329
91	91	0	0.050	139	135	0	0.386
92	92	0	0.662	140	136	0	0.372
93	93	0	0.010	141	137	0	0.918
94	94	0	0.791	142	138	0	0.119
95	95	0	0.160	143	139	0	0.060
96	96	0	0.069	144	140	0	0.144
97	97	0	0.371	145	141	0	0.025
98	98	0	0.288	146	142	0	1.095



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
147	143	0	0.916	163	182	0	0.710
148	144	0	0.129	164	183	0	0.420
149	145	0	0.520	165	184	0	0.005
150	146	0	0.944	166	185	0	0.463
151	147	0	0.410	167	186	0	0.280
152	148	0	0.410	168	187	0	0.270
153	149	0	0.460	169	188	0	1.620
154	150	0	0.280	170	189	0	9.140
155	151	0	1.910	171	190	0	0.030
156	152	0	0.155	172	191	0	0.010
157	153	0	0.155	173	192	0	0.015
158	154	0	0.185	174	193	0	0.025
159	155	0	0.200	175	194	0	0.040
160	156	0	0.900	176	195	0	0.023
161	157	0	0.830	177	196	0	0.010
162	158	0	0.610	178	197	0	1.125
				179	198	0	0.420
				8		Total	97.291

Boundaries:

On the North by.—Central Railway

On the South by.-Boundary of Village Dholivali & Nala

On the East by.—Village Kelvli Survey No. 137,138,139,140, 141, 142, 146, 149, 152, 160

On the West by.—Boundary of Village Vangni & Navandhe.

Village	Vanoni	Taluka	Khalanur	District	Raigad

Serial No.	Survey No.	Hissa No.	Area (H. R.)	Serial No.	Survey No.	Hissa No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	0	0.010	18	19	0	1.210
2	2	0	0.590	19	20	0	0.028
3	3	0	0.301	20	21	0	0.033
4	4	0	0.573	21	22	0	0.217
5	5	0	0.390	22	23	0	2.050
6	6	0	0.324	23	24	0	0.618
7	8	0	0.474	24	25	0	0.899
8	9	0	0.417	25	26	0	0.350
9	10	0	0.060	26	27	0	0.324
10	11	0	0.202	27	28	0	0.400
11	12	0	0.140	28	29	0	0.750
12	13	0	1.140	29	30	A 1	0.460
13	14	0	0.099	30		B2	0.060
14	15	0	0.463	31	31	0	0.070
15	16	0	0.554	32	32	0	2.540
16	17	0	0.060	33	33	0	0.780
17	18	0	0.633	34	34	0	0.290

187 November 2016



Schedule—Contd.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
35	37	0	0.220	63	66	0	0.490
36	38	0	0.140	64	67	0	0.706
37	39	0	0.140	65	68	0	0.015
38	40	0	2.690	66	69	0	0.465
39	41	0	2.400	67	70	0	0.163
40	42	0	0.162	68	71	0	0.152
41	43	0	0.931	69	72	0	1.072
42	44	0	0.930	70	73	0	0.422
43	45	0	0.045	71	74	0	1.411
44	46	0	0.555	72	75	0	0.291
45	47	0	0.686	73	76	0	0.866
46	48	0	0.670	74	77	0	0.334
47	49	0	0.050	75	78	0	0.130
48	50	0	1.833	76	79	0	0.080
49	51	0	2.558	77	80	0	0.332
50	52	0	0.274	78	81	0	0.582
51	53	0	0.537	79	82	0	0.493
52	54	0	0.584	80	83	0	0.653
53	55	0	0.400	81	84	0	0.352
54	56	0	0.040	82	85	0	0.137
55	57	0	0.820	83	86	0	0.591
56	58	0	0.288	84	87	0	0.824
57	59	0	1.376	85	88	0	0.124
58	60	0	0.172	86	89	0	0.493
59	61	0	0.150	87	90	0	0.571
60	62	0	0.820	88	91	0	0.402
61	63	0	0.646	89	92	0	0.511
62	65	0	1.134	90	93	0	0.607
				91	94	0	0.582
				92	95	0	0.020
				ii .		Total	52.661

Boundaries:

On the North by.—Boundary of Village Talvali

On the South by.—Boundary of Village Kelvali

On the East by.—Boundry of Village Kelvali

On the West by.-Boundary of Navandhe

Village Ghodivali, Taluka Khalapur, District Raigad.

Serial No.	GAT No.	Hiss No.	Area (H. R.)	Serial No.	GAT No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1		0.354	5	4		0.137
2	2	1	0.147	6	5		0.540
3	2	2	0.045	7	6		0.250
4	3		0.139	8	7		0.144



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

 $Schedule{\bf --Contd}.$

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
9	8		0.469	57	58		0.347
10	9		0.979	58	59		0.050
11	10		0.177	59	60		0.020
12	11		1.368	60	61		0.421
13	12		1.193	61	62		0.659
14	13		0.123	62	63		0.400
15	14		0.556	63	64		0.520
16	15		0.005	64	65		0.071
17	16		0.470	65	66		0.117
18	17		0.071	66	67		0.610
19	18		0.119	67	68		0.870
20	19		0.030	68	69		0.186
21	20		0.856	69	70		0.290
22	21		0.847	70	71		0.020
23	22		0.321	71	72		0.239
24	23		1.205	72	73		0.800
25	24		0.450	73	74		0.483
26	26		1.775	74	75		0.630
27	27		0.311	75	76		0.850
28	28		0.180	76	77		0.372
29	31		2.787	77	78		0.445
30	32		0.884	78	79		0.540
31	33		0.410	79	80		0.400
32	34		0.100	80	81		0.407
33	35	1	0.120	81	82		0.303
34	35	2	0.437	82	83		0.842
35	36		1.086	83	84		0.454
36	37		0.798	84	85		0.253
37	38		0.475	85	86		0.260
38	39		0.966	86	87		0.387
39	40		0.318	87	88		0.335
40	41		0.071	88	89		0.220
41	42		0.119	89	90		0.300
42	43		0.134	90	91		0.228
43	44		0.045	91	92		0.384
44	45		0.520	92	93		0.582
45	46		0.105	93	94		0.165
46	47		0.358	94	95		0.625
47	48		0.060	95	96		0.100
48	49		0.640	96	97		1.138
49	50		0.150	97	98		0.060
50	51		0.222	98	99		0.940
51	52		0.120	100	100		0.280
52	53		0.015	101	101		0.710
53	54		0.010	102	102		0.299
54	55		0.220	103	103		0.580
55	56		0.381	104	104		0.511
56	57		0.320	105	105		0.215

भाग चार-ब-२२७-५

189



३४ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

			Scheau	ie—Contu.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
106	106		0.540	154	153		1.270
107	107		0.498	155	154		0.460
108	108		0.328	156	157		0.920
109	109		0.440	157	158		0.270
110	110		0.500	158	159		0.410
111	111		1.160	159	160		0.490
112	112		0.189	160	161		0.993
113	113		0.750	161	162		1.880
114	114		0.020	162	163		0.696
115	115		0.890	163	164		0.279
116	116		0.110	164	165		0.070
117	117		0.730	165	166		0.690
118	118		0.290	166	167		0.466
119	119	1	0.421	167	168		0.425
120	119	2	0.360	168	169	1	0.110
121	120		0.310	169	169	2	0.110
122	121		0.410	170	170		0.096
123	122		0.550	171	171		0.069
124	123		0.646	172	172	1	0.599
125	124		0.434	173	172	2	0.040
126	125		0.243	174	173		0.614
127	126		0.090	175	174		0.779
128	127		0.851	176	175		0.180
129	128		0.725	177	176		0.140
130	129		1.297	178	177		1.520
131	130		0.116	179	178		0.710
132	131		0.142	180	179		0.150
133	132		0.063	181	180		1.620
134	133		0.673	182	181		0.840
135	134		0.157	183	182	1	0.177
136	135		0.117	184	182	2	0.170
137	136		1.549	185	183	1	0.247
138	137		0.400	186	183	2	0.150
139	138		0.273	187	184		0.340
140	139		0.538	188	185		0.290
141	140		0.510	189	186		0.750
142	141		0.530	190	187		0.240
143	142		0.460	191	187		0.260
144	143		0.170	192	188		1.210
145	144		0.150	193	189		0.650
146	145		0.130	194	190		0.200
147	146		0.159	195	192		0.550
148	147		0.640	196	193		0.960
149	148		0.507	197	194		2.050
150	149		0.144	198	195		1.650
151	150		0.130	199	196		2.670
152	151		0.090	200	197		5.330
153	152		0.550	201	198		1.230



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

भाग चार-ब-२२७-५अ



३६ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

			Scheau	te—Conta.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
298	295		1.674	346	344		0.167
299	296		0.498	347	345		0.319
300	297		1.047	348	346		0.226
301	298		0.137	349	347		0.070
302	299		0.720	350	348		0.300
303	300		0.532	351	349		0.862
304	301		0.264	352	350		0.320
305	302		0.208	353	351		0.270
306	303		0.318	354	352		0.033
307	304		0.196	355	353		0.120
308	305		0.340	356	354		0.390
309	307		0.358	357	355		0.182
310	308		0.060	358	356		0.154
311	309		0.131	359	357		0.033
312	310		0.056	360	358		0.180
313	311		0.114	361	359	1	0.140
314	312		0.048	362	359	2	0.186
315	313		0.290	363	360		0.149
316	314		0.200	364	361		0.253
317	315		0.013	365	362		0.104
318	316		0.249	366	363		0.086
319	317		0.048	367	364	1	0.520
320	318		0.344	368	364	2	1.245
321	319		0.113	369	365		0.099
322	320		0.340	370	366		0.056
323	321		1.472	371	367		0.210
324	322		0.120	372	368		0.100
325	323		0.976	373	369		0.149
326	324		1.485	374	370		0.122
327	325		0.800	375	371		0.510
328	326		0.187	376	372		0.253
329	327		0.090	377	373		0.264
330	328		0.289	378	374		2.205
331	329		0.063	379	375	1	0.200
332	330		0.954	380	375	2	0.050
333	331		0.160	381	376		0.620
334	332		0.360	382	377		0.930
335	333		0.490	383	378		0.320
336	334		0.245	384	379		0.700
337	335		0.350	385	380		0.060
338	336		0.310	386	381		0.180
339	337		0.086	387	382		0.250
340	338		0.604	388	383		0.075
341	339		0.029	389	384		0.233
342	340		0.240	390	385		0.142
343	341		0.160	391	386		0.540
344	342		0.060	392	387		0.271
345	343		0.277	393	388		0.480
-							



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
	55 65	(5)		(1)		(3)	(8. 900)
394	389		0.015	442	440		1.020
395	390		0.182	443	441		0.078
396	391		0.260	444	442		0.081
397	392		0.326	445	443		1.010
398	393		0.439	446	444		0.296
399	394		0.290	447	445		0.175
400	395		0.220	448	446		1.000
401	396		0.110	449	447		0.339
402	397		0.015	450	448		0.250
403	401		0.175	451	449		0.400
404	404		0.110	452	450		0.387
405	405		0.167	453	451		0.068
406	406		0.721	454	452		0.088
407	407		0.147	455	453		0.461
408	408		0.552	456	454		0.111
409	409		0.141	457	455		0.043
410	410		0.147	458	456		0.110
411	411		0.066	459	457		0.363
412	412		0.140	460	458		0.096
413	413	1	5.533	461	459		0.137
414	413	2	0.210	462	460		0.061
415	413	3	0.240	463	461		0.060
416	414		0.060	464	462	1	0.150
417	415		0.873	465	462	2	0.140
418	416		0.200	466	463		0.340
419	417		1.183	467	464		0.076
420	418		0.685	468	465		0.267
421	419		0.217	469	466		0.015
422	420		0.387	470	467		0.326
423	421		0.051	471	468		0.010
424	$422 \\ 423$		0.135	472	469		$0.160 \\ 0.150$
425	423		0.120	473	470		
426			0.233	474	471		0.250
$\frac{427}{428}$	425 426		0.220	475 476	472 473		0.120
429	426		$0.212 \\ 0.150$	477	474		$0.200 \\ 0.269$
430	428		0.150	478	475		0.209
430	428		0.319	478 479	476		0.020 0.256
431 432	430		0.068	479	476		0.256 0.367
433	431		0.290 0.164	481	478		0.367
434	431		0.164 0.172	481	479		0.367
434	432		0.172	483	480		0.280
436	434		0.601	484	481		0.020 0.142
437	434		0.139	485	482		0.142
438	436		0.159 0.159	486	483		0.080
439	437		0.159	487	484		0.000
439 440	437		0.240 0.150	488	485		0.310 0.174
441	439		0.150	489	486		0.174
711	400		0.030	400	400		0.003



३८ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

			Scheau	te—Conta.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
490	487		0.234	530	528		0.650
491	488		0.101	531	529		0.271
492	489		0.706	532	531		0.740
493	490		0.073	533	532		0.761
494	491		0.099	534	533		0.310
495	492		0.630	535	534		0.130
496	493		0.061	536	535		0.190
497	494		0.076	537	536		0.860
498	495		0.413	538	537		0.327
499	496		0.070	539	538		0.045
500	497		0.139	540	539		0.240
501	498		0.066	541	540		0.114
502	499		0.822	542	541		0.035
503	500		0.140	543	542		0.174
504	501		0.673	544	543		0.445
505	502		0.757	545	544		0.099
506	503		0.096	546	545		0.164
507	504		0.079	547	546		0.547
508	506		0.198	548	547		0.184
509	507		0.053	549	548		0.101
510	508		0.033	550	549		0.058
511	509		0.244	551	550		0.189
512	510		0.330	552	551		0.233
513	511		0.080	553	552		0.803
514	512		0.180	554	553		0.056
515	513		0.160	555	554		1.433
516	514		0.884	556	555		0.045
517	515		0.688	557	556		0.063
518	516		0.056	558	557		0.718
519	517		0.110	559	558		0.817
520	518		0.320	560	559		0.877
521	519		0.015	561	560		0.789
522	520		2.182	562	561		0.150
523	521		0.467	563	562		2.561
524	522		0.359	564	563		0.107
525	523		0.104	565	564		0.248
526	524		0.742	566	565		0.359
527	525		0.050	567	566		0.494
528	526		0.372	568	567		0.127
529	527		0.490	569	569		0.112
						Total	256.551

Bundaries —

On the North by.—Village Godivali Gat No. 155 & 191

On the South by.—Nala

On the East by.-Village Boundry of Kandroli

On the West by.-Village Boundry of Khalapur and village Kandroli Gat No. 29, 30.



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

 $Schedule — {\tt Contd}.$ Village Kandroli, Taluka Khalapur, District Raigad

-		vinage	Kandron, Taluka	Miaiapui,	District	itaigau	
Serial	Survey	Hiss	Area	Serial	Survey	$_{ m Hiss}$	Area
No.	No.	No.	(H. R)	No.	No.	No.	(H. R)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	2	1	1.220	47	10	2	0.302
2	2	3	0.090	48	10	3B	0.345
3	2	4	0.070	49	10	3C	1.294
4	2	5	0.250	50	10	4	0.167
5	2	6	0.060	51	10	6	0.200
6	2	7	1.670	52	10	8	0.144
7	3	1	5.610	53	10	9	0.010
8	3	2	0.020	54	10	10	0.160
9	3	3	0.070	55	10	11	0.005
10	4	1	0.060	56	10	12	0.272
11	4	2	0.191	57	10	13	0.120
12	4	3	0.035	58	10	14	0.157
13	4	4	0.067	59	11	1	0.414
14	4	5	0.079	60	11	2	0.337
15	4	6	0.061	61	11	3	0.419
16	4	7	0.104	62	11	4A	0.010
17	4	8	0.025	63	11	4B	0.015
18	5	1	0.448	64	11	5	0.230
19	5	2	0.078	65	11	6	0.165
20	6	1A	0.703	66	13	1	0.033
21	6	1B	0.790	67	13	2	0.220
22	6	1C	0.789	68	13	3	0.030
23	6	2	0.167	69	13	4A	0.475
24	6	3	0.033	70	13	4B1	0.034
25	6	4	0.020	71	13	4B2	0.029
26	7	1	0.446	72	13	4B3	0.029
27	7	2	0.288	73	13	4B4	0.027
28	7	3A1	0.495	74	13	4B5	0.028
29	7	3A2	0.495	75	13	4B6	0.026
30	7	3A3	0.506	76	13	4B7	0.030
31	7	3B	0.367	77	13	4B8	0.038
32	7	4	0.177	78	13	4B9	0.047
33	7	5	0.130	79	13	4B10	2.980
34	7	6	0.030	80	13	4B11	0.029
35	8	2	1.100	81	13	4B12	0.040
36	9	1	0.076	82	13	4B13	0.028
37	9	2A	0.402	83	13	4B14	0.055
38	9	2B	0.400	84	13	4B15	0.029
39	9	3	0.086	85	13	4B16	0.029
40	9	4	0.025	86	13	4B17	2.940
41	9	5	1.923	87	13	4B18	0.046
42	9	6	0.440	88	13	4B19	0.032
43	9	7	0.079	89	13	4B20	0.031
44	9	8	0.070	90	13	4B21	0.043
45	9	9	0.038	91	13	4B22	0.028
46	10	1	0.023	92	13	4B23	0.028
1,770,00	2000,100	450	en con un arcificio differi	98.VE-DV	V-100000 - 1	analysis of Villa	NAMES OF THE STREET



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)	
93	13	4B24	0.028	141	22	1	0.595	
94	13	4B25	0.036	142	22	2	0.300	
95	13	4B26	0.028	143	22	3	0.038	
96	13	4B27	0.029	144	22	4	0.087	
97	13	4B28	0.029	145	22	5	0.160	
98	13	4B29	0.030	146	22	6	0.570	
99	13	4B30	0.030	147	23	1	0.258	
100	13	4B31	0.367	148	23	2	0.617	
101	15	1	0.989	149	23	3	0.261	
102	15	2A	0.366	150	23	4	0.280	
103	15	2B	0.080	151	23	5	0.147	
104	17	1A	0.861	152	24	1	0.244	
105	17	2	0.061	153	24	2	0.287	
106	17	3B	0.347	154	24	3	0.060	
107	17	3C	0.043	155	24	4	0.489	
108	17	3A1	0.334	156	24	5	0.290	
109	17	3A2	0.180	157	24	6	0.099	
110	17	5	0.030	158	25	1	0.690	
111	17	6A	0.015	159	25	2	0.111	
112	17	6B	0.130	160	25	3	0.480	
113	17	8A	0.190	161	25	4	0.040	
114	17	8B	0.203	162	25	5	0.116	
115	17	9A	0.100	163	25	6	0.056	
116	17	9B	0.073	164	25	7	0.266	
117	17	11A	0.106	165	25	8	0.071	
118	17	13	0.008	166	25	9	0.326	
119	18		0.083	167	25	10	0.126	
120	19	1	0.110	168	25	11	0.073	
121	19	2	0.300	169	25	12	0.030	
122	19	3	0.080	170	25	13	0.078	
123	19	4	0.370	171	25	14	0.040	
124	19	5	0.040	172	25	15	0.033	
125	20	1	0.473	173	26	1	0.338	
126	20	2	0.140	174	26	3A	0.020	
127	20	3	0.033	175	26	3B	0.040	
128	20	4	0.270	176	26	4	0.206	
129	20	5	0.116	177	26	7	0.023	
130	20	6	0.569	178	26	8A	0.460	
131	20	7	0.086	179	26	8B	0.403	
132	20	8	0.150	180	26	8C	0.455	
133	20	9	0.280	181	27	1A	0.172	
134	20	10	0.091	182	27	1B	0.210	
135	20	11	0.033	183	27	3	0.260	
136	21	1	0.172	184	27	4A	0.39.5	
137	21	2	0.422	185	27	4B	0.392	
138	21	3	0.200	186	28	1	0.130	
139	21	4	0.363	187	28	2A	1.003	
140	21	5	0.060	188	28	2B	0.180	



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
189	28	3	0.232	232	32	9	0.163
190	28	5	0.094	233	32	10	0.290
191	28	6	0.131	234	32	11	0.140
192	28	7A	0.370	235	33	1	0.170
193	28	7B	0.096	236	33	2	0.060
194	28	8	0.182	237	33	3A	0.410
195	28	9	0.392	238	33	3B	0.197
196	28	10	0.005	239	33	4	0.160
197	29	1	0.090	240	33	5	0.110
198	29	2A	0.390	241	33	7	0.195
199	29	2B	0.660	242	33	8	0.268
200	29	3	0.023	243	33	9	0.127
201	29	4	0.160	244	33	10	0.620
202	29	5	0.070	245	33	11	0.030
203	29	6A	0.269	246	34	1A	0.020
204	29	6B	0.197	247	34	1B	0.070
205	29	8A	0.203	248	34	2	0.190
206	29	8B	0.060	249	34	3	0.190
207	30	1	0.242	250	34	4	0.030
208	30	2	0.374	251	34	5	0.111
209	30	3	0.335	252	34	6	1.191
210	30	4	0.210	253	34	7	0.251
211	30	5	0.073	254	34	8	0.048
212	30	6A	0.295	255	34	9	0.148
213	30	6B	0.233	256	34	10	0.038
214	30	6C	0.182	257	35	1	0.010
215	30	7	0.058	258	35	2	0.010
216	30	9	0.270	259	36	1	0.661
217	30	10	0.267	260	36	2A	0.058
218	30	11	0.220	261	36	2B	0.043
219	30	12	0.023	262	38	1	0.045
220	31		0.240	263	38	2	0.028
221	32	1	0.090				
222	32	2A	0.115	279	38	3	0.027
223	32	2B	0.016	280	38	4A	0.033
224	32	3A	0.142	281	38	4B	0.023
225	32	3B	0.347	282	38	5	0.033
226	32	3C	0.345	283	38	6	0.013
227	32	5A1	0.099	284	38	7	0.013
228	32	5A2	0.091	285	38	8	0.018
229	32	6	0.304	286	38	9	0.015
230	32	7A	0.230	287	38	10	0.010
231	32	8A	0.398	_288	38	11	0.030
						Total	68.320

Bondaries:

On the North by.—Village Boundry of Navande

On the South by.—Nala

On the East by.—Village Boundry Navande
On the West by.—Village Boundry of Ghodivali

भाग चार-ब-२२७-६

197



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Contd.

Village Navandhe, Taluka Khalapur, District Raigad

Serial Survey Hiss No. (H. R.) No. No. No. No. (H. R.)		Village Navandhe, Taluka Khalapur, District Raigad							
(1) (2) (3) (4) (1) (2) (3) (4) 1 102 0.290 47 182 0.110 2 107 1 0.230 48 183 0.167 3 108 1 0.200 49 184 0.863 4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.236 57 190 2 0.880 12 121 0.120 0.350 57 190 <td>Serial</td> <td>Survey</td> <td>Hiss</td> <td>Area</td> <td>Serial</td> <td>Survey</td> <td>Hiss</td> <td>Area</td>	Serial	Survey	Hiss	Area	Serial	Survey	Hiss	Area	
1 102 0.290 47 182 0.110 2 107 1 0.230 48 183 0.167 3 108 1 0.200 49 184 0.805 4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14	No.	No.	No.	(H. R.)	No.	No.	No.	(H. R.)	
2 107 1 0.230 48 183 0.167 3 108 1 0.200 49 184 0.805 4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 <td>(1)</td> <td>(2)</td> <td>(3)</td> <td>(4)</td> <td>(1)</td> <td>(2)</td> <td>(3)</td> <td>(4)</td>	(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)	
2 107 1 0.230 48 183 0.167 3 108 1 0.200 49 184 0.805 4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 <td>1</td> <td>102</td> <td></td> <td>0.290</td> <td>47</td> <td>182</td> <td></td> <td>0.110</td>	1	102		0.290	47	182		0.110	
3 108 1 0.200 49 184 0.805 4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16<			1						
4 113 1.260 50 185 0.663 5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 1									
5 114 0.550 51 186 1 0.096 6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.076 15 127 Pt. 0.110 64 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
6 115 1.550 52 186 2 0.139 7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 0.073 15 127 Pt. 0.110 64 197 0.612 0.139 18 154 0.110 64 197 0.612							1		
7 116 0.530 53 187 0.167 8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18									
8 117 0.180 54 188 0.256 9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.6									
9 118 0.410 55 189 0.326 10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157									
10 119 0.420 56 190 1 0.310 11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0									
11 120 0.350 57 190 2 0.880 12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.							1		
12 121 0.120 58 191 0.090 13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0									
13 122 0.630 59 192 0.061 14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26									
14 123 0.220 60 193 0.076 15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162									
15 127 Pt. 0.110 61 194 0.010 16 152 0.100 62 195 0.513 17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444								0.076	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			Pt.						
17 153 0.150 63 196 0.139 18 154 0.110 64 197 0.612 19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									
19 155 0.220 65 198 0.730 20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
20 156 0.350 66 199 1.060 21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
21 157 1 0.318 67 200 0.425 22 157 2 0.690 68 201 1.136 23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1						
23 158 0.904 69 202 0.582 24 159 0.149 70 203 1 1.787 25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									
25 160 0.772 71 203 2 0.066 26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 <						203	1		
26 161 0.114 72 204 0.119 27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
27 162 0.273 73 205 1 0.444 28 163 0.426 74 205 2 0.020 29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					73	205	1		
29 164 0.374 75 206 0.298 30 165 0.541 76 207 1.174 31 166 0.145 77 208 0.985 32 167 0.020 78 209 0.084 33 168 0.530 79 210 0.900 34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$								0.298	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30				76	207		1.174	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	31	166		0.145	77	208		0.985	
34 169 0.570 80 211 0.667 35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300				0.020	78	209			
35 170 0.480 81 212 0.700 36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	33	168		0.530	79	210		0.900	
36 171 1 1.240 82 213 2.924 37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300						211		0.667	
37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	35	170		0.480	81	212		0.700	
37 171 2 0.090 83 215 1.763 38 172 0.020 84 216 1.999 39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	36	171	1	1.240	82	213		2.924	
39 173 0.320 85 217 1.652 40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	37	171	2	0.090	83	215		1.763	
40 174 0.460 86 218 0.760 41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	38	172		0.020	84	216		1.999	
41 175 0.830 87 219 1 0.981 42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	39	173		0.320	85	217		1.652	
42 177 0.073 88 219 2 0.151 43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	40	174		0.460	86	218		0.760	
43 178 0.318 89 220 0.020 44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	41	175		0.830	87	219		0.981	
44 179 0.026 90 221 0.015 45 180 0.050 91 222 1.300	42				88	219		0.151	
45 180 0.050 91 222 1.300	43	178		0.318	89	220		0.020	
	44	179		0.026	90	221		0.015	
46 181 1.068 92 223 1.680	45	180		0.050	91	222		1.300	
	46	181		1.068	92	223		1.680	

83



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

(1) (2) (3) (4) (1) (2) (3) (4) (4) (9) (1) (2) (3) (4) (1) (2) (3) (4) (1) (2) (3) (4) (1) (2) (3) (4) (4) (1) (2) (3) (4)				Scheau	e—Conta.			
94 225 2.899 142 262 0.020 95 226 0.264 143 263 0.030 96 227 0.086 144 264 1 0.039 97 228 0.950 145 264 2 0.032 98 229 0.008 146 264 3 0.032 100 231 0.193 148 264 5 0.032 101 232 0.815 149 264 6 0.032 102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 28 0.319 </th <th>(1)</th> <th>(2)</th> <th>(3)</th> <th>(4)</th> <th>(1)</th> <th>(2)</th> <th>(3)</th> <th>(4)</th>	(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
95 226 0.264 143 263 0.030 96 227 0.086 144 264 1 0.039 97 228 0.950 145 264 2 0.032 98 229 0.008 146 264 3 0.032 99 230 0.010 147 264 4 0.032 100 231 0.193 148 264 5 0.032 101 232 0.815 149 264 6 0.032 102 233 0.040 150 264 7 0.032 102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238	93	224		0.099	141	261	13	0.090
96 227 0.086 144 264 1 0.039 97 228 0.950 145 264 2 0.032 98 229 0.008 146 264 3 0.032 99 230 0.010 147 264 4 0.032 100 231 0.193 148 264 5 0.032 101 232 0.815 149 264 6 0.032 103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 110	94	225		2.899	142	262		0.020
97 228 0.950 145 264 2 0.032 98 229 0.008 146 264 3 0.032 100 231 0.193 148 264 4 0.032 101 232 0.815 149 264 6 0.032 102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.035 110 242 0.090 158 264 15 0.038 111<	95	226		0.264	143	263		0.030
98 229 0.008 146 264 3 0.032 99 230 0.010 147 264 4 0.032 100 231 0.193 148 264 5 0.032 101 232 0.815 149 264 6 0.032 102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 229 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111	96	227		0.086	144	264	1	0.039
99 230 0.010 147 264 4 0.032 100 231 0.193 148 264 5 0.032 101 232 0.815 149 264 6 0.032 102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.032 110 242 0.090 158 264 15 0.033 110 242 0.090 158 264 15 0.038 11	97	228				264	2	0.032
100 231	98	229		0.008	146	264	3	0.032
101 232	99	230		0.010	147	264	4	0.032
102 233 0.040 150 264 7 0.032 103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 17 0.	100	231		0.193	148	264	5	0.032
103 234 0.010 151 264 8 0.027 104 235 1.170 152 264 9 0.027 105 236 2.929 153 264 10 0.030 106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0	101	232		0.815	149	264	6	0.032
104 235	102	233		0.040	150	264	7	0.032
105	103	234		0.010	151	264	8	0.027
106 237 0.160 154 264 11 0.035 107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 <td< td=""><td>104</td><td>235</td><td></td><td>1.170</td><td>152</td><td>264</td><td>9</td><td>0.027</td></td<>	104	235		1.170	152	264	9	0.027
107 238 0.319 155 264 12 0.033 108 239 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 <td< td=""><td>105</td><td>236</td><td></td><td>2.929</td><td>153</td><td>264</td><td>10</td><td>0.030</td></td<>	105	236		2.929	153	264	10	0.030
108 239 0.177 156 264 13 0.035 109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 120 252 0.023 168 264 25 <td< td=""><td>106</td><td>237</td><td></td><td>0.160</td><td>154</td><td>264</td><td>11</td><td>0.035</td></td<>	106	237		0.160	154	264	11	0.035
109 240 0.050 157 264 14 0.032 110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 34 0.033 128 260 0.030 176 264 34 0.033 129 261 1 0.120 177 264 36 36 0.039 128 260 0.030 176 264 33 0.039 128 260 0.030 176 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 40 0.028 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 136 261 8 0.070 184 264 41 0.028 136 261 8 0.070 184 264 41 0.028 136 261 8 0.070 184 264 44 0.028 136 261 9 0.072 185 264 42 0.028 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261 11 0.088 187 264 44 0.029 139 261	107	238		0.319	155	264	12	0.033
110 242 0.090 158 264 15 0.038 111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 <td< td=""><td>108</td><td>239</td><td></td><td>0.177</td><td>156</td><td>264</td><td>13</td><td>0.035</td></td<>	108	239		0.177	156	264	13	0.035
111 243 0.106 159 264 16 0.030 112 244 1 4.669 160 264 17 0.036 113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 <td< td=""><td>109</td><td>240</td><td></td><td>0.050</td><td>157</td><td>264</td><td>14</td><td>0.032</td></td<>	109	240		0.050	157	264	14	0.032
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	110	242		0.090	158	264	15	0.038
113 244 2 0.250 161 264 18 0.021 114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 <td>111</td> <td>243</td> <td></td> <td>0.106</td> <td>159</td> <td>264</td> <td>16</td> <td>0.030</td>	111	243		0.106	159	264	16	0.030
114 246 2.049 162 264 19 0.028 115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033	112	244	1	4.669	160	264	17	0.036
115 247 0.045 163 264 20 0.028 116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044	113	244	2	0.250	161	264	18	0.021
116 248 0.060 164 264 21 0.028 117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039	114	246		2.049	162	264	19	0.028
117 249 0.509 165 264 22 0.028 118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 34 0.033 130 261 2 0.060 178 264 35 0.030	115	247		0.045	163	264	20	0.028
118 250 0.309 166 264 23 0.028 119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 <td>116</td> <td>248</td> <td></td> <td>0.060</td> <td>164</td> <td>264</td> <td>21</td> <td>0.028</td>	116	248		0.060	164	264	21	0.028
119 251 0.040 167 264 24 0.028 120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 <td< td=""><td>117</td><td>249</td><td></td><td>0.509</td><td>165</td><td>264</td><td>22</td><td>0.028</td></td<>	117	249		0.509	165	264	22	0.028
120 252 0.023 168 264 25 0.028 121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264	118	250		0.309	166	264	23	0.028
121 253 0.842 169 264 26 0.028 122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 133 261 5 0.066 181 26	119	251		0.040		264	24	0.028
122 254 0.420 170 264 27 0.033 123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181<	120	252		0.023	168	264	25	0.028
123 255 0.053 171 264 28 0.028 124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 <t< td=""><td>121</td><td>253</td><td></td><td>0.842</td><td>169</td><td>264</td><td>26</td><td>0.028</td></t<>	121	253		0.842	169	264	26	0.028
124 256 0.149 172 264 29 0.300 125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7	122	254		0.420	170	264	27	0.033
125 257 0.544 173 264 30 0.033 126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137								
126 258 0.258 174 264 31 0.044 127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 13				0.149				
127 259 0.010 175 264 32 0.039 128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050	125	257		0.544	173	264	30	0.033
128 260 0.030 176 264 33 0.039 129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029<	126	258		0.258	174	264	31	0.044
129 261 1 0.120 177 264 34 0.033 130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029	127	259		0.010				0.039
130 261 2 0.060 178 264 35 0.030 131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029	128	260		0.030	176		33	0.039
131 261 3 0.070 179 264 36 0.028 132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029		261		0.120				0.033
132 261 4 0.071 180 264 37 0.028 133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029				0.060				
133 261 5 0.066 181 264 38 0.036 134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029				0.070				
134 261 6 0.030 182 264 39 0.035 135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029								
135 261 7 0.061 183 264 40 0.028 136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029				0.066				
136 261 8 0.070 184 264 41 0.028 137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029								
137 261 9 0.072 185 264 42 0.028 138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029								
138 261 10 0.072 186 264 43 0.050 139 261 11 0.088 187 264 44 0.029								
139 261 11 0.088 187 264 44 0.029								
140 261 12 0.069 188 264 45 0.028								
	140	261	12	0.069	188	264	45	0.028



४४ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Contd.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
189	264	46	0.028	206	276		0.090
190	264	47	0.045	207	277		0.434
191	264	48	0.647	208	278		0.289
192	264	49	0.241	209	279		1.089
193	264	50	1.234	210	284		1.662
194	265		0.066	211	285		0.539
195	266		0.050	212	286		0.260
196	267		0.237	213	287		0.020
197	268		1.087	214	310		0.008
198	269		0.058	215	135		0.400
199	270		0.043	216	280	1	1.980
200	271		0.455	217	280	2	0.650
201	272		1.797	218	280	3	0.480
202	273		1.105	219	281		0.060
203	274		0.060	220	282		0.890
204	275	1	1.280	221	283		0.190
205	275	2	0.154	· -			
						Total	89.571

Bondaries:

 $On\ the\ North\ by. \\ -\text{Gat\ No.\ } 292,\ 293,\ 312,\ 150,\ 151,\ 145,\ 144,\ 181,\ 124,\ 188,\ 66,\ 180,\ 135,\ 299.$

On the South by.—Nala.

On the East by.—Halbudruk- Karjat Road..

On the West by.—Village Boundry of Kandhroli.

Village Mankivali, Taluka Khalapur, District Raigad.

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	15		0.640	19	50		0.204
2	32		0.547	20	52		0.620
3	33		0.440	21	53		0.206
4	35		0.190	22	54		0.230
5	36		0.700	23	55		0.477
6	37		0.235	24	56	1	1.022
7	38		0.099	25	56	2	0.020
8	39		0.300	26	57		0.099
9	40		0.475	27	58		0.215
10	41		0.470	28	59		0.711
11	42		0.420	29	60		0.371
12	43		0.200	30	61		0.837
13	44		0.228	31	62		0.696
14	45		0.024	32	63		0.048
15	46		0.060	33	64		0.238
16	47		0.203	34	65		0.395
17	48		0.010	35	66		0.020
18	49		0.234	36	67		0.182

४५



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

(1) (2) (3) (4) (1) (2) (3) 37 68 0.435 85 121 38 69 0.243 86 122 39 70 0.483 87 123 40 71 0.604 88 124 41 72 0.086 89 125 42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt. 50 81 0.679 98 134	0.010 0.238 0.327 0.013 0.076 0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
38 69 0.243 86 122 39 70 0.483 87 123 40 71 0.604 88 124 41 72 0.086 89 125 42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.238 0.327 0.013 0.076 0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
39 70 0.483 87 123 40 71 0.604 88 124 41 72 0.086 89 125 42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.327 0.013 0.076 0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
40 71 0.604 88 124 41 72 0.086 89 125 42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.013 0.076 0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
41 72 0.086 89 125 42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.076 0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
42 73 0.680 90 126 43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.094 0.258 0.248 0.106 0.114 0.233 0.086 0.344
43 74 0.486 91 127 1 44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.258 0.248 0.106 0.114 0.233 0.086 0.344
44 75 0.420 92 127 2 45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.248 0.106 0.114 0.233 0.086 0.344
45 76 0.680 93 128 46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.106 0.114 0.233 0.086 0.344
46 77 0.350 94 129 47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.114 0.233 0.086 0.344
47 78 0.400 95 130 48 79 0.191 96 131 49 80 0.035 97 133 Pt.	0.233 0.086 0.344
48 79 0.191 96 131 49 80 0.035 97 133 Pt.	$0.086 \\ 0.344$
49 80 0.035 97 133 Pt.	0.344
50 81 0.679 98 134	
0.010 00 101	0.692
51 82 0.604 99 135	0.235
52 83 0.132 100 136	0.086
53 84 0.053 101 137	0.237
54 85 0.056 102 138	0.230
55 86 0.592 103 139 1	0.471
56 88 0.627 104 139 2	0.071
57 89 1 0.454 105 140	0.150
58 89 2 0.174 106 141	0.306
59 90 0.176 107 142	0.130
60 91 0.168 108 143	1.197
61 92 0.040 109 144	0.140
62 93 0.419 110 145	0.427
63 94 0.175 111 146	0.654
64 95 0.108 112 147	0.080
65 96 0.277 113 148	0.213
66 97 0.943 114 149	0.030
67 98 0.150 115 188	0.919
68 99 0.907 116 189	0.051
69 100 0.620 117 190	0.008
70 101 0.010 118 191	0.066
71 102 1.387 119 192	0.025
72 103 2.075 120 193	0.243
73 104 0.613 121 194	0.080
74 105 0.795 122 195	0.404
75 106 2.650 123 196	0.350
76 111 0.858 124 197	0.438
77 112 0.473 125 198	0.071
78 113 1 0.695 126 199	0.602
79 113 2 0.020 127 200	0.104
80 116 0.120 128 201	1.161
81 117 0.778 129 216	0.413
82 118 0.126 130 217	0.195
83 119 0.291 131 218	0.691
84 120 1.434 132 219	0.119

भाग चार-ब-२२७-७



४६ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Contd.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
133	220		0.475	146	232		0.146
134	221		0.094	147	233		0.050
135	222		0.895	148	234		0.480
136	223		0.228	149	235		0.056
137	224		0.241	150	236		0.924
138	225	1	0.611	151	237		0.048
139	225	2	0.210	152	238		0.020
140	226		0.091	153	239		0.539
141	227		0.591	154	240		0.181
142	228		0.088	155	241		0.015
143	229		0.208	156	242		0.217
144	230		0.117	157	243		0.437
145	231		0.170	158	244		0.440
				159	245		1.214
						Total	59.060

Bondaries:

On the North by.—Village Mankivali Gat No. 107,109,110, 114, 115 & Halbudruk to Karjat Road.

On the South.-Nala

On the East by.—Karjat-Khopoli Raliway Line

On the West by.—Nala & Village Boundry of Anjarun

Village Halkhurd, Taluka Khalapur, District Raigad.

-							
Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	54	Pt.	0.200	21	57	5	0.071
2	55	1	0.060	22	57	6	0.488
3	55	2	0.190	23	57	7	0.190
4	55	3A	1.080	24	57	8	0.462
5	55	4	0.020	25	57	9	0.230
6	55	5	0.110	26	57	10	0.020
7	55	6	0.220	27	57	11	0.122
8	55	7	0.390	28	57	12	0.213
9	55	8 A /1	0.030	29	57	13	0.110
10	55	8A/2	0.030	30	57	14	0.114
11	55	8A/ 3	0.040	31	57	15	0.100
12	55	8 A/4	0.070	32	57	16	0.071
13	55	9	0.180	33	57	17	0.070
14	55	10	0.010	34	58		0.880
15	55	11A	0.060	35	59	1	0.590
16	55	11B	0.020	36	59	2	1.250
17	57	1	0.010	37	59	3	0.450
18	57	2	0.071	38	59	4	0.450
19	57	3	0.228	39	60	1A	0.630
20	57	4	0.101	40	60	1B	0.330
8							

४७



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Contd.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
41	60	2	0.570	70	66	1A	0.230
42	60	3	0.280	71	66	1B	0.230
43	61	1A	0.184	72	66	2	0.341
44	61	1 B	0.137	73	66	3	0.810
45	61	2A	0.529	74	66	4	0.493
46	61	2B	0.475	75	66	5	0.066
47	61	3A	0.236	76	66	6	0.339
48	61	3 B	0.187	77	66	7	0.220
49	61	3 C	0.207	78	66	8	0.195
50	61	3 D	0.061	79	67	1	0.139
51	62	1	0.010	80	67	2	0.579
52	62	2	0.030	81	68	1	0.932
53	62	3	0.080	82	68	2	0.676
54	62	4A	0.430	83	68	3	0.780
55	62	4B	0.424	84	69	1	1.671
56	62	5	0.521	85	69	2	0.129
57	62	6	0.030	86	70	1	0.050
58	62	7	0.180	87	70	2	0.198
59	62	8	0.060	88	70	3A	0.440
60	63	Α	1.022	89	70	3B	0.430
61	64		1.153	90	70	4	0.220
62	65	1	0.091	91	70	5A	0.060
63	65	2A	0.170	92	70	5B	0.060
64	65	2 B	0.178	93	70	6	0.160
65	65	3	0.310	94	70	7	0.060
66	65	4	0.633	95	70	8	0.132
67	65	5	0.060	96	70	9	0.250
68	65	6	0.180	97	70	10	0.020
69	65	7	0.220				
				72		Total	28.519

Bondaries:

On the North by.—Boundary of Village Anajrun.

On the South by.—National Highway No. 4.

On the East by.—Sr. No. 72, 1, 2.

On the West by.-Karjat- Khopoli Road and Sr. No. 56 A.

Village Anjarun, Taluka Khalapur, District Raigad.

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	1	0.050	6	2		0.020
2	1	2A	0.272	7	3		0.786
3	1	2B1	0.030	8	4		0.127
4	1	2B2	0.050	9	5	1	0.025
5	2	12	0.160	10	5	2	0.091

भाग चार-ब-२२७-७अ



४८ महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

$Schedule{\bf --Contd}.$

	(6)	/65		le—Contd.	(0)	(6)	775
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
11	6		0.020	58	52	1	0.444
12	7		0.464	59	52	2	0.266
13	8		0.326	60	53		0.696
14	9		0.312	61	54		0.013
15	10		0.377	62	55	1	0.374
16	11		0.210	63	55	2	0.140
17	12		0.934	64	56		0.109
18	13		0.101	65	57		0.060
19	14		0.033	66	58		0.440
20	15	1	0.190	67	59		0.247
20	15	2	0.060	68	60		0.978
21	16		0.059	69	61		0.101
22	17		0.038	70	62		0.065
23	18		0.288	71	63		0.058
24	19		0.186	72	64		0.192
25	20		1.000	73	65		0.253
26	21		0.010	74	66		0.420
27	22		0.080	75	67		0.106
28	23		0.320	75	68		0.180
29	24		0.100	76	69		0.280
30	25		0.020	77	70		0.010
31	26		1.365	78	71		0.126
32	26		0.267	79	72		0.060
33	27		0.370	80	74	2	0.290
34	28		0.400	81	76		0.364
35	29		0.110	82	77		1.188
36	30		0.145	83	78		0.549
37	31		0.329	84	79		0.756
38	32		0.344	85	80		0.220
39	33		0.259	86	81		0.268
40	34		0.539	87	82		0.080
41	35		0.050	88	83		0.192
42	36		0.187	89	84		0.431
43	37		0.410	90	85		1.273
44	38		0.901	91	86		0.585
45	39		0.354	92	87		0.460
46	40		0.150	93	88		0.268
47	41		0.137	94	89		0.268
48	42		0.267	95	90		0.260
49	43		0.367	96	91		0.754
50	44		0.069	97	92		0.311
51	45		0.060	98	93		0.280
52	46		0.076	99	94	1	0.060
53	47		0.530	100	94	2	0.119
54	48		0.096	101	95		0.286
55	49		0.320	102	96		0.501
56	50		0.116	103	97		0.438
57	51		0.280	104	98		0.329

88



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

17			Scricara	ore contra.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
105	99		0.570	156	149		0.834
106	100		0.110	157	150		0.486
107	101		0.390	158	151		0.263
108	102		0.916	159	152		0.677
109	103		0.430	160	153		1.609
110	104		0.839	161	154		0.238
111	105		0.481	162	155		0.215
112	106		0.564	163	156		0.860
113	107		0.150	164	157		0.445
114	108		0.142	165	158		1.143
115	109		0.277	166	159		1.242
116	110		0.414	167	160		0.895
117	111		0.223	168	161		0.140
118	112		0.903	169	162	1	0.278
119	113		0.574	170	162	$\overline{2}$	0.215
120	114		0.790	171	163) _	0.786
120	115		0.334	172	164	1	0.488
121	116		0.320	173	164	2	0.668
123	117		0.517	174	165	-	0.370
123 124	118		0.072	175	166		0.283
124 125	119		0.072	176	167		0.529
126	120		0.726	177	168		0.936
				178	169		0.470
127	121		0.385	179	170		0.043
128	123		0.405	180	171		0.225
129	125	1	0.220	181	172		0.326
130	125	2	0.200	182	173		0.320 0.457
131	126	$rac{1}{2}$	0.221	183	174		0.241
132	126	Z	0.162	184	175		0.241 0.271
133	127	0	0.534	185	176		0.271
134	127	2	$0.382 \\ 0.102$	186	177		1.110
135	128			187	178		0.300
136	129		0.059	188	179		0.253
137	130		0.281	189	180		0.164
138	131		0.357	190	181		0.850
139	132		0.233	191	182		0.273
140	133		0.338	192	183		0.620
141	134		0.382	193	184		0.010
142	135		0.106	194	185		0.209
143	136		0.319	195	186		0.020
144	137		0.425	196	187		0.086
145	138		0.137	197	188		0.532
146	139		0.061	198	189		0.380
147	140		0.554	199	190		0.137
148	141		0.045	200	191		0.157
149	142		0.045	200	191		0.137 0.734
150	143		0.260	201	192		0.734 0.276
151	144	1	0.177	202	193		0.276
152	145		0.090	203	194		0.673
153	146		0.263	204	196		0.779
154	147		0.048		196		
155	148		0.728	206	197		0.801



५० महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Contd.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
207	198		0.180	236	226		0.505
208	199		0.167	237	227		0.043
209	200		0.832	238	228		0.056
210	201		0.060	239	229		0.366
211	202		0.240	240	230		0.970
212	203		0.122	241	231		0.428
213	204		0.124	242	232		0.090
214	205		0.174	243	233		0.220
215	206	1	0.400	244	234		0.045
216	206	2	1.164	245	235		0.227
217	207		0.442	246	236		0.185
218	209		0.240	247	237		0.530
219	210		0.109	248	238		0.096
220	211		0.114	249	239		0.047
221	212		0.594	250	240		0.400
222	213		0.266	251	241		0.139
223	214		0.235	252	242		0.281
224	215		0.964	253	243		0.176
225	216	1	1.031	254	244		0.010
226	216	2	0.160	255	245		0.010
227	217		0.276	256	246		0.010
228	218		0.339	257	247		0.010
229	219		0.207	258	248		0.010
230	220		0.058	259	249		0.010
231	221		0.688	260	250		0.010
232	222		0.256	261	251		0.010
233	223		0.061	262	252		0.010
234	224		0.546	263	253		0.011
235	225		0.140	264	254		0.693
				95		Total	89.257

Bondaries:

On the North by.—Nala

On the South by.-Village Boundry of Halkhurd

On the East by.—Village Boundry of Mankivali & Anjarun Gat No. 208.

On the West by .- Nala

Village Talavli, Taluka Karjat , District Raigad.

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	20	1	0.130	7		1 B	2.000
2		2A	0.945	8		2	0.283
3		2 B	0.260	9	27	1	1.337
4	25	1	0.248	10		2	0.160
5		2	0.693	11	28	0	0.556
6	26	1A	1.491	12	29	1	0.050

48



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Schedule—Concld.

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
13		2	0.150	46		4	0.060
14		3	0.290	47	42	1	0.195
15		4	0.150	48		2	0.096
16		5	1.410	49		3	0.552
17	30	0	0.488	50		4	0.255
18	31	1	0.192	51		5	1.350
19		2	0.083	52		6	0.308
20		3	0.504	53		7	0.348
21	32	1	0.312	54		8	0.025
22		2	0.531	55		9	0.038
23		3	0.899	56	43	0	0.711
24		4	0.443	57	44	1	1.329
25	33	0	0.374	58		2A	0.120
26	34	0	0.300	59		2 B	0.488
27	35	0	0.506	60		3	0.532
28	36	1	0.268	61	45	1	0.360
29		2	0.268	62		2	0.100
30		3	0.491	63	46	0	0.170
31	37	1A	0.359	64	47	1	1.448
32		1 B	0.329	65		2	0.080
33	37	2	0.579	66		3	0.270
34	38	1	0.819	67	48	0	0.410
35		2	0.656	68	56	1	0.530
36	39	0	1.121	69	56	2	0.190
37	40	1A	0.543	70		3	0.140
38		2A	0.301	71		4	0.670
39		3	0.025	72		5A	1.233
40		4A	0.344	73		5 B	0.586
41	41	1	1.660	74	56	6	0.233
42		2A	1.910	75		7	0.150
43		2 B/1	0.230	76		8A	0.220
44		2 B/2	0.260	77		8 B	0.509
45		3	0.380	78	57	0	0.235
				St		Total	39.269

Boundaries:-

On the North by.—Village Talavli Survey No. 1,2,Gaothan, 10,9,22

On the South by.—Boundary of Village Navandhe & Village Vangni

On the East by.—Village Talavli Survey No. 24

On the West by.-Forest

By order and in the name of the Governor of Maharashtra,

V. B. LATKE, Deputy Secretary to Government.

ON BEHALF OF GOVERNMENT PRINTING, STATIONERY AND PUBLICATION, PRINTED AND PUBLISHED BY SHRI PARSHURAM JAGANNATH GOSAVI, PRINTED AT GOVERNMENT CENTRAL PRESS, 21-A, NETAJI SUBHASH ROAD, CHARNI ROAD, MUMBAI 400 004 AND PUBLISHED AT DIRECTORATE OF GOVERNMENT PRINTING, STATIONERY AND PUBLICATION, 21-A, NETAJI SUBHASH ROAD, CHARNI ROAD, MUMBAI 400 004, EDITOR: SHRI PARSHURAM JAGANNATH GOSAVI.



ANNEXURE 1-3 MSRDC SPA NOTIFICATION

मुंबई-पुणे द्रुतगती मार्गाच्या लगतच्या क्षेत्रासाठी महाराष्ट्र राज्य रस्ते विकास महामंडळाची विशेष नियोजन प्राधिकरण म्हणून नेमणूक करणेबाबत.

महाराष्ट्र शासन नगर विकास विभाग, मंत्रालय, मुंबई-४०० ०३२ निर्णय क्रमांक : टीपीएस-१८१५/अनौसं/७८/१५/नवि-१३, दिनांक :१७/०२/२०१६.

सोबतची शासिकय अधिसूचना महाराष्ट्र शासन साधारण राजपत्रामध्ये मध्ये प्रसिध्द करावी.

महाराष्ट्राचे राज्यपाल यांचे आदेशानुसार व नांवाने,

Sanjay Balkrishna Saoji Digitally signed by Sanjay Balkrishna Saoj Dix e-Bi, 0-Government Of Maharashtra, u-UNDRS SECRETARY DIX CONTROL (1997), pp. 1446-1451, pp. 14

(संजय सावजी) अवर सचिव, महाराष्ट्र शासन

प्रत माहितीकरिता सादर:-

- १) मा.मुख्यमंत्री महोदयांचे सचिव, मंत्रालय, मुंबई.
- २) मा.राज्यमंत्री (निव) महोदयांचे खाजगी सिचव, मंत्रालय, मुंबई.
- ३) प्रधान सचिव (निव-१) नगर विकास विभाग, मंत्रालय, मुंबई.

प्रत माहितीकरिता व कार्यवाहीकरिता:-

- १) संचालक, नगर रचना, महाराष्ट्र राज्य, पुणे.
- २) आयुक्त, कोकण विभाग, कोकण.
- ३) जिल्हाधिकारी, ठाणे / रायगड.
- ४) व्यवस्थापकीय संचालक, सिडको, मुंबई.
- ५) व्यवस्थापकीय संचालक, महाराष्ट्र राज्य रस्ते विकास महामंडळ, मुंबई.
- ६) मुख्य कार्यकारी अधिकारी, मुंबई महानगर प्रदेश विकास प्राधिकरण.
- ७) सह संचालक, नगर रचना, कोकण विभाग, कोकण.
- ८) सहायक संचालक, नगर रचना, ठाणे / अलिबाग शाखा.
- ९) व्यवस्थापक, शासकीय मुद्रणालय, चर्नी रोड, मुंबई त्यांना विनंती करण्यात येते की, सोबतची शासकीय अधिसूचना महाराष्ट्र शासनाच्या साधारण राजपत्रामध्ये प्रसिध्द करुन त्याच्या प्रत्येकी १० प्रती विभागास, संचालक नगर रचना, महाराष्ट्र राज्य, पुणे, सह संचालक, नगर रचना, पुणे विभाग, पुणे, सहायक संचालक, नगर रचना, पुणे शाखा, पुणे व जिल्हाधिकारी, पुणे यांना पाठवाव्यात.
- १०) कक्ष अधिकारी (निव-२९), नगर विकास विभाग, मंत्रालय, मुंबई त्यांना विनंती करण्यात येते की, सदर **अधिसूचना** शासनाच्या संकेतस्थळावर प्रसिध्द करण्याबाबत कार्यवाही करण्यात यावी.
- ११) कक्ष अधिकारी, माहिती व तंत्रज्ञान विभाग, मंत्रालय, मुंबई त्यांना विनंती करण्यात येते की, सदरची **अधिसूचना** शासनाच्या संकेतस्थळावर प्रसिध्द करावी.
- १२) निवडनस्ती (नवि-१३).



Notification

Government of Maharashtra Urban Development Department Mantralaya, Mumbai-32 Date:17 /02/2016

Maharashtra Regional And Town Planning Act,1966

No. TPS-1815/UOR/78/15/UD-13: Whereas, the Revised Regional Plan for Mumbai Metropolitan Region (hereinafter referred to as the "said Regional Plan") has been sanctioned by the Government in the Urban Development Department under sub-section (1) of section 15 of the Maharashtra Regional and Town Planning Act,1966 (hereinafter referred to as the "said Act") vide Notification No.TPS-1297/1094/CR-116/97/UD-12, dated 23rd September 1999 (hereinafter referred to as the "said Notification") and has come into force with effect from the 1st December, 1999;

Whereas, the Government of Maharashtra in exercise of powers conferred under clause (b) of Sub-section (1) of the section 40 of the said Act, declared by Notification No.TPS-1712/475/CR-98/12/UD-12, dated 10th January 2013 (hereinafter referred to as 'the said Notification'), City and Industrial Development Corporation of Maharashtra Limited (being a company owned and controlled by the Government of Maharashtra) (hereinafter referred to as 'the said Corporation') as Special Planning Authority (hereinafter referred to as 'the SPA') for Navi-Mumbai Influence Notified Area (NAINA) (hereinafter referred to as 'said notified area') as specified therein.

And whereas the Vice Chairman and Managing Director MSRDC has suggested the Development policy of their own land and Development policy within the adjoining land of Mumbai Pune Express way (hereinafter referred to as the said land) and the Additional Chief Secretory Public Works Department, Mantralaya Mumbai has requested to appoint MSRDC as SPA for the said land;

And whereas the Maharashtra State Road Development Corporation Limited, commonly abbreviated as MSRDC, is an Indian Public limited company fully owned by the Government of Maharashtra and the roles of the MSRDC are responsibility of planning, designing, constructing and managing the road projects, flyovers, bridges, light rail transit, sea links and water transport etc. in Maharashtra and integrated road development projects in select cities of the State. It also provides roadside amenities and any other infrastructure tasks specifically assigned to it and were under the control of the Public Works Department.

And whereas, after considering the report of the Additional Chief Secretory Public Works Department, Mantralaya Mumbai, Government is of the opinion that the MSRDC shall be appointed as Special Planning Authority for the area between Mumbai Pune Express way & Mumbai Pune Old High way (NH4) and for the land within the two k.m. south-West from Mumbai Pune Express way *excluding* the area of Pune district (Mawal Taluka), Area covered under IDP-1 project of NAINA and local authority if any (hereinafter referred to as ' the said area');

Now therefore in exercise of the powers conferred under clause (b)of sub section (1) of section-40 of the said Act, and all other powers enabling it in this behalf, the Government of Maharashtra here by;

a) appoints the Maharashtra State Road Development Corporation Limited, (MSRDC) to be the Special Planning Authority for the area between Mumbai -Pune Express way & Mumbai Pune Old High way (NH4) and for the land within the two k.m. south-West from Mumbai Pune Express way *excluding* the area of Pune district (Mawal Taluka), Area covered under IDP-1 project of NAINA and local authority if any as specified in Schedule A;



- b) declares that any other Special Planning Authority functioning in the said area prior to this notification shall cease to function for the said area from the date of this notification.
- c) directs the Special Planning Authority i.e. MSRDC to prepare and publish the planning proposals along with Development Control Regulations for the said area and submit the same to the Government for sanction after following due procedure prescribed in the said Act,
- 02. Copy of the plan showing the boundaries of the said SPA shall be available for inspection for the general public during an office hours on all working days at the following offices for period of one month.
 - (1) Commissioner, Konkan Division, Kokan Bhavan, Navi Mumbai-400 614.
 - (2) Managing Director, CIDCO, CIDCO Bhavan, CBD Belapur, Navi Mumbai.
 - (3) Collector Raigad / Thane.
 - (4) Managing Director MSRDC Bandra (W) Mumbai
 - (5) Joint Director of Town Planning, Konkan Division, Konkan Bhavan,
 - (6) Assistant Director of Town Planning, Raigad Branch, Raigad-Alibagh.
 - (7) Assistant Director of Town Planning, Thane Branch, Thane.

By Order and in the Name of Governor of Maharashtra,

(Sanjay Saoji) Under Secretary to Government

3



SCHEDULE -A (Accompaniment to the Government in Urban Development Department Notification bearing No. TPS-1815/UOR/78/15/UD-13 dated 17/02/2016.)

List of villages within the boundaries of the Notified Special Planning authority Area

A) Tahasil - Khalapur District -Raigad

Sr.No.	Name of the Villages
1	Talegaon
2	Panshil
3	Mohapada (Aliyas Vasambe)
	Rees
5	Lodhivali
6	Nadhal
7	Tembari
8	Vayal
9	Pali (Khu.)
10	Sarang
11	Tupgaon
12	Jambhivali tarfe Boreti
13	Chowk-Manivali
14	Hatnoli
15	Knadaroli tarf Wankhal
16	Wavandhal
17	Vinegaon
18	Asare
19	Kopari
20	Asroti
21	Dharni
22	Warad
23	Majgaon
24	Nigdoli
25	Kalate Mokashi
26	Kalate Rayati
27	Nadode
28	Paud
29	Mapad
30	Nimbade
31	Vanve
32	Shiravali tarfe Borati
33	Khalapur
34	Kumbhivali
35	Dhamni
36	Kandaroli tarfe Borati
37	Hal (Khu.)
38	Mahad
39	Savaroli
40	Nifan
41	Sarsan
42	Sajgaon

C:\UD-13\Pune Desk\Pune Dist\MSRDC\Notification.docx



16-	<u> </u>
43	Dahivali tarfe Borati
44	Dheku
45	Honad
46	Mandad Atkargaon
47	Aadoshi
48	Ambivali tarfe Wankhal
49	Kambe
50	Chambharli
51	Vat
52	Borivali
53	Vahshivali
54	Vanivali
55	Lohop
56	Esambe
57	Ambivaali tarfe Tungartan
58	Vadgaon
59	Talavali
60	Kharsundi
61	Tambati
62	Vadval
63	DevaNhave
64	ThaneNhave
65	Chinchvali Gohe
66	Chavani
67	Padge

A) Tahasil - Panvel District - Raigad

Sr.No.	Name of the Villages
1	Girawali
3	Arivali
3	Ajivali
4	Ashte
5	Shedung
6	Kasalkhand
7	Kanhavale
8	Bhatane
9	Barvai
10	Bhokarpada
11	Jatade
12	Somatane
13	Narpoli
14	Dahivali
15	Sawale
16	Devloli Bk
17	Dapivali

By Order and in the Name of Governor of Maharashtra, Sanjay

Sanjay Balkrishna Saoji Digitally signed by Sanjay Ballish hru Saoji Dir. c-IN. o. Geovernment Of Maharashta, our-INDER SECRETARY, postalCode=600032, ±-Maharashta, 2.5.4.20—1802467/6:198-2065302 (12:3211), serikilkember: be169c;75-86278-968d;51 Bod.7 Saba-8780-2074-csneff/20-2084-20547/, or-Sanjay Ballisthna Saoji Date: 2016.0217-185-534-49537

(Sanjay Saoji) Under Secretary to Government

C:\UD-13\Pune Desk\Pune Dist\MSRDC\Notification.docx

5



ANNEXURE 1-4 MSRDC NOTIFICATION REVISED

मुंबई-पुणे द्रुतगती मार्गाच्या लगतच्या क्षेत्रासाठी महाराष्ट्र राज्य रस्ते विकास महामंडळाची विशेष नियोजन प्राधिकरण म्हणून नेमणूक करणेबाबत. (पुरक पत्र)

महाराष्ट्र शासन अधिसुचना (पुरक पत्र) नगर विकास विभाग, मंत्रालय, मुंबई-४०० ०३२. क्रमांक : टीपीएस-१८१५/अनौसं/७८/१५/नवि-१३, दिनांक :१८/०३/२०१६.

सोबतची शासिकय अधिसूचना (पुरक पत्र) महाराष्ट्र शासन साधारण राजपत्रामध्ये मध्ये प्रसिध्द करावी.

महाराष्ट्राचे राज्यपाल यांचे आदेशानुसार व नांवाने,

Sanjay Balkrishna Saoii Digitally signed by Sanjay Balkrinhna Saoji DN: e-IN, o=Government Of Maharashtra, ou=UNDER SEGETARY, postal code=40003, st=Maharashtra, 25,4.20=130246-99c;196420653021e52311c 5567964622bc5c3642e60.56603388a7f; serialNumber=6109cc754827598dx49166 5c8.834c878e291242e98677.2004ads52d67 7, cm-Sanjay Balkrinhra Saoji

(संजय सावजी) अवर सचिव, महाराष्ट्र शासन

प्रत माहितीकरिता सादर:-

- १) मा.मुख्यमंत्री महोदयांचे सचिव, मंत्रालय, मुंबई.
- २) मा.राज्यमंत्री (निव) महोदयांचे खाजगी सिचव, मंत्रालय, मुंबई.
- ३) प्रधान सचिव (नवि-१) नगर विकास विभाग, मंत्रालय, मुंबई.

प्रत माहितीकरिता व कार्यवाहीकरिता:-

- १) संचालक, नगर रचना, महाराष्ट्र राज्य, पुणे.
- २) आयुक्त, कोकण विभाग, कोकण.
- ३) जिल्हाधिकारी, ठाणे / रायगड.
- ४) व्यवस्थापकीय संचालक, सिडको, मुंबई.
- ५) व्यवस्थापकीय संचालक, महाराष्ट्र राज्य रस्ते विकास महामंडळ, मुंबई.
- ६) मुख्य कार्यकारी अधिकारी, मुंबई महानगर प्रदेश विकास प्राधिकरण.
- ७) सह संचालक, नगर रचना, कोकण विभाग, कोकण.
- ८) सहायक संचालक, नगर रचना, ठाणे / अलिबाग शाखा.
- ९) व्यवस्थापक, शासकीय मुद्रणालय, चर्नी रोड, मुंबई त्यांना विनंती करण्यात येते की, सोबतची शासकीय अधिसूचना महाराष्ट्र शासनाच्या **साधारण राजपत्रामध्ये** प्रसिध्द करुन त्याच्या प्रत्येकी १० प्रती विभागास, संचालक नगर रचना, महाराष्ट्र राज्य, पुणे, सह संचालक, नगर रचना, पुणे विभाग, पुणे, सहायक संचालक, नगर रचना, पुणे शाखा, पुणे व जिल्हाधिकारी, पुणे यांना पाठवाव्यात.
- १०) कक्ष अधिकारी (नवि-२९), नगर विकास विभाग, मंत्रालय, मुंबई त्यांना विनंती करण्यात येते की, सदर **अधिसूचना** शासनाच्या संकेतस्थळावर प्रसिध्द करण्याबाबत कार्यवाही करण्यात यावी.
- ११) कक्ष अधिकारी, माहिती व तंत्रज्ञान विभाग, मंत्रालय, मुंबई त्यांना विनंती करण्यात येते की, सदरची **अधिसूचना** शासनाच्या संकेतस्थळावर प्रसिध्द करावी.
- १२) निवडनस्ती (निव-१३).

C:\UD-13\Pune Desk\Pune Dist\MSRDC\Notification Revised.docx



NOTIFICATION

(ADDENDUM)

Government of Maharashtra Urban Development Department Mantralaya, Mumbai-32 Date: 18/03/2016

Maharashtra Regional And Town Planning Act, 1966

No. TPS-1815/UOR/78/15/UD-13: Whereas, the Government of Maharashtra in exercise of powers conferred under Section 40 (1 B) of the Maharashtra Regional and Town Planning Act,1966 (hereinafter referred to as the "said Act") vide notification No. TPS-1815/UOR/78/15/UD-13, Dt.17/02/2016(hereinafter referred to as ' the said notification) has appointed the **Maharashtra State Road Development Corporation Limited**, (**MSRDC**) as **Special Planning Authority** (hereinafter referred to as ' the said SPA) for the area as specified in the said notification (hereinafter referred to as ' the said area');

And whereas, Vice Chairman and Managing Director CIDCO vide their letter No.CIDCO/MD/159, Dt.22/02/2016 has requested to delete the villages in Khalapur taluka as land owners are willing to participate in voluntary land pulling model in the line of NAINA scheme by forming SPV of the land owners (hereinafter referred to as 'the said villages) and in this regard MoU has been already signed between CIDCO and Khalapur Nagar Panchayat;

And whereas after considering the request of the CIDCO, the Government of Maharashtra is of the opinion that the said villages are required to be excluded from the said area of the said SPA And whereas it is noticed that areas for which MIDC is a Special Planning Authority is also to be excluded;

Now therefore, the Government of Maharashtra has decided to amend the said notification TPS-1815/UOR/78/15/UD-13, Dt.17/02/2016 accordingly by issuing following addendum;

In clause (a) of the said notification -

for the word "local authority if any as specified in Schedule A" the words "local authority, area under proposed Khalapur SPV (the said Villages) and area for which MIDC is a Special Planning Authority as specified in revised Schedule A attached herewith "shall be deemed to have been added.

in clause (b) of the said notification -

After the word "cease to function for the said area from the date of this notification" the word "excluding the area for which MIDC is a Special Planning Authority shall be deemed to have been added.

By Order and in the Name of Governor of Maharashtra, Sanjay

Sanjay Balkrishna Saoji Digitally signed by Sanjay Ballurishna Saoji DN: c-NI, o-Governmert Of Maharashtra, cu-UNDER SEC RETARY, 2.5.4.20—138024D79C199420653021e52311 db:55079603-1505-163426db:3605.018617/i xchiaNumber:-be105c27548273915dc4916 5-565546896297014296675(20644652 db:747, on-Sanjay Balkurian Saoji Date: 2016.013.17.246179.00301

(Sanjay Saoji) Under Secretary to Government

3/8



SCHEDULE -A (Revised)

List <u>of Revised</u> villages within the boundaries of the Notified Special Planning Authority Area

A) Tahasil - Khalapur, District -Raigad

Sr.No.	Name of the Villages
1	Talegaon
2	Panshil
3	Mohapada (Aliyas Vasambe)
4	Rees
5	Lodhivali
6	Nadhal
7	Tembari
8	Vayal
9	Pali (Khu.)
10	Sarang
11	Tupgaon
12	Jambhivali tarfe Boreti
13	Chowk-Manivali
14	Hatnoli
15	Wavandhal
16	Asare
17	Kopari
18	Asroti
19	Dharni
20	Warad
21	Majgaon
22	Paud
23	Mandap
24	Kumbhivali
25	Dhamni
26	Hal (Khu.)
27	Savaroli
28	Nifan
29	Sarsan
30	Sajgaon
31	Dahivali tarfe Borati
32	Dheku
33	Honad
34	Mandad Atkargaon
35	Aadoshi
36	Ambivali tarfe Wankhal
37	Kambe
38	Chambharli
39	Vat
40	Borivali
41	Vahshivali
42	Vanivali
43	Lohop
44	Esambe



45	Ambivaali tarfe Tungartan	
46	Vadgaon	
47	Talavali	
48	Kharsundi	
49	Tambati	
50	Vadval	
51	DevaNhave	
52	ThaneNhave	
53	Chinchvali Gohe	
54	Chavani	

B) Tahasil - Panvel District - Raigad

Sr.No.	Name of the Villages		
1	Girawali		
2	Arivali		
3	Ajivali		
4	Ashte		
5	Shedung		
6	Kasalkhand		
7	Kanhavale		
8	Bhatane		
9	Barvai		
10	Bhokarpada		
11	Jatade		
12	Somatane		
13	Narpoli		
14	Dahivali		
15	Sawale		
16	Devloli Bk		
17	Dapivali		

By Order and in the Name of Governor of Maharashtra, Sanjay

Sanjay Balkrishna Saoji

(Sanjay Saoji) Under Secretary to Government



ANNEXURE 1-5: LIST OF VILLAGES IN NAINA DP

LIST OF VILLAGES IN NAINA DP					
S No.	Village Codes	NAINA	Sub District		
1	552448	Dahisar	Thane		
2	552449	Mokashi	Thane		
3	552450	Walivali	Thane		
4	552451	Pimpari	Thane		
5	552452	Nighu	Thane		
6	552453	Navali	Thane		
7	552454	Vakalan	Thane		
8	552455	Bamali	Thane		
9	552456	Narivali	Thane		
10	552457	Bale	Thane		
11	552458	Nagaon	Thane		
12	552459	Bhandarli	Thane		
13	552460	Uttarshiv	Thane		
14	552461	Goteghar	Thane		
15	553312	Veshvi	Uran		
16	553320	Dighode	Uran		
17	553321	Kanthavali	Uran		
18	553322	Pohi	Uran		
19	553323	Ransai	Uran		
20	553366	Valap	Panvel		
21	553367	Pale Budruk	Panvel		
22	553368	Nitalas	Panvel		
23	553369	Nitale	Panvel		
24	553370	Kondap	Panvel		
25	553371	Wangani Tarf Taloje	Panvel		
26	553373	Shiravali	Panvel		
27	553374	Chinchavali Tarf Taloje	Panvel		
28	553375	Mahodar	Panvel		
29	553376	Vavanje	Panvel		
30	553377	Kherane Khurd	Panvel		
31	553379	Kanpoli	Panvel		
32	553380	Chindharan	Panvel		
33	553381	Mahalungi	Panvel		
34	553382	Ambe tarf taloje	Panvel		
35	553383	Khairwadi	Panvel		
36	553384	Tamsai	Panvel		
37	553385	Kondale	Panvel		
38	553386	Morbe	Panvel		
39	553387	Hedutane	Panvel		
40	553388	Kevale	Panvel		
41	553389	Khanav	Panvel		
42	553390	Chinchavali Tarf Waje	Panvel		
43	553391	Ritghar	Panvel		
44	553392	Dundre	Panvel		
45	553393	Dhamani	Panvel		



C N a	Village	BIAIBIA	Cult District
S No.	Codes	NAINA	Sub District
46	553394	Maldunge	Panvel
47	553395	Dhodani	Panvel
48	553396	Deharang	Panvel
49	553397	Gadhe	Panvel
50	553398	Ambe tarf waje	Panvel
51	553399	Shivansai	Panvel
52	553400	Umroli	Panvel
53	553401	Usarli Budruk	Panvel
54	553402	Vakadi	Panvel
55	553403	Harigram	Panvel
56	553409	Ambivali	Panvel
57	553411	Waje	Panvel
58	553412	Cheravali	Panvel
59	553413	Wajapur	Panvel
60	553414	Nevali	Panvel
61	553420	Wangani Tarf Waje	Panvel
62	553421	Loniwadi	Panvel
63	553427	Bherle	Panvel
64	553430	Wardoli	Panvel
65	553433	Bhingar	Panvel
66	553436	Bhingarwadi	Panvel
67	553454	Mosare	Panvel
68	553455	Patnoli	Panvel
69	553456	Nanoshi	Panvel
70	553457	Chirvat	Panvel
71	553458	Turmale	Panvel
72	553459	Vadavali	Panvel
73	553460	Nandgaon	Panvel
74	553461	Kudave	Panvel
75	553470	Poyanje	Panvel
76	553471	Mohope	Panvel
77	553472	Pali Budruk	Panvel
78	553478	Shirdhon	Panvel
79	553479	Sangurli	Panvel
80	553480	Chinchavan	Panvel
81	553486	Posari	Panvel
82	553488	Vaveghar	Panvel
83	553489	Turade	Panvel
84	553490	Akulwadi	Panvel
85	553491	Gulsunde	Panvel
86	553495	Ladiwali	Panvel
87	553496	Apte	Panvel
88	553497	Kalhe	Panvel
89	553505	Koral	Panvel
90	553671	Nangurle	Karjat
91	553672	Tighar	Karjat



	Village		
S No.	Codes	NAINA	Sub District
92	553673	Varne	Karjat
93	553674	Avalas	Karjat
94	553689	Palasdari	Karjat
95	553690	Talawali	Karjat
96	553701	Nanivali	Khalapur
97	553702	Padaghe	Khalapur
98	553703	Warose Tarf Wankhal	Khalapur
99	553704	Borgaon Budruk	Khalapur
100	553705	Borgaon Khurd	Khalapur
101	553706	Sondewadi	Khalapur
102	553707	Wavarle	Khalapur
103	553708	Pali Budruk	Khalapur
104	553709	Vadvihir	Khalapur
105	553710	Morbe	Khalapur
106	553719	Parade	Khalapur
107	553728	Kandroli Tarf Wankhal	Khalapur
108	553730	Bhilvale	Khalapur
109	553731	Kalote Mokashi	Khalapur
110	553732	Vinegaon	Khalapur
111	553733	Kalote Rayati	Khalapur
112	553743	Nigdoli	Khalapur
113	553744	Nadode	Khalapur
114	553745	Nimbode	Khalapur
115	553746	Vanave	Khalapur
116	553747	Shiravali Tarf Boriti	Khalapur
117	553748	Khalapur	Khalapur
118	553749	Ghodivali	Khalapur
119	553751	Navandhe	Khalapur
120	553758	Shengaon	Khalapur
121	553760	Dolavali	Khalapur
122	553761	Mankivali	Khalapur
123	553762	Anjrun	Khalapur
124	553764	Mahad	Khalapur
125	553820	Mothe Bhal	Pen
126	553821	Vitthalwadi	Pen
127	553822	Kanhoba	Pen
128	553823	Kaleshriwadi	Pen
129	553824	Lakhola	Pen
130	553825	Benavale	Pen
131	553826	Bahiram katak	Pen
132	553827	Narwel	Pen
133	553828	Wadhav	Pen
134	553829	Div	Pen
135	553830	Mothe vadhav	Pen
136	553831	Kane	Pen
137	553832	Borze	Pen




S No. Village		NAINA	Sub District
3 NO.	Codes	IVAIIVA	Sub District
138	553833	Washi	Pen
139	553834	Odhangi	Pen
140	553835	Koproli	Pen
141	553836	Patnoli	Pen
142	553837	Antore	Pen
143	553838	Dhondpada	Pen
144	553839	Umbarde	Pen
145	553840	Shirki	Pen
146	553841	Shirki Chawl	Pen
147	553842	Masad Budruk	Pen
148	553843	Masad Bedi / Masad Beli	Pen
149	553844	Masad Khurd	Pen
150	553845	Borwe	Pen
151	553846	Bori	Pen
152	553847	Sarebhag	Pen
153	553848	Shinganvat	Pen
154	553849	Kolave	Pen
155	553850	Wadkhal	Pen
156	553851	Beneghat	Pen
157	553853	Wave	Pen
158	553854	Khar Nandai	Pen
159	553855	Jui Budruk	Pen
160	553856	Turkhul	Pen
161	553857	Jui Khurd	Pen
162	553858	Kharpada	Pen
163	553859	Dushmi	Pen
164	553860	Khar Simadevi	Pen
165	553861	Kauli Simadevi	Pen
166	553862	Kharkoshim	Pen
167	553863	Rave	Pen
168	553864	Khar Dubej	Pen
169	553865	Jite	Pen
170	553869	Navkhar	Pen
171	553870	Balawali	Pen
172	553871	Khar Borli	Pen
173	553872	Kopar	Pen
174	553873	Davre	Pen
175	553874	Hanumanpada	Pen
176	553875	Kalave	Pen
177	553876	Sonkhar	Pen
178	553877	Urnilee (Urnoli)	Pen
179	553878	Khar Dutarfa Borli	Pen
180	553879	Dolvi Dababa	Pen
181	553880	Johe	Pen
182	553881	Tambadshet	Pen
183	553882	Govirle	Pen




S No.	Village Codes	NAINA	Sub District
184	553889	Ambivali	Pen
185	553890	Hamrapur	Pen
186	553891	Waredi	Pen
187	553892	Dutarfa Sapoli (Khar Dutarfa Sapoli)	Pen
188	553893	Kharsapoli	Pen
189	553894	Nagadi Sapoli	Pen
190	553895	Chinchghar	Pen
191	553896	Shitole	Pen
192	553897	Davansar	Pen
193	553900	Ramraj	Pen
194	553901	Tarankhop	Pen
195	553902	Uchede	Pen
196	553903	Kandlepada	Pen
197	553904	Kashmire (Kashmirwadi)	Pen
198	553905	Kandale	Pen
199	553906	Meleghar	Pen
200	553908	Dhavate	Pen
201	553989	Dadar	Pen














of



Email ID

PIN Code

Contact Tel. No.

ANNEXURE 2-4 QUESTIONNAIRE FOR SOCIO-ECONOMIC SURVEY

CIDCO WE MAKE CITIES	DE	VELOPM	SOCIO-ECO				INA	& F	KNT	•						
PART 1. Household [Sheet) Oata	Traffic Zone:				HH.ID					HH S	Sr No:				
HOUSEHOLD LOCATION:	Assembly No.	Elector	al Booth No.			Мај	p Referer	ice:						She	et	
Village code	Village Name			Pa	ida		Ta	aluka							Dist:	:
Name of Head of household Building Name/Number						edule No. rviewer:	3									•
Street Name Locality / Area Name				\dashv \mid		ervisor: of Interview:	L		1st	D	D	M	М	Υ	Υ	
City / Village									2nd	D	D	М	M	Υ	Υ	
Landmark 1									3rd	D	D	М	M	Υ	Υ	Ī
Nearget Rue Ston					Inter	view Status			Refus	ed	Par	tial	Fı	ıll		

Household Data Sheet (Part 1)

Travel Data Sheet (Part 2)

Daily Trip Diaries (Part 3)

Caste

Type of Re	Type of Residence			Rented	Employer	No.		I	1
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Owned		Provided	Rooms		OBC	2
Apa	rtment/flat	1	1	2	3]	SC	3
Independ	ent House	2	1	2	3		1	ST	4
	Chawls	3	1	2	3		1	VJNT	5
SI	lums Type	4	1	2	3		1	Others	6
	Wadi	5	1	2	3		1		
			1).	***			_		
Religion	1 Hind	lu	2	Muslim	3 Christi	an	40	Others	
Floor Area	Safee	at			Sa mete	re			

Ownership

No. vehicles in a household:	0	wned	by H	hold	Rented						
Cars/Vans	0	1	2	3+	0	1	2	3+			
2-wheelers	0	1	2	3+	0	1	2	3+			
Bicycles	0	1	2	3+	0	1	2	3+			
Others	0	1	2	3+	0	1	2	3+			
Parking available at household	F	Private	Spa	ces	F	Park (Outsi	ide			
Cars/Vans	0	1	2	3+	0	1	2	3+			
2 wheelers	٥	1	2	37	n	1	2	3+			

3

3

3

1 Yes 2 No

None

4

Religion	1 Hindu	2 Muslim	3 Christian	4 Others	
Floor Area	Sq.feet		Sq.meters		
No. Earners in I Employed person	ns living in househ nousehold ons by the househ e you staying here ou lived before?	old		, [Toilet Connec

District

Hand Pump

Bore Well

Well

Тар

Water Source

Stand Post

Secondary (10th Pass)

	Constructi	Pucca	Semi-Pucca	Kutcha	Others
	on Type	1	2	3	4
-					
Toilet	Public To	ilet Sewei	Septic Tank	Open Drain	Open Lan

Electricity Connection

TV

Fridge

1

(Specify) 1 2	3 4	5	6 7	8	1	2 3	4 5
Flooding (Year) Flooding (Nos.)				Cooking Fuel Wo	od Coal Keros		obar Gas Others
PERSONAL INFORMATION:	Person 1 (Head)	Person 2	Person 3	Person 4	Person 5	Person 6	Person 7
Completed Travel Diary (Part 3)	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No
No. of trips made on Travel Day (Part 3)	0 None	0 None	0 None	0 None	0 None	0 None	0 None
Name							
Relation to Head of HH							
Age (years)							
Sex	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F
Disabled	1 Y 2 N	1 Y 2 N	1 Y 2 N	1 Y 2 N	1 Y 2 N	1 Y 2 N	1 Y 2 N
Marital Status							
Married	1	1	1	1	1	1	1
Single/Unmarried	2	2	2	2	2	2	2
Diverse/ Separated	3	3	3	3	3	3	3
Widow/ Widower	4	4	4	4	4	4	4
Completed Education Level							
Illiterate	1	1	1	1	1	1	1
Pre-primary	2	3	2	2	2	2	2
Primary (5th Pass)	Primary (5th Pass) 3			3	3	3	3

River

Others (Specify)

Pond

-1-







SOCIO-ECONOMIC SURVEY

		200720					
1114-0-1 (1015-1	-	-	-	· ·	-	-	-
Higher Secondary (12th Pass)	5	5	5	5	5	5	5
Technical diploma Graduate	6 7	6 7	6 7	6 7	6 7	6 7	6 7
Post Graduate & above	8	8	8	8	8	8	8
Occupation Status	0	,	U	Ů	0	0	0
	, a		4	4	,	4	
Employed (Full Time) Employed (Part Time)	2	2	2	2	2	2	2
Self Employed	3	3	3	3	3	3	3
Daily Wages	4	4	4	4	4	4	4
Student (all levels)	5	5	5	5	5	5	5
Seeking Employment	6	6	6	6	6	6	6
Homemaker/Housewife	7	7	7	7	7	7	7
Retired	8	8	8	8	8	8	8
Resident Maid / Driver / Caretaker	9	9	9	9	9	9	9
Infants	10	10	10	10	10	10	10
Others	11	11	11	11	11	11	11
Not doing anything	12	12	12	12	12	12	12
Location of Work Place/ School/ College							
Are you employed in Government / Privat	te sector?						
Ale you employed in Government? I five		4 O4 O D	4 O+ 0 D	4.04.0.D	4 O4 O D	4.0+ 0.D	4.0
	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Pri
Building Type or Land Use that best desc	ribes your USUAL p	place of employment	or education:				
Employment Place:							
Residential	1	1	1	1	1	1	1
Industry/Factory	2	2	2	2	2	2	2
Warehouse	3	3	3	3	3	3	3
Office	4	4	4	4	4	4	4
Film Industry	5	5	5	5	5	5	5
Shop	6	6	6	6	6	6	6
Restaurant/Eating Place	7	7	7	7	7	7	7
Hotel	8	8	8	8	8	8	8
Entertainment/Tourism	9	9	9	9	9	9	9
Place of Education	10	10	10	10	10	10	10
Hospital/ Clinic	11	11	11	11	11	11	11
Agriculture Construction Site	12 13	12 13	12 13	12 13	12 13	12 13	12 13
Varies day to day	14	14	14	14	14	14	14
Others	15	15	15	15	15	15	15
Resident Space	16	16	16	16	16	16	16
Student Destination Type:							
Pre-School	1	1	1	1	1	-1	1
			92			- 20	Activity and a second a second and a second
Primary School	2	2	2	2	2	2	2
Secondary/High School	3	3	3	3	3	3	3
Degree College	4	4	4	4	4	4	4
University/Research Institute	5	5	5	5	5	5	5
Coaching classes	6	6	6	6	6	6	6
Others	7	7	7	7	7	7	7
Medium of School/ College					3		8
Manager Court Court of the Cour	Α	Upto 5,000	D	16,001-25,000	G	60,001-80,000	
What is your monthly household	В	5,001-8,000	E	25,001-40,000	Н	80,001-1 lakh	
income (Rs / month)	c	8,001-16,000	F	40,001-60,000	1	Above 1 lakh	
Family Expenditure Heads (in Rs.)	Rs.	1	*	-1			
Education	Rs.						
Food	Rs.						
Maintenance -Water, Electricity etc.	Rs.						
Telephone bill	Rs.						
Clothing	Rs.						
	Б.						
Entertainment	Rs.						
Entertainment Installments	Rs.						
Installments Medical	Rs. Rs.						
Installments Medical Transport	Rs. Rs.						
Installments Medical	Rs. Rs.						







SOCIO-ECONOMIC SURVEY

PART 2. Person & 'Regular'	Travel Data	She	et of	Househo	ld serial number:		
	Person 1	Person 2	Person 3	Person 4	Person 5	Person 6	Person 7
Address and Location of USUAL Place of Emplo	yment or Education						
At Home	1	1	1	1	1	1	1
Same Building as Home	2	2	2	2	2	2	2
OR Building Number / Name							
Street Name							
Location 2 Landmark 1							
Nearest Bus Stop							
Traffic Zone (for Office Use)						<u>' </u>	
Please circle each day of the week that you usua	ally go to work/scho	ol/college					
Monday	1	1	1	1	1	1	1
Tuesday	2	2	2	2	2	2	2
Wednesday	3	3	3	3	3	3	3
Thursday	4	4	4	4	4	4	4
Friday	5	5	5	5	5	5	5
Saturday	6	6	6	6	6	6	6
Sunday What time do you USUALLY leave home to trave	to work or sehe-!	1	1	I		/	- 1
	NO WORK OF SCHOOL		 				1 1 1
Time (hh:mm)	. hama ta :::::::::::::::::::::::::::::::::	a of ample::::::::	l duastia:				
How long does it USUALLY take to travel from	n nome to your plac	e or employment of	education				
Time in minutes	-f		- 60				
What time do you USUALLY leave your place	or employment or e	queation at the end	or the day		, , , , , , , , , , , , , , , , , , , 		, , ,
Time (hh:mm)	111						434
Do you have a driving license?	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No
What modes of travel do you USUALLY use w (where several modes are used, list in order of							
Walk (1)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Bicycle (2)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Bullock Cart (3)	2 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Taxi (4)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Auto-Rickshaw (5)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Maxi cab (6)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
2-wheeler (as driver) (7) 2-wheeler (as passenger) (8)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Car/Van (as driver) (9)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Car/Van (as passenger) (10)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Bus (Public) (11)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Bus (Company Charter) (12)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Bus (Private Charter) (13)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Train (Local) (14) Train (Long Distance) (15)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Metro (16)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
Other (17)	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6
	Not Applicable	Not Applicable	0 Not Applicable	Not Applicable	Not Applicable	Not Applicable	0 Not Applicable
If you drove, or were driven, to work -	1 On Street	1 On Street	1 On Street	1 On Street	1 On Street	1 On Street	1 On Street
where did you park?	2 Off Street	2 Off Street	2 Off Street	2 Off Street	2 Off Street	2 Off Street	2 Off Street
Do you usually use a Toll Road pass?	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No
If yes, what is the cost? (Rs / month)							
If public bus was used, which routes numbers w	ere used (in order o	of use-where multip	le routes are availal	ble choose a represe	entative one)		
1st Bus (1)							
2nd Bus (2)				\Box			
3rd Bus (3) 4th Bus (4)							
	(1st station first 1	not station lost and	transfer stations in	hotwoon)			
If a Train was used, what stations did you use First Station (1)	. (ist station first, li	zər əradon idət, and T	u ansier stations in	Detween).	1	-	
Traffic Zone (for Office Use)	' 	' 		' 			
First Transfer Station (2)	 						
Traffic Zone (for Office Use)	 	_ 	- 		 		1 1 1
Second Transfer Station (3)							
Traffic Zone (for Office Use)	 						
Last Station (4)							
Traffic Zone (for Office Use)		\top		 	 		1 1 1
	1 Slow	1 Slow	1 Slow	1 Slow	1 Slow	1 Slow	1 Slow
If a train was used, did you use a slow	2 Fast	2 Fast	2 Fast	2 Fast	2 Fast	2 Fast	2 Fast
	3 Both	3 Both	3 Both	3 Both	3 Both	3 Both	3 Both
train, a fast train, or both	J Dout						
train, a fast train, or both				,			
	1 2	1 2	1 2	1 2	1 2	1 2	1 2
train, a fast train, or both Do you usually use a Bus/ Suburban Rail pass?		1 2	1 2	1 2	1 2	1 2	1 2
train, a fast train, or both Do you usually use a Bus/ Suburban Rail pass? 1. Bus Pass/ 2. Rail Pass	1 2	5075	(3)	70	PO 0005	1 2	1 2







SOCIO-ECONOMIC SURVEY

		did yo	u make any trips i	for any	of the following reas													
Tr	ip Reason						el Modes:											
01	. Home	05.	Personal Business	09.	Entertainment/Recreati	on 01 .	Walk	03.	Taxi	(06.	2-wheele	r (driver)	10).	Bus (public) 14. Train (lon	distance) T = Toll Paid (in cash) P = Rail Pa	ss used
02	. Work	06.	Health	10.	Employers Business	02.	Bicycle	04.	Auto ric	kshaw (07.	2-wheele	r (passen	iger) 11	١.	Bus (company charter) 15. Other mo	е	
03	 Education 	07.	Eating	11.	Drop-off passenger			05.	Maxi ca	b (08.	Car/Van	(driver)	12	2.	Bus (private charter)	No cost for car, 2-wheeler, walk or bicycle except i	f toll paid
04	 Shopping 	08.	Social	12.	Other Reason					(09.	Car/Van	passeng	er) 13	3.	Train (local)		
	25/21 55													22		Transfer Time =	Nalk time + Wait time for next mode	
PAR	T 3. Previo	us V	Vorking Day T	rip Di	iary Day of Dia	ary:	D 0	M M	P	erson Na	me:					Person No.:	Household No.:	
						_	Day	Month	-88			101				Is this a proxy interview?	1 No 2 Yes	
																	Sheet	
Trip	2000					2000	T	Mode	c of	Mode	Time (mins)	Co	ost of Mod	le	Transfer / Interchange / Intermediate		If Mode is Car
No.	Place a	at which	h this trip started		Time of Journey	Trip Re	ason	Travel		Transfer	-	Travel	4	(Rupees)		Location or Station	Place at which this trip ended	or 2-wheeler
	4 Home 2 Mode	2 Edua	cation or 4 OTHER				-	107101	_	Hallstei		liavei	+-	P	1 7		1 Home 2 Work 3 Education or OTHER	
	100 M TO THE RESERVE OF THE RESERVE		cation of 4 OTHER		Trip Start Time (hh:mm)		ŀ		1st	\vdash	+	\vdash	1-1-		-			ccupants (including driver)
	Building No. / N	lame:			(111.11111)		l l		2nd		-	\vdash	1	P	-	<u></u>	Building No. / Name:	uriver)
	Street Name:						L		3rd	B 84.5		\vdash		P	Т	Т	Street Name:	
	Location 1						L		4th	0.00				P	Т	Т	Location 1 To	I Pass Used?
	Location 2				Trip End Time				5th					P	Т	т	Location 2	1 Yes
	Landmark 1				(hh:mm)				6th	3 386				P	Т	Т	Landmark 1	2 No
	Landmark 2						ı	9	7th	8 8 8	1			Р	Т	г	Landmark 2 Pa	rking cost
	Nearest Bus Sto	op					ı		8th		1	\vdash		P	Т	r	Nearest Bus Stop Rs	
			ucation or OTHER		T. 0. 1T		-	\dashv	1st	\vdash	┰	\vdash	+	P	1	т		
	Building No. / N		cation of OTHER		Trip Start Time (hh:mm)		ŀ		2nd	\vdash	+	\vdash	+	P	-	<u>'</u>	—	ccupants (including driver)
		iame:			(11111		ŀ		-	\vdash	+	\vdash	++	++	_	<u>-</u>	Building No. / Name:	u.i.o.,
	Street Name:						- 1	_	3rd		_	\vdash		P	-	I .	Street Name:	
2	Location 1						- 1		4th		_	\vdash		P	-	Т		I Pass?
1.500	Location 2				Trip End Time		L L		5th		_	\perp		P	_		Location 2	1 Yes
	Landmark 1				(hh:mm)		L		6th		\perp			P	T	Г	Landmark 1	2 No
	Landmark 2								7th					P	Т	Г	Landmark 2 Pa	rking cost
	Nearest Bus Sto	ор					Г		8th	8 8 8 8	Т			P	Т	Т	Nearest Bus Stop Rs	
	1 Home 2 Worl	k 3 Edu	ucation or OTHER		Trip Start Time				1st					P	T	Т	1 Home 2 Work 3 Education or OTHER 0	ccupants (including
	Building No. / N	lame:	» -		(hh:mm)				2nd					P	Т	Т	Building No. / Name:	driver)
	Street Name:								3rd					P	Т	r	Street Name:	
2	Location 1				5. 1902. 37		L		4th		\perp			P	_	·	Location 1 To	I Pass?
3	Location 2				Trip End Time		L		5th		\perp			P	_	Т	Location 2	1 Yes
	Landmark 1				(hh:mm)		L		6th		┸	\vdash	\perp	P	_	Г	Landmark 1	2 No
	Landmark 2						- 1		7th		┸	\vdash	\perp	P	_	Г		rking cost
	Nearest Bus Sto	_							8th	oxdot	_	\vdash		P	_	<u> </u>	Nearest Bus Stop Rs	
	1 Home 2 World	k 3 Edu	ucation or OTHER		Trip Start Time		I.		1st	\perp	\perp	\perp		P	Т	Т	1 Home 2 Work 3 Education or OTHER	ccupants (including
	Building No. / N	lame:			(hh:mm)		L		2nd					P	T	Т	Building No. / Name:	driver)
	Street Name:								3rd					P	T	Г	Street Name:	
4	Location 1								4th					P	Т	Г	Location 1 To	I Pass?
-	Location 2				Trip End Time				5th					P	Т	Т	Location 2	1 Yes
	Landmark 1				(hh:mm)				6th					P	T	Т	Landmark 1	2 No
	Landmark 2								7th					P	_	* 1 S	Landmark 2 Pa	rking cost
	Nearest Bus Sto	OD							8th					Р	T	т	Nearest Bus Stop Rs	





SOCIO-ECONOMIC SURVEY



	Person 8	Person 9	HEET Person 10	Person 11	Person 12	Person 13	Person 14
Completed Travel Diary	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No
No. of trips made on Travel Day	0 None	0 None	0 None	0 None	0 None	0 None	0 None
Name	0 110110	0 110110	OTIONO	0 110110	0 110110	0.110110	0 110110
Relation to Head of HH							
		-			,		
Age (years)	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F	4 M 0 E
Sex Disabled	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 N	1 M 2 F 1 Y 2 M
Marital Status	I I Z N	I I Z N	I I Z N	I I Z N	I I Z IV	I I Z N	1 1 2 1
Currently Married	1	1	1	1	1	1	1
Single/Unmarried	2	2	2	2	2	2	2
Diverse/ Separated	3	3	3	3	3	3	3
Widow/ Widower	4	4	4	4	4	4	4
Completed Education Level							
Illiterate	1	1	1	1	1	1	1
Pre-primary	2	2	2	2	2	2	2
Primary (5th Pass)	3	3	3	3	3	3	3
Secondary (10th Pass)	4	4	4	4	4	4	4
Higher Secondary (12th Pass)	5	5	5	5	5	5	5
Technical diploma	6	6	6	6	6	6	6
Graduate	7	7	7	7	7	7	7
Post Graduate & above	8	8	8	8	8	8	8
Occupation Status							
Employed (Full Time)	1	1	1	1	1	1	1
Employed (Part Time)	2	2	2	2	2	2	2
Self Employed	3	3	3	3	3	3	3
Daily Wages	4	4	4	4	4	4	4
Student (all levels)	5	5	5	5	5	5	5
Seeking Employment	6	6	6	6	6	6	6
Homemaker/Housewife Retired	7 8	7 8	7 8	7 8	7 8	7 8	7 8
Resident Maid / Driver / Caretaker	9	9	9	9	9	9	9
Infants	10	10	10	10	10	10	10
Others	11	11	11	11	11	11	11
Not doing anything	12	12	12	12	12	12	12
Location of Work Place/ School/ College	AN/201						
		b /					
Are you employed in Covernment / Brivet	o contar?						<u>.</u>
Are you employed in Government / Privat							
	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Pri
Building Type or Land Use that best desc	1 Govt 2 Priv	in herences impossible		1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Pri
	1 Govt 2 Priv	in herences impossible		1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Priv	1 Govt 2 Pri
Building Type or Land Use that best desc Employment Place:	1 Govt 2 Priv	place of employment	or education:	1	1	1	1
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory	1 Govt 2 Priv ribes your USUAL p	place of employment	or education:	1 2	1 2	1 2	1 2
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse	1 Govt 2 Priv	1 2 3	or education:	1 2 3	1 2 3	1 2 3	1 2 3
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office	1 Govt 2 Priv ribes your USUAL p	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5	1 2 3 4 5 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5 6 7 7	1 2 3 4 4 5 6 7	1 2 3 4 5 6	1 2 3 4 5 6 7	1 2 3 4 5 6	1 2 3 4 5 6 7
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5	1 2 3 4 5 6	1 2 3 4 5
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8 8	1 2 3 4 5 6 7	1 2 3 4 5 6 7	1 2 3 4 5 6 7	1 2 3 4 5 6 7
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 8 9	1 2 3 4 5 6 7 7 8 9	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5 6 7 8 8 9 10 11 12	1 2 3 4 5 6 7 8 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 6 7 8 9 10 11 12
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 6 7 8 9 10 11 12 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13 13	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 11 12	1 2 3 4 5 6 7 8 9 10 11 12 13
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 4 5 6 7 7 8 9 10 11 12 13 14	1 2 3 4 4 5 6 7 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 4 5 6 7 7 8 9 10 11 12 13 14	1 2 3 4 4 5 6 7 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13	1 2 3 4 5 6 7 8 9 10 11 12 13
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 12 13 14
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 4 5 6 6 7 7 8 9 10 111 12 13 13 14 15 16	1 2 3 4 5 6 6 7 8 8 9 10 11 12 12 13 14 15 16 16	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	1 2 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16	1 2 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space Student Destination Type: Pre-School Primary School	1 Govt 2 Priv tribes your USUAL p	1 2 3 4 5 6 7 7 8 9 10 111 12 13 14 15 16 16	1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 16	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16	1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 16
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space Student Destination Type: Pre-School Primary School Secondary/High School	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 12 2 3 3	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 12 2 3 3	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	1 2 3 4 4 5 6 6 7 7 8 8 9 10 11 12 13 14 15 16 16	1 2 3 4 5 6 6 7 8 8 9 10 11 11 12 13 14 15 16 16	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space Student Destination Type: Pre-School Primary School Degree College	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16 12 2 3 4 4	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16 12 3 3 4 4	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4	1 2 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4	1 2 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 16 1 2 3 3 4 4	1 2 3 4 5 5 6 7 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space Student Destination Type: Pre-School Primary School Secondary/High School Degree College University/Research Institute	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 16 1 1 2 2 3 1 4 1 5 1 6 1 5 1 6 5 1 5 5 1 6 6 7 7 8 8 9 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 3 4 5 6 7 8 9 10 11 1 12 13 14 15 16 16 1 2 3 3 4 4 5 5	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 3 4 5 5	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4 5 5	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 3 4 5 5	1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 16 12 2 3 4 4 5 5
Building Type or Land Use that best desc Employment Place: Residential Industry/Factory Warehouse Office Film Industry Shop Restaurant/Eating Place Hotel Entertainment/Tourism Place of Education Health Facility Agriculture Construction Site Varies day to day Others Resident Space Student Destination Type: Pre-School Primary School Secondary/High School Degree College	1 Govt 2 Priv cribes your USUAL p	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16 12 2 3 4 4	1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 16 12 3 3 4 4	1 2 3 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4	1 2 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4	1 2 3 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 16 1 2 3 3 4 4	1 2 3 4 4 5 6 6 7 7 8 8 9 10 11 12 13 14 15 16 16 1 2 3 4 4

◆5**→**



ANNEXURE 3-1: LEGEND FOR EXISTING LAND USE इतर वर्गीकरण भू वापर वर्गीकरण OTHER CLASSIFICATIONS LAND USE CLASSIFICATIONS रहिवासी दळणवळण राज्य हद्द RESIDENTIAL STATE BOUNDARY **TRANSPORTATION** बांधीव द्रुतगतीमार्ग EW जिल्हा हद्द Thane BUILT **EXPRESSWAY** DISTRICT BOUNDARY बांधकाम निर्माणाधीन राष्ट्रीय महामार्ग UC UNDER CONSTRUCTION NH तालुका हद Ulhasnagar NATIONAL HIGHWAY तात्पुरते बाधकाम Т TALUKA BOUNDARY राज्यमार्ग TEMPORARY STRUCTURE SH STATE HIGHWAY गाव हद Adai मिश्र वापर मुख्य जिल्हा रस्ते Akruli VILLAGE BOUNDARY MIXED USE MDR MAJOR DISTRICT ROAD रहिवासी + वाणिज्य मु.म.प्र. हद्द इतर जिल्हा रस्ते R+C ODR RESIDENTIAL + COMMERCIAL MMR BOUNDARY OTHER DISTRICT ROAD रहिवासी + इतर R + 0 गाव रस्ते नैना हद **RESIDENTIAL + OTHERS** VR VILLAGE ROAD NAINA BOUNDARY वाणिज्य रेल्वे जमीन COMMERCIAL RL नैना टप्पा -१ हद्द RAILWAY LAND बाजार NAINA PHASE-I BOUNDARY M **MARKET** जलाशय हॉटेल HO WATERBODY शहर हद्द / विशेष नियोजन प्राधिकरण हद्द HOTEL नदी MUNICIPAL / SPA BOUNDARY 0 **OTHERS RIVER** गावठाण / वसाहत उद्योग तलाव NERE INDUSTRIAL LAKE / POND GAOTHAN/ SETTLEMENT बृहत उद्योग आर्द्रभूमी LARGE SCALE INDUSTRY WETLAND सर्वेक्षण / महस्त हद लघु उद्योग SS वनक्षेत्र SURVEY / REVENUE BOUNDARY SMALL SCALE INDUSTRY **FOREST** सेवा उद्योग SR SERVICE INDUSTRY खारफुटी हिस्सा हद्द MANGROVES वीट भटटी HISSA BOUNDARY BRICK KILN सार्वजनिक सुविधा जलाशय **PUBLIC UTILITIES** REVENUE WATER BODIES WAREHOUSING बस स्थानक /आगार ВТ BUS TERMINUS / DEPOT सार्वजनिकआणि निम सार्वजनिकस्विधा विद्युत उपकेंद्र **PUBLIC & SEMI PUBLIC AMENITIES** BRIDGE ELECTRIC SUBSTATION शाळा पादचारी मार्ग जलकुभ SCHOOL OHT OVER HEAD TANK महाविद्यालय FOOT TRACK शौचालय COLLEGE अंतर्गत रस्ते **TOILET** प्राथमिक आरोग्य केंद्र PHC जलप्रक्रिया केंद्र INTERNAL ROAD PRIMARY HEALTH CENTRE WP WATER TREATMENT PLANT लोहमार्ग रुग्णालय इतर HOSPITAL RAILWAY LINE **OTHERS** स्मशान भूमी /दफनभूमी CR कृषिक्षेत्र रेल्वे स्थानक BURIAL GROUNDS / CREMATORIUM **AGRICULTURAL** सामाजिक आणि सांस्कृतिक केंद्र **RAILWAY STATION** SC पिकाखालील जमीन SOCIAL AND CULTURAL CENTRE ओढा /नाला **CROP LAND** ग्राम पंचायत कार्यालय GP पडीक जमीन STREAM GRAM PANCHAYAT OFFICE **FALLOW LAND** देऊळ विद्युत वाहिनी वृक्ष लागवड **TEMPLE** 泰来泰来李 मशिद **PLANTATION** POWER TRANSMISSION LINE MO कुक्कुटपालन /गोठा MOSQUE POULTRY FARM/CATTLE SHED चर्च जल वाहिनी CHURCH टेकडी WATER PIPELINE गुरूद्वारा GURUDWARA वायू वाहिनी खाण पोलीस स्थानक Q QUARRY **GAS PIPELINE** PS POLICE STATION धरण परिरेषा पातळी अग्निशामक केंद्र DAM / BARRAGE CONTOURS FIRE STATION करमणूक REC RECREATIONAL बँक / ए टीएम BN क्रीडांगण BANKS/ATMS PG **PLAYGROUND** इतर बोगदा **OTHERS** TUNNEL मोकळी जागा इमारत **VACANT LAND** STRUCTURE/BUILDING



ANNEXURE 6-1: RANGE OF NORMS & STANDARDS, AND ADOPTED STANDARDS

SI.No		Facilities	UDPF	!	New UR (2013		1979 GR	Norms	CIDCO(Navi Mumbai) Norms		Waluj Draft Development plan		ADOPTED Norms	
SI.INO		racilities	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)
Α	Amenities													
		Balwadi/Creche	2,500	0.08	5,000	0.02	Nil		Nil		12,000	0.05	12,000	0.05
	Educational	Primary & Secondary School	5,000	0.20	5,000	0.20	10,000	0.65	10,000	0.4	12,000	0.6	10,000	0.4
1	Facilities	Play Grounds		0.20		0.20		1.25				1.0		0.6
	racincies	Degree Colleges	1,25,000	4.00	1,00,000	5.00	Nil		1,25,000	1.00	12,000	1.25	1,25,000	1.00
		Professional Colleges/Technical College	10,00,000	4.00	10,00,000	6.00	Nil		1,25,000	2.00	12,000	1.2	1,25,000	2.00
		Clinic											10,000	0.06
		Dispensary/Public Health Center	15,000	0.08	15,000	0.08	10,000	0.25	25,000	0.15	12,000	0.1	25,000	0.15
2	Health Facilities	General Hospital	2,50,000	6.00	5,00,000	6.00	Nil		1,00,000	0.50	20,000	0.5	1,00,000	0.50
		Super Specialty Hospital/Intermediate hospital(Category-A)	1,00,000	3.70	1,00,000	3.70	Nil		2,50,000	2.00	Nil		2,50,000	2.00
		Library (community hall and library)	15,000	0.20	15,000	0.20	10,000	0.05	Nil		10,000	0.05	10,000	0.05
		Multipurpose Hall	Nil		Nil		Dependir the ne		Nil		Nil		10,000	0.2
2	Social and	Community Hall	Nil		Nil		10,000	0.05	1,00,000	0.20	38,000	0.2	1,00,000	0.20
3	Cultural centers	Health Club & Gymnasium (Meditation or Spiritual Center)	1,00,000	0.50	1,00,000	0.50	Dependir the ne	•	Nil		Nil		10,000	0.1
		Religious	Nil		10,00,000	4.00	Nil		10,000	0.15	Nil		10,000	0.15
		Working Women hostel	Nil		10,00,000	0.10	Nil		1,00,000	0.30	Nil		1,00,000	0.30
		Vegetable Market	Nil		Nil		10,000	0.2			12,000	0.2		
		Fish/Meat Market	Nil		Nil		Nil				12,000	0.2		
	Daily Bazaar/	Rationing shops	Nil		Nil		Nil				Nil			
4	Daily Bazaar/	Flour mills	Nil		Nil		Nil		10,000	0.1	Nil		10,000	0.1
	Market Complex	Milk Booths	Nil		5,000	0.02	Nil				Nil			
		Post office/Head post office with delivery office	5,00,000	0.15	5,00,000	0.15	Nil				12,000	0.05		
В	Public Utilities													
		Fire Brigade and Allied services	2,00,000	1.00	1,00,000	1.00	Dependir the ne				12,000	0.05	2,00,000	1.00
5	Fire station/ Police station	Burial Ground/Cremation Ground	5,00,000	0.50	5,00,000	4.00	Dependir the ne				N	il	5,00,000	4
		Police Station	90,000	1.50	50,000	0.32	Ni	1			12,000	0.05	1,00,000	1
С	Parks and open sp	paces												
6	Parks and open	Play fields/Neighborhood Play fields	Play fields mentioned along schools		5,000	1.50	1,000	0.4			12,000	0.2	1,000	0.4
J	spaces	Parks/Neighborhood parks			5,000	1.00	1,000	0.2			12,000	1.0		
		Open space/ Parks/Play grounds	10,000	10.00	10,000	10.00			10,000	3.00			10,000	3.00
		City Park			10,00,000	100.00							5,00,000	50.00

Adopted Norms
Assumed Figures after
discussion with CIDCO



ANNEXURE 6-2: VILLAGE WISE RESERVATION LIST

Reservation	Sector	Area Ha	Tahsil	Village	Survey No.
No.	000101	Alcu_llu	runon	Village	Curvey No.
238_BG/C	11	1.6966	Panvel	Turmale	33/1,33/2,34/1,34/2,34/3,34/4,35/2,35/3,35/4,35/6,53/,53/1,53/2,54/1,54/3,54/6
239_CC	11	0.2850	Panvel	Kudave	12/1,13/,3
240_DB	11	0.0997	Panvel	Turmale	37/2
241_DB	11	0.1084	Panvel	Kudave	25/3,25/4,27/1,27/4
242_FS	11	1.0058	Panvel	Shirdhon	29,30
243_GC	11	14.5168	Panvel	Nandgaon	31/1,31/16,32/,32/10,32/14,32/15,32/7,32/8,32/9,37/,37/3,37/6A,37/9B,40/,40/10, 40/11,40/5,40/6A,40/6B,40/6C,41/,41/1/A+5,41/1B,41/6,42/,42/1,42/10,42/12,42/13, 42/13,42/14,42/2+8+9,42/3,42/7,43/1,43/2, 43/3,43/6,44/5,44/6,
				Vadavali	31,32,33,44,45
244_GC	11	13.4282	Panvel	Turmale	110/2,110/4,35/4,35/5,37/2,50/1,50/3,51/1,51/2,51/3,51/4,52/1,52/2,52/3,52/4,53/, 53/1,53/3,53/4,53/6,56/1,56/2,57/1,57/2,57/3,57/4,57/5,57/6,58/1,58/2,58/3,58/4, 59/1,59/2,59/3,59/4,59/5,59/6,60/1,60/2,60/3,61/1,61/2,61/3,62/1,62/2,62/3,63/2, 63/3,64/1,64/2,65/1,65/2,65/3,65/4,66/1,66/2,66/4,67/1,67/3,83/3
				Turmale	10,125/3,126/1,126/4,126/5,126/6,6/3,
245_GC	11	13.7029	Panvel	Vadavali	10,10,10,11,12,12,13,14/A,14/B,15,16,17,18,19,20,28/APAI,28/B,28/C,28/C,39, 52,8,9
246_GC	11	9.3896	Panvel	Shirdhon	29,30,31,32,33,34,35,36,37,38,39
247_GH	11	0.5000	Panvel	Vadavali	18



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
248_P	11	2.3726	Panvel	Nandgaon	10/1,10/2,10/3,10/4,10/5,10/6,10/7,10/8+9,3/1,3/2,3/3,3/4,3/5,3/6,4/1,4/2,4/3A,4/4,4/5
249_P	11	2.3992	Panvel	Shirdhon	29,39
250_PG	11	2.3399	Panvel	Kudave	8/1,8/2,8/3,8/4,9/1,9/2,9/3,
				Nandgaon	14/1,14/10,14/2,14/9,22/12,22/6,22/7,23/3
251_PG	11	1.7004	Panvel	Kudave	31/4,31/5,32/1,32/3,32/4,32/5,32/6,33/,33/3,34/2,34/3,34/4,34/6
252_PG	11	1.7386	Panvel	Shirdhon	39,41
253_PG	11	1.4647	Panvel	Vadavali	25,33,34,43A
254_PG	11	1.2390	Panvel	Turmale	125/2,125/3,126/5,126/6,127,94,
				Vadavali	15,16
255_PG	11	1.3705	Panvel	Kudave	53/1,53/2,53/3,53/4,54/3,54/5,54/6,
				Nandgaon	25/2,25/3
256_PHC	11	0.1500	Panvel	Turmale	50/1,50/2,50/3
257_PHC	11	0.1516	Panvel	Kudave	3,7/5,7/6
	11	0.3966	Panvel	Kudave	33/1,34/1,34/5,34/6,35/3,35/4,35/6,
258_S				Vadavali	7
259_SPG	11	0.5969	Panvel	Kudave	34/1,34/6,35/1,35/2,35/3,35/4,35/5,37/3
260_STP-6	11	1.7445	Panvel	Kudave	10/2,3,7/1,7/2,7/3,7/4,8/2,9/2,9/3,9/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
261_STP-7	11	1.1005	Panvel	Turmale	53/,54/1,54/2,54/5,54/6,55/1,55/2,55/3,55/4,56/2
262_CC	12	0.2433	Panvel	Chirvat	45
263_CWR 2	12	3.4355	Panvel	Chirvat	45,
				Turmale	94,95
264_DB	12	0.1141	Panvel	Chirvat	15/2,15/4
265_DB	12	0.1355	Panvel	Chirvat	45
266_ESS	12	0.3309	Panvel	Nandgaon	36/8,37/4,37/5
267_GC	12	40.7477	Panvel	Nandgaon	32/1,32/11,32/12,32/13,32/14,32/2,32/3,32/4,32/5,32/6,32/7,36/,36/8,37/4, 37/7,37/8,
				Turmale	100,101,102/1,102/2,103/,104,107/,107/1,107/2,107/3,108/1,108/2,108/3,108/4, 108/5,113/1,113/2,113/3,115/1,115/2,115/3,116,117,118/1,118/2,119,120,121, 122,123, 124/1,124/2,125/1,125/2,125/4,128,94,95,97/
				Vadavali	17,19,20,21,22,23,24,25,26,27,28APAI,28APAI,29,30,31,33,34,35,50
268_GC	12	9.3160	Panvel	Chirvat	10/1,10/2,11,12,16/1,16/2,7/2,7/5,7/6,7/9,8/,8/1,8/2,8/3,
				Turmale	104,105/1,105/2,105/3,106/1,106/2,106/3,106/4,107/1,107/2,107/3,107/4,109/1, 109/3,110/5,62/1,62/3,63/1,63/2,63/4,63/5,64/2,85/4,86/1,86/2,87/1,87/2,87/3, 88/1,88/2,88/3,88/4
269_GSR 8	12	0.3765	Panvel	Chirvat	45
				Turmale	95
270_GSR7	12	0.2900	Panvel	Nandgaon	36/,36/8,37/4,37/5,37/8



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
271_P	12	2.6187	Panvel	Chirvat	198,199,27,28,29,30
272_P	12	10.7892	Panvel	Turmale	100,101,103/,94,95,96,97/,97/1,97/2,98,99
				Chirvat	1,45
273_P	12	3.2754	Panvel	Turmale	95
				Chirvat	11,8/,8/1,8/2,
274_PG	12	2.8652	Panvel	Turmale	63/1,63/2,63/3,63/4,63/5,63/6,83/1,83/2,84/1,85/1,85/2,85/3,85/4,85/5,86/1, 86/2,86/3
275_PG	12	1.3217	Panvel	Chirvat	45
276_PHC	12	0.1500	Panvel	Chirvat	15/1,15/2,15/4
277_PHC	12	0.2513	Panvel	Chirvat	44,45
				Chirvat	13/2,14,
278_PS	12	1.0511	Panvel	Turmale	79/1,80/1,80/2,80/3,80/4,80/5,80/6,81/5,82/2,82/6
279_S	12	0.3953	Panvel	Chirvat	16/3,16/4,16/5,19/2
280_SPG	12	0.5554	Panvel	Chirvat	16/3,16/5,17/1,18/1,18/2
			1.8803 Panvel	Chirvat	29,
281_BD	16	14.8803		Sangurli	13,14,15,16,17,18,19,20,26,27,28,29,30,31,4,5
				Shirdhon	177



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
282_PG	16	7.5702	Panvel	Sangurli	12,35,36,37,38,43,44,45,46,47,48
283_DB	17	0.1066	Panvel	Chinchavan	16/5,17/1,17/2,17/3,63
284_P	17	3.0774	Panvel	Chinchavan	11/1,11/2,11/3,11/4,11/5,11/6,12/4,19,20/4,21/3
285_PHC	17	0.1574	Panvel	Chinchavan	16/5,63
286_S	17	0.3728	Panvel	Chinchavan	79/2,80/1,80/2,80/4
287_SPG	17	0.6640	Panvel	Chinchavan	78/1,79/1,79/2,80/1,83/1
288_STP-8	17	1.7881	Panvel	Chinchavan	22/3,22/4,23/2,23/3,23/4,23/5,24/3,24/4,24/5,24/6,26/1,26/2,26/4,26/5,26/5,
289_DB	18	0.0999	Panvel	Shirdhon	131,132
290_ESS	18	0.5996	Panvel	Shirdhon	115,122,123,124
291_GC	18	20.6806	Panvel	Shirdhon	105,106,107,108,109,110,111,112,113,114,125,126,127,129,56,129,56,84,85,86,89,90,91,92,93,94,96,97,98,117
292_GC	18	13.2172	Panvel	Shirdhon	117,118,123,124,125,127,128,129,132,133,134,135,136,137,138,137,138,139, 141,372/2,373/10,373/11,375,376,377/1,378
293_GC	18	7.1200	Panvel	Shirdhon	113,114,82,83,84,85,87,92
294_GSR 9	18	0.2481	Panvel	Shirdhon	114,82
295_P	18	3.1298	Panvel	Shirdhon	138,139,140,141
296_PG	18	2.1926	Panvel	Shirdhon	135,137,138,139,141
297_PG	18	1.6163	Panvel	Shirdhon	88,89,90



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
298_PG	18	2.9929	Panvel	Shirdhon	252,252/5,253/1,253/2,253/3,254,256,257,258,29
299_PHC	18	0.1471	Panvel	Shirdhon	131
300_RS	18	3.1630	Panvel	Shirdhon	117,118,119,120,122
301_S	18	0.3921	Panvel	Shirdhon	105,106,107
302_SPG	18	0.6295	Panvel	Shirdhon	106,131
303_BT	19	0.9711	Panvel	Bhingar	110,113,114,115,152,92
304_GC	19	7.8340	Panvel	Bhingarwadi	10,11,12,20,22,23,24,25,26,27,28,29,31,33,35,36,37,38,40,57,58
		42.5633	5633 Panvel	Bhingarwadi	28,29,32,33,34,35,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,58,
305_GC	19			Mohope	41,42,43,44/1,47,48,49/1,49/2,49/3,49/4,49/5,50,51/1,51/2,52,54,55/1,55/2,56, 57/1,57/2,58,59,60/1,60/2,61,62,63/1,63/2,65,66,67,69/1,69/2,70,71/1,71/2,71/3,72, 73,74,75, 76,
				Poyanje	184,189
306_GC	19	1.5823	Panvel	Poyanje	183,184,185,186,188,189,64
					104/4,104/5,105,106/1,106/2,106/3,106/4,107,108/1,108/2,108/3,108/4,109,110,
					111/1,111/2,111/3,114,115,116,117,118,119/1,119/10,119/11,119/12,119/2,119/3,
					119/4,119/5,119/6,119/7,119/8,119/9,120,121,122,123/1,123/2,123/3,124,125,126,
307_GC	19	30.0389	Panvel	Poyanje	127,128,129,131/10,131/7,131/8,132,133,134,144/1,144/2,144/3,144/4,144/5,144/6,
					144/7,144/8,144/9,145/1,145/2,145/3,146,147,163,164,165,166,167,168,170,180,
					183,188,189,190,191,192,193,194,196,197,198,199/1,199/2,200,85/1,85/2,85/5,
					97,98,99



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
308_PG	19	1.6007	Panvel	Bhingar	119,124,125,126,127,128,131
309_PG	19	4.1050	Panvel	Bhingarwadi	77,86,87,88,89,90,91,92,93,94,97,98,99
0.40 7.0				Bhingarwadi	28,29,
310_PG	19	3.2216	Panvel	Mohope	68,69/2,69/3
311_S	19	0.4286	Panvel	Poyanje	172/1,173,174,175
312_SAF	19	1.9153	Panvel	Bhingar	115,116,151,152,153,155
313_SPG	19	0.6977	Panvel	Poyanje	168,170,171,172/1,172/2
				Bhingar	119,120,121,122,123,124,125,126,
314_STP-10	19	3.2128	Panvel	Shedung	117
315_BG/C	20	1.6250	Panvel	Poyanje	83/2,83/5,84
316_BT	20	0.5042	Panvel	Poyanje	205,208,209,211/2,211/3,211/4
317_C	20	1.1208	Panvel	Pali Budruk	13/3,13/4,19,20,22/1,22/3,7/1,7/2
318_CC	20	0.2000	Panvel	Pali Budruk	17/2,19
319_DB	20	0.1012	Panvel	Mohope	30,4
320_DB	20	0.1419	Panvel	Poyanje	157,158
321_DB	20	0.1200	Panvel	Pali Budruk	17/2,18,19
322_ESS	20	0.2399	Panvel	Poyanje	1/1,257,259/3



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
323_GH	20	0.4712	Panvel	Mohope	20,21/1,4,17/1
324_GSR 11	20	0.2820	Panvel	Mohope	105/1,112,113,114,115/1,115/2
325_P	20	3.7077	Panvel	Poyanje	60,61/1,62/1,62/2,62/3,62/4,62/5,63,64/2,65
326_P	20	0.9564	Panvel	Mohope	112,113,114,82,83/1,83/2,83/3,84/4,6
327_PG	20	1.4078	Panvel	Mohope	77,78,79,80,81,82,83/1
328_PG	20	2.9085	Panvel	Poyanje	52/1,52/2,52/3,52/4,52/5,52/6,52/7,53,55,57,61/1
329_PG	20	1.5581	Panvel	Pali Budruk	13/3,13/4,19,25
330_PG	20	3.7503	Panvel	Poyanje	1/1,1/2,10,11,12,13,14,15,2/3,2/5,255,257
331_PHC	20	0.1512	Panvel	Pali Budruk	84/8,84/9,85,86
332_PHC	20	0.1529	Panvel	Mohope	78,79
333_PHC	20	0.1494	Panvel	Poyanje	100,95/1,97
				Poyanje	221/1,221/2,222,223,225,
334_PS	20	0.8196	Panvel	Pali Budruk	22/3,23/1,23/2,24/3,61/2
335_S	20	0.4000	Panvel	Pali Budruk	22/3
336_S	20	0.4005	Panvel	Mohope	35/1
337_SAF	20	0.2999	Panvel	Poyanje	202/1,210,211/1,211/2,211/4
338_SAF	20	0.4666	Panvel	Poyanje	211/1,211/2,211/3,211/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
339_SAF	20	0.1199	Panvel	Poyanje	210
340_SPG	20	0.5305	Panvel	Poyanje	209,215,216,219/1,219/2
341_SPG	20	0.6380	Panvel	Mohope	33/1,33/2,35/1,36/3,46/2
342_SPG	20	0.6400	Panvel	Pali Budruk	23/1,23/2,24/3,61/1,61/2,67
				Bherle	147,149,
343_DB	21	0.1039	Panvel	Wardoli	21
				Bherle	104,105,106/1,88/5,91,92/1,92/2,92/3,92/4,93,94,95,96/1,96/2
344_GC	21	7.9715	Panvel	Bhingar	113,154,155,158,165,166,167,168,169,170,171,172,173,175,177,178
345_GC	21	14.4545	Panvel	Bherle	113,114,115,116,117/1,117/2,118/2,119,128,129/1,129/2,134,135,136,138,139/1, 139/2,140/1,140/2,141/1,141/2,141/3,142,143,144,145/1,145/2,145/3,146,147,149, 150/1,151,152,153/1,153/2,154/1,155,75,76/1,76/2,83,84/1,84/2,85/1,85/2,85/3,86, 87,88/1,88/3
346_GC	21	14.2215	Panvel	Wardoli	11,12,126,127,129,13,130,132,133,134,136,143,18,2,3,4,9,10,128, 131
347_GH	21	0.7863	Panvel	Bherle	17/4,6/8,6/10,6/6,65,72,73,65,63,64,71/2
348_P	21	1.5465	Panvel	Wardoli	104,40,45
				Bherle	149,2/1,
349_P	21	2.7061	Panvel	Wardoli	11,12,19,20,10
350_PG	21	1.2014	Panvel	Wardoli	40,44,45,50



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
				Bherle	1,149,150/1,150/2,2/1,2/2,
351_PG	21	1.5369	Panvel	Wardoli	11
352_PG	21	2.0618	Panvel	Bherle	78/1,79,80,81/1,81/2,82,83,84/1,84/2,85/3,87
353_PHC	21	0.2006	Panvel	Bherle	149
354_S	21	0.4000	Panvel	Bherle	149,150/1,2/1
				Loniwadi	95,
355_S	21	0.4174	Panvel	Wardoli	31,35
356_S	21	0.3771	Panvel	Bhingar	165,166,167,170
				Loniwadi	95,
357_SPG	21	0.6214	Panvel	Wardoli	31,35
				Bherle	95,96/1,96/2,
358_SPG	21	0.6086	Panvel	Bhingar	165,175,177
359_SPG	21	0.5419	Panvel	Bherle	149,150/1
360_CC	22	0.2100	Panvel	Loniwadi	100,102,202/D
361_DB	22	0.1020	Panvel	Loniwadi	181,196
362_DB	22	0.1001	Panvel	Loniwadi	78,79,88



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
363_ESS	22	0.4079	Panvel	Wardoli	65,66,69
364_FS	22	1.0701	Panvel	Loniwadi	114,115,174
365_GC	22	30.0520	Panvel	Loniwadi	114,115,145,150,151,153,154,155,156,158,161,162,164,165,166,167,169,170,171, 172,173,174,178,181
366_GC	22	17.3946	Panvel	Loniwadi	114,115,116,117,119,120,123,124,132,133,142,143,144,145,168,171,202/C/1, 202/D
367_P	22	4.2886	Panvel	Loniwadi	102/B,113,114,117,118,122,174,47
368_P	22	1.8189	Panvel	Loniwadi	11,12,194,195,4,5,6,7,9
369_PG	22	19.9175	Panvel	Loniwadi	28,29,30,31,32,33,34,52,55,56,57,58,62,63,65,28,41
370_PG	22	1.9430	Panvel	Loniwadi	129,130,131
371_PHC	22	0.1471	Panvel	Loniwadi	181,196
372_PS	22	1.0000	Panvel	Loniwadi	156,158
373_S	22	0.4577	Panvel	Loniwadi	194,195,4
374_SPG	22	0.8288	Panvel	Loniwadi	1,195,196
375_DB	23	0.1200	Panvel	Wangani Tarf Waje	59,60
376_GH	23	0.5205	Panvel	Wangani Tarf Waje	49,8,9/3
377_GSR 13	23	0.2495	Panvel	Wangani Tarf Waje	19,2/17



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
		.=		Ambivali	/2,/3,/7,1/11,1/12,1/13,1/15,1/16,1/7,14/1/A+4,15,16,17,18/1,18/2,18/3,18/4,19/, 19/1,3,4,5,5/1,5/2,5/3,5/4,5/5,5/6,6,7,8/1,8/2,9/15,9/16,9/17,9/18,9/19,9/5,9/6,9/8,
378_MD	23	17.5654	Panvel	Wangani Tarf Waje	10,13,14,15,16,17,19,2/,2/13,2/14,2/15,2/16,2/17,2/18,8,9/1,9/2,9/3
				Ambivali	12,13,9/1,9/11,9/12,9/21,
379_P	23	2.8238	Panvel	Moho	136
380_PG	23	2.3917	Panvel	Wangani Tarf Waje	100,101/1,101/2,102,103,104,105,109,115,98/1,98/2,99
381_PHC	23	0.1500	Panvel	Wangani Tarf Waje	59,60
382_S	23	0.3984	Panvel	Wangani Tarf Waje	84,87/1,90,88
383_SPG	23	0.6378	Panvel	Wangani Tarf Waje	61,87/1,90
384_STP-9	23	2.2155	Panvel	Ambivali	12,13,14/A,9/1
385_DB	24	0.1000	Panvel	Nevali	42,45
386_P	24	2.7160	Panvel	Nevali	10,12,22
387_PG	24	0.9709	Panvel	Nevali	43,45,46
388_PHC	24	0.1464	Panvel	Nevali	22
389_S	24	0.4000	Panvel	Nevali	35,36,37,38,45
390_SPG	24	0.6400	Panvel	Nevali	37,38,45



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
391_DB	25	0.1809	Panvel	Harigram	38/2K,38/3
392_GH	25	0.6281	Panvel	Harigram	49/,49/1+2K,56/1V,56/K,58
393_GSR 14	25	0.2718	Panvel	Harigram	68,88
394_P	25	9.0055	Panvel	Harigram	57/1V,58,68
395_P	25	4.1520	Panvel	Harigram	39V
396_PG	25	2.6381	Panvel	Harigram	34/,34/,34/7K,37/,38/5K,39V
397_PG	25	2.8517	Panvel	Harigram	57/1V,57/2V,57/3V,58
398_PHC	25	0.1474	Panvel	Harigram	15/2K,15/K
399_PS	25	1.0426	Panvel	Harigram	45/8V,45/K,47/,47/1+5K,47/2K,51/7+9K,52/1,52/2,52/2,53/3K,53/5K,85
400_S	25	0.3774	Panvel	Harigram	64/2K,65/,66,68
401_SPG	25	0.6264	Panvel	Harigram	64/2K,66,68
402_STP-11	25	3.2008	Panvel	Harigram	19/10V,19/11V,19/12V,19/13A,19/13B,19/13C,19/8,84/,84/2A, 84/2B,84/3V
403_C	26	1.0000	Panvel	Vakadi	15/19,151/1,151/3,152
404_DB	26	0.1250	Panvel	Kevale	27,8
405_ESS	26	0.2000	Panvel	Kevale	42,58
406_GC	26	21.6585	Panvel	Kevale	42,43,44,45,46,48,49,50,51,52,53,54,55,56,57,58,60
407_GC	26	39.9681	Panvel	Kevale	14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33, 34,35,36,37,41,78,8



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
408_P	26	4.7080	Panvel	Kevale	35,37
				Harigram	76/2,76/3,
409_PG	26	2.7800	Panvel	Kevale	10,11,12,16,18,19,23
410_PG	26	1.1023	Panvel	Vakadi	149/1,15/19,150,151/1
411_S	26	0.4519	Panvel	Vakadi	119,120,129,130/3
412_SPG	26	0.8019	Panvel	Vakadi	119,120,130/1,130/3,130/4
413_CP	27	7 34.3093	34.3093 Panvel	Khanav	100,101,102,103/1,103/2,72,75,77,78,79/1,79/2,79/3,79/4,79/5,83,84,85,86,87/1, 87/2,87/3,88,89,90,91/1,91/2,91/3,91/4,91/5,91/6,91/7,91/8,91/9,92/1,92/2,92/3, 92/5,93,96,97,98,99
				Morbe	63
414_FS	27	0.9898	Panvel	Khanav	39,48/1,48/16,48/19,48/2,48/3,48/5,48/6
415_GC	27	32.0645	Panvel	Khanav	114,63/1,63/2,63/3,63/4,64,65/1,65/2,66/1,66/2,67,68,69,70,71,72,73,74,75,79/1, 79/2, 79/4,79/5,79/6
416_LFS	27	15.2117	Panvel	Khanav	83,91/1,94,95
417_BG/C	28	2.9133	Panvel	Khanav	100,101,102,103/2,103/3,75,76/1,76/2,96
418_CC	28	0.6183	Panvel	Khanav	112/13,114,117
419_DB	28	0.0993	Panvel	Chinchavali Tarf Waje	59/1,60/1
420_DB	28	0.1471	Panvel	Khanav	114,32/2,32/3,32/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
421_DB	28	0.0954	Panvel	Vakadi	63,67
422_GC	28	22.8466	Panvel	Khanav	104,105,106/1,106/2,106/3,107/1,107/13,107/14,107/15,107/16,107/2,107/3,107/4, 107/5,107/6,108,109,110,112/1,114,115,116/1,116/2,32/4,33/1,33/2,33/3,33/4,33/5, 33/6,33/7, 33/8, 33/9, 34,35,36/1,42,43,44,45,46,48/19,48/20,48/21,52
423_GSR 15	28	0.2500	Panvel	Chinchavali Tarf Waje	26,27/1,28/1,28/2
424_P	28	1.7735	Panvel	Khanav	114,13/3,13/5,13/8,13/9,14/1,14/2,15
425_P	28	3.1516	Panvel	Khanav	18/17,18/18,18/21,48/23,48/8,50
426_P	28	3.0852	Panvel	Vakadi	62,67,72/1,72/2
427_PG	28	2.8643	Panvel	Chinchavali Tarf Waje	38/2,47,48,49,50/2,50/3,51,56/1,56/2,57/3,58
428_PG	28	7.3046	Panvel	Vakadi	33,34,38,39,48
429_PHC	28	0.1494	Panvel	Chinchavali Tarf Waje	45,47,48,59/1,60/1
430_PHC	28	0.1422	Panvel	Vakadi	62,63
431_PPU	27	1.1432	Panvel	Khanav	93,94
432_PS	28	1.1518	Panvel	Khanav	107/15,107/16,107/17,107/9,114
				Umroli	96,97,
433_S	28	0.3967	Panvel	Vakadi	67,86
434_S	28	0.4000	Panvel	Chinchavali Tarf Waje	28/5,28/6,29/2,30/1,31



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
435_SPG	28	0.6400	Panvel	Chinchavali Tarf Waje	28/5,28/6
436_SPG	28	0.6347	Panvel	Umroli	96
437_BG/C	61	1.6024	Khalapur	Nigdoli	12/1,12/4,14/2,24/1,25,26/1
				Asare	103,
				Dharni	16/7,
438_GC	61	28.4606	Khalapur	Nigdoli	15/1,37,38,39,40,41,42,43,44/1,44/2,44/3,44/4,45/2,45/3,45/4,45/5,45/6,45/7,46/1, 46/2,46/3,47,48/1,48/2,48/3,48/4,49,51/11,57/1,57/2,58/1,58/2,59,60,61,62/1,62/2, 63,64/1, 64/10,64/16,64/18,64/19,64/2,64/3,65,66,85
				Dharni	15
439_GC	61	9.1276	Khalapur	Nigdoli	36,45/8,45/9,49,50,51/1,51/11,51/2,51/3,51/4,51/5,52/1,52/2,52/3,53/4,53/5
440_P	61	4.4993	Khalapur	Nigdoli	52/2,52/4,53/1,53/2,53/3,53/4,53/5,53/6,53/7,53/8,53/8,54/1,54/1,54/1,54/2,54/3&4, 55,56/1,56/2,56/3
441_P	61	0.5890	Khalapur	Nigdoli	55
442_P	61	18.5832	Khalapur	Nigdoli	38,39,64/11,64/12,64/13,64/14,64/15,64/17,64/5,64/6,64/7,64/8,69,70,71,72/1,72/2,72/3,73,85,86,84
443_P	61	1.9837	Khalapur	Nigdoli	82
444_P	61	3.8455	Khalapur	Nigdoli	112/1,112/2,76,77,81,78
445_PG	61	4.9161	Khalapur	Nadode	43/1,43/2,43/3,43/4,78,120,120/9
446_PG	61	3.4801	Khalapur	Nigdoli	64/11,64/4,64/5,64/6,64/7,64/8,64/9,66,67,68/1,68/2,69



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
447_RS	61	2.5927	Khalapur	Nigdoli	10,11,12/1,12/4,12/7,12/8,13,9
448_S	61	0.3942	Khalapur	Nigdoli	28,29/3,29/4
449_SPG	61	0.7001	Khalapur	Nigdoli	28,29/4
450_STP-12	61	4.2287	Khalapur	Nigdoli	50,51/2,51/5,52/2,52/4,52/5,52/6,52/7,53/5,53/7,53/8,56/1,101
451_C	62	1.0621	Khalapur	Nadode	28,30,31,34/6,34/7,34/8,43/17,43/19
452_DB	62	0.0998	Khalapur	Nadode	59/2
453_ESS	62	0.5225	Khalapur	Nadode	52/3,83,88/3,91
454_GC	62	12.2313	Khalapur	Nadode	10,100/2,100/3,100/4,11/1,12,17,18,19/1,19/2,45,46,47,48/1,48/2,48/4,49/1,49/2, 49/3,50,51,52/4,52/5,52/6,52/7,52/8,53/4,53/5,53/6,83,88/3,91
				Kaloterayathi	105,9,
455_GC	62	37.6454	Khalapur	Nadode	1/10,1/11,1/12,1/8,1/9,11/1,11/2,12,13,19/1,19/2,20/1,20/1,20/2,20/2,20/3, 20/4,21,22,23,23,24/2,3,3,3/1,3/10,3/11,3/4,3/5,3/6,3/6,3/7,3/8,3/9,3/9,4/1,4/2, 4/2,45,6,7,8,9
456_GC	62	18.7838	Khalapur	Nadode	100/1,52/2,52/3,53/1,53/2,53/3,53/4,53/5,53/6,71,72/1,72/2,80,81/1,81/2,81/3,88/2,89,90
457_GH	62	0.5750	Khalapur	Nadode	1/1,92,93,94
				Kaloterayathi	13,14,15,
458_P	62	10.4020	Khalapur	Nadode	17,1/1,3/1,52/1,52/2,88/1,88/2,89,92,95,96,97



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
459_P	62	1.4660	Khalapur	Nadode	100/4,43/23,48/2,48/6,54
460_PG	62	1.5577	Khalapur	Nadode	31,34,34/10,34/7,34/8
101 50	00	4.0044	IZI alaa	Kaloterayathi	105,8,9
461_PG	62	1.9041	Khalapur	Nadode	3/1,4/1,4/2
462_PG	62	1.9046	Khalapur	Nadode	59/1,64
463_S	62	0.4000	Khalapur	Nadode	43/23,43/8,69
464_SPG	62	0.6415	Khalapur	Nadode	43/23,69,70
465_CC	63	0.2000	Khalapur	Kaloterayathi	17,27
466_DB	63	0.1069	Khalapur	Kaloterayathi	47
467_ESS	63	0.2000	Khalapur	Kaloterayathi	17,27
				Kaloterayathi	10,105,11,12,13,14,17,4,5,6,7,9,
468_GC	63	10.9044	Khalapur	Nadode	3/1,3/1,3/2,3/3,3/3
469_GC	63	19.0239	Khalapur	Kaloterayathi	60,61,62,63,65,66,67,68,69,70,71,72,73,76,77
470_GC	63	17.4466	Khalapur	Kalote Mokashi	215,216,217,218,219,220,221,222,223,224,225,228,229,230,231,232
				Kaloterayathi	18,19,56,57,58,59,60,73,74,75
471_P	63	3.2008	Khalapur	Kaloterayathi	108,109,18,60,61



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
472_PG	63	2.9232	Khalapur	Kaloterayathi	16,17
473_S	63	0.3750	Khalapur	Kaloterayathi	41,43
474_SPG	63	0.6193	Khalapur	Kaloterayathi	43,44
475_DB	64	0.0997	Khalapur	Kandroli Tarf Wankhal	14/3,16/1,17/2
476_GSR 16	64	0.1901	Khalapur	Kandroli Tarf Wankhal	18/1,18/6
477_P	64	2.0495	IZI - I - · ·	Kandroli Tarf Wankhal	43,
4//_P	04	2.0495	Khalapur	Vinegaon	57/2,57/3
478_P	64	0.4615	Khalapur	Kandroli Tarf Wankhal	14/3,15,16/1,17/1,17/2,18,18/1,18/4
				Asare	62,
479_PG	64	2.2573	Khalapur	Kandroli Tarf Wankhal	10/10,10/11,10/6,14/3,16/1,16/2
480_PG	64	2.6988	Khalapur	Vinegaon	22,24/5,24/7,24/8,25/1,25/2,25/3,26,29/1,29/2,29/3,31/1
481_PG	64	1.2799	Khalapur	Kandroli Tarf Wankhal	1/1,1/2,1/3,49/2,53/1
482_PHC	64	0.1500	Khalapur	Kandroli Tarf Wankhal	1/13,48
483_S	64	0.4000	Khalapur	Kandroli Tarf Wankhal	1/4,22/3,24



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
484_SPG	64	0.6347	Khalapur	Kandroli Tarf Wankhal	18/1,21/2,22/3,23,24
485_BT	65	1.6976	Khalapur	Kalote Mokashi	247,252,265,266
486_CP	65	21.1235	Khalapur	Kalote Mokashi	183,195,196,197,198,199,551,566,570,572,573,574,575,576, 577,578,579,
400_01	03	21.1200	Μιαιαραί	Kaloterayathi	84
487_DB	65	0.1000	Khalapur	Kalote Mokashi	142,153,156
488_FS	65	0.9831	Khalapur	Kalote Mokashi	314,322,323
489_GC	65	7.0172	Khalapur	Kalote Mokashi	242,243,244,245,246,247,252,253,254,255,263,264,265,266,267,268,269,270,271, 272,273,274,275,276,284,285
490_GSR 17	65	0.2500	Khalapur	Kalote Mokashi	152,153,154,156
491_PG	65	2.3795	Khalapur	Kalote Mokashi	123,124,125,126,127,128,129,130
492_PHC	65	0.1874	Khalapur	Kalote Mokashi	260,262,280,282,283
493_PHC	65	0.1487	Khalapur	Kalote Mokashi	191
494_S	65	0.4000	Khalapur	Kalote Mokashi	141,142,143,144
495_SPG	65	0.6560	Khalapur	Kalote Mokashi	141,142,143,144,145



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
496_CC	66	0.2000	Khalapur	Nimbode	16/1,19/2,29/5
497_DB	66	0.0993	Khalapur	Vanave	75,78/2
498_DB	66	0.0998	Khalapur	Nimbode	16/8,17,30/4
499_GSR 18	66	0.2500	Khalapur	Nimbode	27/1,28/1
500_P	66	3.3880	Khalapur	Nimbode	13,16/4,16/6,16/7,18,30/5,30/6
501_P	66	4.6081	Khalapur	Vanave	57,62/1,62/2,62/3,63,72/1,72/2,72/3,73,73,75
502_PG	66	10.5254	Khalapur	Shiravali(Tarf Boreti)	1,34/1,35/1,44,45/1,48,49/2,49/3,50,51/1,51/2,51/3,52,53,54,55,56,57,58,59,60/1,60/2
503_PHC	66	0.1500	Khalapur	Nimbode	27/1,28/1
504_PS	66	1.0000	Khalapur	Nimbode	37/2,37/3,38,41/2,41/6
505_S	66	0.4000	Khalapur	Nimbode	16/12,16/8
				Nimbode	1/1,
506_S	66	0.2969	Khalapur	Vanave	78/1,80,81,82,83,83/1
507_SPG	66	0.6400	Khalapur	Nimbode	14/2,16/12,16/13,16/14
508_SPG	66	0.5107	Khalapur	Vanave	75,78/1,78/2,80,81
509_STP-13	66	4.2897	Khalapur	Shiravali (Tarf Boreti)	23,24,25,26,28
510_DB	67	0.1380	Khalapur	Khalapur	25



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
511_GC	67	13.0728	Khalapur	Khalapur	107,108,109,62,63,64,65,66,67,68,69
512_GSR 19	67	0.2566	Khalapur	Khalapur	34
513_P	67	3.6238	Khalapur	Khalapur	11,12,13,14,15
514_P	67	2.4075	Khalapur	Khalapur	37,83,85,90,93
515_PG	67	3.1797	Khalapur	Khalapur	61,62,63,64
516_PG	67	2.3681	Khalapur	Khalapur	115,116,117
517_PG	67	6.1215	Khalapur	Khalapur	34,40,41
518_S	67	0.3418	Khalapur	Khalapur	13,14
519_SPG	67	0.6219	Khalapur	Khalapur	13,14
520_BD	68	7.2500	Khalapur	Mahad	105,106,76,77,78,79,85,86,87,88
521_BG/C	68	1.0254	Khalapur	Mahad	13,12
522_DB	68	0.1000	Khalapur	Mahad	41
523_ESS	68	0.2459	Khalapur	Mahad	13,12
524_GC	68	14.8105	Khalapur	Mahad	108,39,40,41,42,42,43,43,45,45,45,46,46,54,54,55,56,62,65,66,45
525_GC	68	16.1212	Khalapur	Mahad	100,104,57,59,60,62,63,64,65,94,96
526_GC	68	13.6105	Khalapur	Mahad	42,45,46,47,48,50,51,52,54,99,44
527_GC	68	11.7946	Khalapur	Mahad	50,54,55,58,59,61,62,66,67,79



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
528_GH	68	0.6000	Khalapur	Mahad	104,70,71
529_GC	68	22.4958	Khalapur	Mahad	13,16,17,18,19,20,22,27,28,29,30,31,32,34,36,93
530_GSR 20	68	0.2679	Khalapur	Mahad	73
531_P	68	3.3070	Khalapur	Mahad	96,7
532_PG	68	3.6587	Khalapur	Mahad	108,36,38,39,41
533_PS	68	0.8896	Khalapur	Mahad	73,74,75,76
534_S	68	0.3987	Khalapur	Mahad	104,57,80
535_SPG	68	0.5981	Khalapur	Mahad	104,57
				Kandale	30,32,
536_BT	109	1.4167	Pen	Wadkhal	74,76,77,78
537_SAF	109	2.5343	Pen	Wadkhal	77,78,80,81,82,82,83,91
538_GSR 10	18	0.2528	Panvel	Shirdhon	219,236
539_TBR	18	55.1012	Panvel	Shirdhon	219,236,237,238,333,
540_GSR 12	20	0.2498	Panvel	Pali Budruk	32,33/1
541_RS	20	1.8443	Panvel	Pali Budruk	29/2,30,32,33/1,33/2,35/3,34/3,41/1
542_PPU	29	1.2279	Panvel	Umroli	52
543_P	30	1.9509	Panvel	Waje	251



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
544_P	30	0.6968	Panvel	Waje	78,79,81
545_P	30	0.1280	Panvel	Waje	81
546_PG	30	0.2309	Panvel	Waje	5
547_PPU	30	0.8516	Panvel	Waje	110
548_P	31	5.7976	Panvel	Dundre	47
549_PPU	31	0.5074	Panvel	Dundre	47
550_PG	34	2.0654	Panvel	Valap	35
551_BT	36	1.7691	Panvel	Chinchavali Tarf Taloje	4,5,
001_51	00	66 .		Chindharan	27,31
552_GH	36	0.6890	Panvel	Chindharan	31
553_P	36	3.4181	Panvel	Chindharan	114
554_P	36	1.6726	Panvel	Chindharan	31
555_PPU	36	0.0574	Panvel	Chindharan	114
556_PPU	36	0.5535	Panvel	Chindharan	31
557_S	36	0.6281	Panvel	Chindharan	31
558_SPG	36	1.2485	Panvel	Chindharan	31



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
559_PPU	37	0.9344	Panvel	Mahalungi	34
560_RS	38	2.1883	Panvel	Morbe	237,238,239
561_BD	40	20.6251	Panvel	Mahodar	100,101/1,101/2,102/1,103/1,103/2,108,109,110,111,112/1,112/2,113,114/1,114/2, 115/1,115/2,116,117/1,117/2,118/1,118/2,119/2,120,250,69,98,99/1,99/2,
001_22		_0.0_0.		Vavanje	65,66,67,101,71,71PAI,77,78
562_P	40	0.4438	Panvel	Mahodar	55,57
563_PPU	40	1.1713	Panvel	Mahodar	57
564_PPU	40	0.2162	Panvel	Mahodar	57
			.5620 Panvel	Kherane Khurd	78,
565_TT	41	18.5620		Vavanje	146,147,148,149,150,166,167,168,169,171,172,173,174,175,176,177,178,181,123, 187, 190,191,192
566_PPU	42	2.0427	Panvel	Nitale	109,110,62
567_LFS	43	12.0877	Thane	Vaklan	100,101,102,104,105,106,157,85,86,90,91,92,93,94,95,96,97,98,99
568_P	43	1.5893	Thane	Vaklan	160,84
569_PG	43	0.8618	Thane	Vaklan	70
570_PPU	43	0.7433	Thane	Vaklan	16
571_PPU	43	0.4692	Thane	Vaklan	84
572_PPU	43	0.5468	Thane	Vaklan	84



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
573_PPU	43	0.0920	Thane	Vaklan	16
574_TBR	43	12.7912	Thane	Vaklan	157,158,74,75,76,77,78,79,80,81,84,85,86,87,88,89,91
3/4_1BK	44	12.7912	Thane	Navali	22
575_P	44	4.7721	Thane	Nighu	42
576_P	44	0.9404	Thane	Nighu	41,42
577_P	44	0.7164	Thane	Navali	15,22
578_P	44	0.5327	Thane	Nighu	42
579_P	44	0.2598	Thane	Navali	22
580_PPU	44	1.6639	Thane	Nighu	45
581_PPU	44	0.3041	Thane	Navali	75
582_PPU	44	0.4316	Thane	Navali	75
583_BT	45	0.6784	Thane	Narivali	158,160,161
584_BT	45	0.4841	Thane	Narivali	161,162
585_SAF	45	2.2338	Thane	Narivali	144,146,147,148,149,161
586_SAF	45	1.6953	Thane	Narivali	159,160,161
587_TBR	45	7.7780	Thane	Narivali	25,26,28,29



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
588_BD	46	15.1906	Thane	Nagaon	170,174,180,181,182,183,184,185,186,187,188,189,190,191,192,199,200,201,214, 45,223,224,226,227
589_PG	46	0.2811	Thane	Nagaon	36,42,43
590_PG	46	0.7094	Thane	Nagaon	126
591_S	46	0.2263	Thane	Nagaon	43
592_TBR	46	33.2008	Thane	Uttarshiv	38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,16/4,75,76,77,78,79
593_CC	51	0.5095	Uran	Dighode	3,4,6,5
594_P	51	3.4957	Uran	Dighode	10,124/A PAI,9
595_S	51	1.0910	Uran	Dighode	11
596_SPG	51	2.8379	Uran	Dighode	11
				Posari	37/3,38/1,38/2,38/3,39/1,39/2,28,39/4,
597_SAF	56	1.7630	Panvel	Turade	46,47/1
				Posari	40/2,41/2,41/4,42/1,42/2,42/3,37,43/,43/1,43/2,43/3,43/4,43/5,43/6,44/4,45/7
598_SAF	56	1.4229	Panvel	Turade	35/1
599_BT	57	1.6835	Panvel	Turade	2,44/,44/1,45/1,45/2,45/3,46,47/1,47/2,47/3,47/4,48
600_BT	58	0.7865	Panvel	Ladwali	10,20,22,23
601_SAF	58	4.4782	Panvel	Ladwali	10,24,25,26,27,28,31,32,9



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
602_BT	70	1.5083	Khalapur	Bhilavale	125,127,126,128
603_SAF	70	3.3518	Khalapur	Bhilavale	115,122,123,114
004 045	70	0.0550	IZI alaa	Morbe	32,
604_SAF	70	3.9559	Khalapur	Bhilavale	114,128
605_SAF	70	0.8200	Khalapur	Bhilavale	123,128
606_PPU	71	4.7343	Khalapur	Wavarle	386
607_PPU	71	0.7760	Khalapur	Wavarle	340,344
608_BT	77	0.7781	Khalapur	Dolavali	11
609_BT	77	0.1930	Khalapur	Dolavali	11,12
610_SAF	77	0.9819	Khalapur	Dolavali	12,11
611_BT	79	0.5513	Pen	Jite	12/17,12/4,12/7,12/9,13/1,13/2,13/6,21/1,23/2,23/6
612_BT	79	0.7979	Pen	Jite	10/14,10/15,10/23,10/24,10/25,12/18,12/21,12/24,12/27,12/28,12/29,13/4,13/5, 13/6,8/3,8/4
613_SAF	79	2.1662	Pen	Jite	13/10,13/11,13/12,13/13,13/14,13/15,13/16,13/17,13/18,13/19,13/20,13/21,13/3, 13/6,13/7,13/9
614 SAE	79	0.7111	Pen	Jite	12/10,12/11,12/12,12/13,12/14,12/15,12/18,12/20,12/21,12/23,12/24,12/8,
614_SAF	79	0.7111	ren	Turkhul	1,5
045.57	0.5	0.0450	.	Hamrapur	71
615_BT	85	0.8458	Pen	Hanumanpada	7



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
616_SAF	85	2.1553	Pen	Hamrapur	168,169A,60,61,67,68
617_SAF	85	1.6094	Pen	Hamrapur	67 PAI,68Pai,70,71
618_BT	86	0.9581	Pen	Tambadshet	10,11,12,9
619_P	86	1.3959	Pen	Kolave	18
620_PPU	86	3.6389	Pen	Kolave	18
621_PPU	92	3.4207	Pen	Kane	145,151,153
622_PPU	92	2.3431	Pen	Kane	144,145
623_P	94	3.4108	Pen	Antore	45/A
624_P	94	3.4432	Pen	Antore	45/A,45/B
625_TBR	94	13.3762	Pen	Tarankhop	59,21,22,58



ANNEXURE 13-1: BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS

ANNEXURE - 13.1 : BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS FINANCIAL VIABILITY ANALYSIS FOR DP NAINA BALANCE PH-1 QUANTIT SN **BASIC ASSUMPTION QUANTITY** UNIT UNIT Rs/ M² LAND RATE - NON NA 0.6 Rs/ha (Cr) 600 LAND ACQUISITION RATE - FOUR TIMES OF NON NA 2 2.4 2400 Rs/ M² Rs/ha (Cr) RATE Rs/ M² 3 LAND RATE - NA 6 Rs/ha (Cr) 6000 Rs/ M² 4 SALE PRICE LAND RATE IS 1.25 X NA RATE 7.5 Rs/ha (Cr) 7500 sale SF LAND SALE RATE 50% 3750 Rs/ M² 5 price Rs/ M² 6 FSI LINKED PREMIUM(FLP) CHARGE 1.8 Rs/ha (Cr) 1800 7 FLP AS %AGE OF NA RATE 30% 30% PER YEAR 8 INCREASE IN COST (ESCALATION) 7% 1.07 Factor 9 INCREASE IN LAND SALE RATE UPTO 2020 12% PER YEAR 1.12 Factor INCREASE IN LAND SALE RATE BEYOND 2020 15% PER YEAR 10 1.15 Factor Rs/ M² 11 OPEN SPACE DEVELOPMENT RATE 0.1 Rs/ha (Cr) 100 12 %AGE OPTING NAINA SCHEME 80% Rs/M² 13 BASIC RATE OF DEVELOPMENT CHARGE 0.5 Rs/Ha (Cr) 500 Rs/ M² 14 EQUIVALENT RATE OF DEVELOPMENT CHARGE 0.622 Rs/Ha (Cr) 622.1 **FACTO** 9% 15 RATE OF BORROWING - INTEREST RATE PER YEAR 1.09 R **FACTO** DISCOUNTING FACTOR PER YEAR 0.92 16 9% R 17 SHARE OF CIDCO IN MMC (ROAD AND METRO COST) 50% 50% BY MMRDA 33% BY INDIAN RAILWAY 18 FOR SUB URBAN RAILWAY CIDCO WILL SHARE COST 67% 5 19 MORATORIUM PERIOD YRS 20 ALL PRICES ARE WITH REFERENCE TO YEAR 2014 NAINA BALANCE PH-1 WORK TO COMMENCE FROM 2019 4 **YEARS** 21



	F	INANCIAL \	/IABILITY /	ANALYSIS F	OR DP - N	AINA BAL PH-1	
Α	REVE	NUE FROM DEV	/ELOPMENT CI	HARGE		REVE	NUE (Rs Cr)
Sr No	Year	Land %age coming for Development	Area coming up for Development	Development Charge equivalent * Rs/M2	Revenue from DC Rs in Cr	Discounting Factor	NPV AS ON 2014
1	2019	3	108.3	978.9	106.0	0.708	75.1
2	2020	3	108.3	1096.3	118.8	0.650	77.2
3	2021	5	180.5	1260.8	227.6	0.596	135.7
4	2022	5	180.5	1449.9	261.8	0.547	143.2
5	2023	5	180.5	1667.4	301.0	0.502	151.1
6	2024	7	252.8	1917.5	484.6	0.460	223.1
7	2025	7	252.8	2205.1	557.3	0.422	235.4
8	2026	7	252.8	2535.8	640.9	0.388	248.4
9	2027	9	325.0	2916.2	947.7	0.356	336.9
10	2028	9	325.0	3353.6	1089.8	0.326	355.5
11	2029	9	325.0	3856.7	1253.3	0.299	375.0
12	2030	9	325.0	4435.2	1441.3	0.275	395.7
13	2031	7	252.8	5100.5	1289.2	0.252	324.7
14	2032	7	252.8	5865.5	1482.5	0.231	342.6
15	2033	4	144.4	6745.4	974.2	0.212	206.5
16	2034	4	144.4	7757.2	1120.4	0.194	217.9
		100	3610.7		12296.5		3844.1

NOTE Equivalent Developemt Charge Factors = (Area of specific Landuse X DC factor)/ Total Landuse area (Residential-1, Commercial-2, Industrial-1.5)



В	REVE	NUE FROM GRO	OWTH CENTER	(SALE OF LAN	D)	REVENUE (Rs Cr)	
Sr No	Year	Rate of Land Sale Rs/M ²	%age of land available for sale	Land sale year-wise ha	LAND SALE Estimated receipts Rs.Cr	Discounting Factor	NPV land sale revenue
1	2019	11801.4	0	Dev. Period	0	0.708	0.0
2	2020	13217.6	0	Dev. Period	0	0.650	0.0
3	2021	15200.2	0	Dev. Period	0	0.596	0.0
4	2022	17480.2	0	Dev. Period	0	0.547	0.0
5	2023	20102.3	5.0	33.8	679.9	0.502	341.2
6	2024	23117.6	5.0	33.8	781.9	0.460	360.0
7	2025	26585.2	5.0	33.8	899.1	0.422	379.8
8	2026	30573.0	5.0	33.8	1034.0	0.388	400.7
9	2027	35159.0	10.0	67.6	2378.2	0.356	845.6
10	2028	40432.8	10.0	67.6	2735.0	0.326	892.1
11	2029	46497.8	10.0	67.6	3145.2	0.299	941.2
12	2030	53472.4	10.0	67.6	3617.0	0.275	993.0
13	2031	61493.3	10.0	67.6	4159.6	0.252	1047.7
14	2032	70717.3	10.0	67.6	4783.5	0.231	1105.3
15	2033	81324.9	10.0	67.6	5501.0	0.212	1166.2
16	2034	93523.6	10.0	67.6	6326.2	0.194	1230.4
			100.0	676.4	36040.7		9703.2



С	REVENUE	FROM FSI LIN	IKED PR	EMIUM			R	EVENUE (Rs C	r)
Sr No	Year	LAND %AGE COMING FOR DEVELOPMENT	LAND AREA (HA)	RATE (Rs/M²)	TOTAL AMOUNT RS CR	REVENUE AT THE TIME OF CC	TOTAL REVENUE YEARLY	DISCOUNTING FACTOR	REVENUE NPV
1	2019	3	17.6	2832.3	49.9	14.96	14.96	0.708	10.6
2	2020	3	17.6	3172.2	55.8	16.75	16.75	0.650	10.9
3	2021	3	17.6	3648.0	64.2	19.27	19.27	0.596	11.5
4	2022	5	29.3	4195.3	123.1	36.93	36.93	0.547	20.2
5	2023	5	29.3	4824.5	141.6	42.47	42.47	0.502	21.3
6	2024	5	29.3	5548.2	162.8	48.84	48.84	0.460	22.5
7	2025	7	41.1	6380.5	262.1	78.63	78.63	0.422	33.2
8	2026	7	41.1	7337.5	301.4	90.43	90.43	0.388	35.0
9	2027	7	41.1	8438.2	346.6	103.99	103.99	0.356	37.0
10	2028	10	58.7	9703.9	569.5	170.85	170.85	0.326	55.7
11	2029	10	58.7	11159.5	654.9	196.47	196.47	0.299	58.8
12	2030	10	58.7	12833.4	753.1	225.94	225.94	0.275	62.0
13	2031	10	58.7	14758.4	866.1	259.83	259.83	0.252	65.4
14	2032	5	29.3	16972.1	498.0	149.40	149.40	0.231	34.5
15	2033	5	29.3	19518.0	572.7	171.82	171.82	0.212	36.4
16	2034	5	29.3	22445.7	658.6	197.59	197.59	0.194	38.4
		100	586.9		6080.6	1824.18	1824.18		553.6



D	REVENUE FROM	SALE OF SF Plo	ots			REVENU	JE (Rs Cr)
Sr No	Year	Land %age coming for Developement	Area IN HA	Rate (50% of Land rate) Rs/m2	Revenue Rs Cr	Discounting Factor	NPV
1	2019	3	2.6	5900.7	15.2	0.708	10.8
2	2020	3	2.6	6608.8	17.1	0.650	11.1
3	2021	3	2.6	7401.8	19.1	0.596	11.4
4	2022	5	4.3	8290.1	35.7	0.547	19.5
5	2023	5	4.3	9284.9	40.0	0.502	20.1
6	2024	5	4.3	10399.0	44.8	0.460	20.6
7	2025	7	6.0	11958.9	72.1	0.422	30.5
8	2026	7	6.0	13752.7	82.9	0.388	32.1
9	2027	7	6.0	15815.6	95.4	0.356	33.9
10	2028	10	8.6	18188.0	156.7	0.326	51.1
11	2029	10	8.6	20916.2	180.2	0.299	53.9
12	2030	10	8.6	24053.6	207.2	0.275	56.9
13	2031	10	8.6	27661.7	238.3	0.252	60.0
14	2032	5	4.3	31810.9	137.0	0.231	31.7
15	2033	5	4.3	36582.6	157.6	0.212	33.4
16	2034	5	4.3	42069.9	181.2	0.194	35.2
		100	86		1680.5		512.3

Saleable Social Facility list - SCHOOL, COMMUNITY CENTER,



Expenditure Pattern (Rs in Cr)

INFRASTUCTURE HEAD

									TORETTE			EST &	SUB TOTAL +	INTEREST	TOTAL		
	LAND	POWER	SWM	ws	SEWER	ROAD	SUB URBAN	METRO	OPEN SPACE	отн	SUB TOTAL	ADM COST	ESTABLISHMENT				Present
COST (Rs Cr)	687.7	1358.6	181.0	710.0	156.0	3032.2	90.1	1435.1	35.8	78.9	7765.3	10% PER YR				Discounting Factor	value of cost (Rs Cr)
Year	2	5	5	5	5	5	5	5	5	5							
2019	541.0			186.1	40.9	794.9			9.4		1572.4	157.2	1729.6	140.3	1869.9	0.708	1324.7
2020	606.0	381.1	50.8	199.2	43.8	850.6	25.3		10.0	22.1	2188.8	218.9	2407.6	352.3	2760.0	0.650	1793.8
2021		407.8	54.3	213.1	46.8	910.1	27.1		10.8	23.7	1693.6	169.4	1863.0	523.7	2386.7	0.596	1423.1
2022		436.3	58.1	228.0	50.1	973.8	29.0		11.5	25.3	1812.1	181.2	1993.4	712.4	2705.8	0.547	1480.1
2023		466.9	62.2	244.0	53.6	1042.0	31.0		12.3	27.1	1939.0	193.9	2132.9	863.8	2996.7	0.502	1504.0
2024		499.5	66.5				33.1			29.0	628.2	62.8	691.1	1086.9	1778.0	0.460	818.6
2025											0.0	0.0	0.0	1330.4	1330.4	0.422	562.0
2026											0.0	0.0	0.0	1479.8	1479.8	0.388	573.5
2027											0.0	0.0	0.0	1491.6	1491.6	0.356	530.3
2028											0.0	0.0	0.0	1350.7	1350.7	0.326	440.6
2029								740.1			740.1	74.0	814.1	1298.1	2112.2	0.299	632.1
2030								791.9			791.9	79.2	871.1	1175.8	2046.8	0.275	561.9
2031								847.3			847.3	84.7	932.0	825.3	1757.3	0.252	442.6
2032								906.6			906.6	90.7	997.3	368.2	1365.5	0.231	315.5
2033								970.1			970.1	97.0	1067.1	0.0	1067.1	0.212	226.2
2034											0.0	0.0	0.0	0.0	0.0	0.194	0.0
														12999.4	28498.4		12629.0



YEARWISE EXPEN	DITURE PAT	TERN							_							
Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034
EXPENDITURE	1729.6	2407.6	1863.0	1993.4	2132.9	691.1	0.0	0.0	0.0	0.0	814.1	871.1	932.0	997.3	1067.1	0.0
REVENUE	171.1	191.7	311.0	420.6	1162.5	1474.1	1790.7	2059.3	3767.9	4551.0	5233.6	6018.7	6553.1	6901.1	7205.6	8286.4
PROFIT/ DEFICIT	-1558.5	-2216.0	-1552.0	-1572.8	-970.4	783.0	1790.7	2059.3	3767.9	4551.0	4419.5	5147.6	5621.1	5903.8	6138.5	8286.4
IRR	22.2%															
YEARLY PROFIT/ LOSS (-)	-1558.5	-2216.0	-1552.0	-1572.8	-970.4	783.0	1790.7	2059.3	3767.9	4551.0	4419.5	5147.6	5621.1	5903.8	6138.5	8286.4

VALUE WITH INTEREST - MORATORIUM PERIOD 5 YEARS

YEAR	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034
YEAR OPENING BALANCE + INTEREST	0	-1699	-4267	-6343	-8628	-10462	-13164	-16113	-17922	-18065	-16358	-15721	-14240	-9995	-4460	1679
LOAN/ SURPLUS in Year	-1558	-2216	-1552	-1573	-970	-1615	-1619	-329	1348	3058	1935	2657	5070	5904	6138	8286
LOAN INTEREST	-140	-352	-524	-712	-864	-1087	-1330	-1480	-1492	-1351	-1298	-1176	-825	-368	0	0
LOAN REPAYMENT	0	0	0	0	0	2398	3410	2388	2420	1493	2485	2491	551	0	0	0
YEAR CLOSING BALANCE (With 5 Years Moratorium)	-1698.7	-4267.0	-6342.7	-8627.9	-10462.2	-13163.9	-16113.2	-17921.5	-18065.2	- 16358.0	- 15721.1	-14240.1	- 9995.4	- 4459.8	1678.6	9965.0

November 2016



SUMMA	ARY OF COST AND REVENUE ESTIMA	TES
S. No	DESCRIPTION	Rs in Cr
A	REVENUE FROM ALL SOURCES	
1	REVENUE FROM DEVELOPMENT CHARGE (NPV)	3844
2	REVENUE FROM GROWTH CENTER (SALE OF LAND- NPV)	9703
3	REVENUE FROM FLP (NPV)	554
4	SALE OF SOCIAL FACILITY (NPV)	512
5	NPV OF REVENUE FROM ALL SOURCES A	14613
В	EXPENDITURE TO BE INCURRED FOR INFRASTUCTURE	
	NET PRESENT VALUE OF ALL EXPENSES	12629
	TOTAL EXPENDITURE B	12629
C	NPV (A - B)	1984
D	Internal Rate of Return (IRR)	22.2%