

**LIST OF REGISTERED/APPROVED VENDORS  
CIVIL & ELECTRICAL & MISCELLANEOUS WORKS**

- (1) The following suppliers are enlisted as approved vendors whose registration has been approved/ renewed as on 31.03.2019.
- (2) **Preambles:** (a) The user, to ascertain quality of the product before acceptance.  
 (b) The user, to ascertain capacity of vendor for supply schedule.  
 (c) The user, to carry out all test as per relevant IS codes.  
 (d) Inclusion in the approval list does not absolve the user from acceptance of bad quality of product.

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
<b>A)</b>	<b>CIVIL ITEMS :</b>			
<b>(i)</b>	<b>Cement</b>			
<b>1</b>	<b>M/s. Vasavadatta Cement (Kesoram Industries Limited)</b> Cement Division, 302, Century Arcade, Narangi Baug Road, 3 <sup>rd</sup> floor, Bund Garden, Pune-411 001. Tel.No:020 26164961/020 26167470.	1. Cement in the brand name of <b>“Birla Shakti Cement”-</b>  i) “Birla Shakti Cement 53 Grade – conforming to IS 12269-1987. ii) “Birla Shakti Cement 43 Grade – conforming to IS 8112-2013. iii) “Birla Shakti Cement PPC-conforming	<b>30.04.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Fax.No:020 26167470. Mob.No:09011035114. Email.id:pune@vasavadattacement.com	to IS 1489 (Part-)-1991.		
2	<b>M/s. Sanghi Industries Ltd.,</b> Krishna Commercial Centre, 110, B-Wing, 6-Udyog Nagar, S.V. Road, Near Kamath Club, Goregaon (West), Mumbai – 400 062 E-mail : <a href="mailto:pavan.sethi2010@gmail.com">pavan.sethi2010@gmail.com</a> Tel.: +91-22-28713120 Mobile : 91679 06738	<b>OPC 53 Grade</b>	<b>31.07.2019</b>	
3	<b>M/s. Dalmia Cement (Bharat) Limited.</b> 1098/8-B, Tarangan, Opp. DSK Toyota Showroom, Thorat Circle, Model Colony, Shivaji Nagar, Pune – 411016. Mobile No. 7028098430	<b>OPC-53</b> : IS-12269:2013 <b>OPC-43</b> : IS-8112:2013 <b>PPC</b> : IS-1489-Part-I 1991	<b>09.08.2019</b>	
4	<b>M/s Zuari Cement Limited,</b> 302, “Lunkad Sky Vista”,	<b>Ordinary Portland cement &amp; Portland Pozzolona cement:</b> Zuari Brand:	<b>05.03.2020</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Near Dorabji Mall, New Airport Road, Viman Nagar, Pune- 411 014 E-mail: <a href="mailto:p.sarathkumar@zcltd.com">p.sarathkumar@zcltd.com</a> Ph.: +91-98440 73704	1) Ordinary Portland cement (OPC-53 Grade) 2) Portland Pozzolona Cement (PPC)		
5	<b>M/s JSW Cement Limited,</b> JSW Centre, Bandra Kurla Complex, Bandra(E), Mumbai-400 051 Email: <a href="mailto:gautam.saha@jsw.in">gautam.saha@jsw.in</a> Mob:86910 37751 Tel: 022 4286 1000, Fax:022 4286 3000	<b>Portland Slag Cement:</b> Brand: JSW Cement, Portland Slag Cement(PSC), Conforming to IS 455:2015	<b>28.05.2020</b>	
6	<b>M/s JSW Cement Limited,</b> JSW Centre, Bandra Kurla Complex, Bandra(E), Mumbai-400 051 Email: <a href="mailto:gautam.saha@jsw.in">gautam.saha@jsw.in</a> Mob:86910 37751 Tel: 022 4286 1000, Fax:022 4286 3000	<b>Ground Granulated Blast Furnace Slag(GGBS):</b> Brand: JSW GGBS, Ground Granulated blast Furnace Slag(GGBS),Conforming to IS 16714:2018	<b>23.07.2020</b>	
7	<b>Saurashtra Cement Limited,</b> N.K. Mehta International House, 2nd Floor,178 Backbay Reclamation,	<b>1. Ordinary Portland Cement (OPC)- 53 Grade as per IS 269:2015 :OPC-53 Grade</b> <b>2. Portland Pozzolona Cement (PPC) as per</b>	<b>03.12.2020</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mumbai-400 020, Tel: +91-22- 6636 5444, Fax: +91-22-6636 5445, Contact Person: Mr U.C.Dattani, Mob. No: 93207 07310/ 93235 80022, E-mail: ucdattani@mehtagroup.com	<b>IS 1489 Part 1:2015 :PPC</b>  <b>Brand: "Hathi"</b>		
<b>ii)</b>	<b>Reinforcement Bars</b>			
<b>1</b>	<b>M/s.TATA STEEL LIMITED.</b> Regd.Off: Bombay House 24 Homi Mody Street Mumbai.400 001.India Tel.No:91 22 6665 8282 Fax.No:91 22 6665 7724. Mob.No:07506354617 Email.id:	TATA Steel in the brand name of " <b>TATA TISCON</b> "- TATA TISCON FE500D,FE500 CRS,FE600	<b>31.05.2019</b>	
<b>2</b>	<b>M/s JSW Steel Ltd.,</b> JSW Centre, Bandra Kurla Complex, Bandra (East), Mumbai-400 051 Tel:022 4286 1000	<b>TMT Bars &amp; Structural Steel:</b> 1) TMT Bars of Fe 500, Fe 500D, Fe 550, Fe 550D & CRS grades 2) HR Structural Coils & Plates	<b>31.08.2019</b>	
<b>3</b>	<b>M/s Jindal Steel &amp; Power Ltd,</b> 3 rd Floor, DCM Building,	<b>Structural Steel, Angles &amp; Channels TMT FE-500 D:</b>	<b>27.09.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Plot No 94, Sector-32, Ghodbunder Village Road, Gurgaon, Haryana-122 001 Tel.: 022-6624 1034, Mob: 81087 73456	1.Rebars 6 to 40 mm 2. Cut & bend 6, 8, 10, 12 mm to 40 mm coil form 8-40 mm in straight form. 3. Structural steel for beams, columns, channel, Angles, M.S & HT plates		
4	<b>M/s. Electrosteel Steels Ltd.</b> 1001, Satra Plaza, Plot No. 19 & 20, Sector-19D, Palm Beach Road, Vashi, Navi Mumbai – 400 703. Phone No. 8691922236 E-mail : dharmendrak.singh@ electrosteel.com	<b>TMT Bars :</b> 1. TMT bars Fe 500, Fe 500D & Fe 550D 2. CRS Fe 500, Fe 500D Sizes : Diameter of Bars from 8mm to 40mm	11.12.2019	
5	<b>M/s Electrotherm (India)Ltd.,            (Steel Division)</b> 72, Palodia (Via Thaltej, Ahemedabad) Gujarat-382 115, India Email:dharmendra.seth@electrotherm. com Ph:+91-2717-660550/660604 Fax:+91-2717-233072, 660663	<b>ET TMT Reinforcement Steel Bars/FBEC/CRS            Cut &amp; Bend TMT Bars</b> <b>Size:Dia from 8mm to 36mm</b> 1.TMT Bars Grade:Fe 415, Fe 500, Fe500D, Fe 550, Fe 550D, Fe 550D LPS & Corrosion Resistance Steel(CRS) 2.Fusion Bonded Epoxy Coating to TMT bars 3.Cut & Bend TMT Bars (Sizes: Dia from 8mm to 36mm)	01.02.2020	
6	<b>M/s SRJ Peety Steels Pvt Ltd</b>	<b>TMT Bars in brand name of “SHREE OM 500</b>	22.08.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	D-51/1,Additional MIDC, Jalna-431 203(INDIA) Email:shreemsteels@gmail.com <a href="tel:+9102482220925220474">Tel:+91 02482-220925/220474</a>	<b>TMT BARS”:</b> TMT Steel Bars with “THERMEX” treatment by Quenching & tempering		
7	<b>M/s Guardian Castings Pvt Ltd,</b> 415, Mahindra Chambers, W.T Patil Marg, Opp. Dukes factory, Chembur, Mumbai-400 071 <a href="tel:+912266135555">Tel:+91 22 6613 5555,</a> Fax: +91 22 6613 5555, Contact:Mr Deepak Dube, Mob:+91 86525 33204 Email: <a href="mailto:sales@guardiancastings.com">sales@guardiancastings.com</a> <a href="mailto:deepak.dube@guardiancastings.com">deepak.dube@guardiancastings.com</a>	<b>TMT Bars:</b> <b>1.TMT Bars Brand name:”Guardian TMX”</b> Grade: Fe 415, Fe 500, Fe 550, Fe 415D, Fe 500D, Fe 550D, Fe 600  (Sizes: Diameter from 6mm to 40mm)	19.07.2020	
8	<b>M/s Bhuleshwar Steel &amp; Alloys Private Limited,</b> 1 <sup>st</sup> Floor, Dattaguru complex, Plot No 354, Lane No 6, Above Bank of India, Koregaon Park, Pune-411 001, Contact Person: Mr Vikas Goyal, Mob: 86050 03240, E-mail: <a href="mailto:vikasgoyal@bhuleshwarsteel.com">vikasgoyal@bhuleshwarsteel.com,</a>	<b>TMT HYSD Steel Bars as per IS:1786: 2008:</b>  Brand: “Trishul TMT”  Grade: Fe 500 & Fe 500 D  Size: 8 mm to 32 mm Diameter	16.01.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	<a href="mailto:info@bhuleshwarsteel.com">info@bhuleshwarsteel.com</a>			
09	<b>M/s Surya Ferrous Alloys Pvt Ltd,</b> 117, 1 st Floor, Sky Lark Building, Plot No 63, Sector-11, CBD Belapur, Navi Mumbai-400 614, Contact Person: Mr Amit Garg, Mob: 99670 56552, Tel: 022-2757 3081/ 82 E-mail: suryaferrous@yahoo.com	<b>TMT HYSD Steel Bars as per IS:1786: 2008:</b> Brand name: "Surya TMX" Grade: Fe 415, Fe 500, Fe 500 D Size: 8 mm to 32 mm Diameter	14.01.2021	
iii)	<b>Galvanizing &amp; Epoxy Coatings to Reinforcement Bars &amp; Hot Dip Galvanized M.S &amp; C.I.</b>			
iv)	<b>Cement Concrete Blocks / Paver Blocks / Kerb Stones/Water Table/RCC Covers/Chequered Tiles/Road Dividers/RCC Manhole covers/Sanitary wares</b>			
1	<b>M/s. SRC PRECAST</b> Flat.No.42, Vani CHS, Sector-6, CBD Belapur, Navi Mumbai.400614. Mob.No:9930744233/9594253040 Email.id:srcprecast@gmail.com	<b>1)Paver Blocks – Machine Make-Matt finish/I-Shape, Zigzag, Brick Shape-</b> 60MM THK M-30/80MM THK-M-40/100MM THK-M-50. <b>2)Paver Blocks – Lacquer Finish-Rubber Mould Make-I-Shape, Zigzag, umroo, Colourado, Torus.</b> 60MM THK M-30/80MM THK-M-40/100MM THK-M-50. <b>3)RCC Frame &amp; Covers /Grill.</b> As per required sizes and thickness.	31.05.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>4)Concrete Solid blocks.</b></p> <p>i) 390x190x90mm M-5 to M-10.  ii) 390x190x140mm M-5 to M-10.  iii) 390x190x190mm M-5 to m-10.</p> <p><b>5. Kerbstone &amp; Water table : M-25.</b></p> <p><b>6. RCC Pole-</b> All sizes &amp; Thickness in M-25.</p>		
2	<p><b>M/s. Baliram Construction,</b>  Sector-19, Road No.5,  New Panvel(E) – 410 206  Mobile : 9820576309/ 9867060408</p>	<p><b>Kerb stone, water table, RCC frame &amp; RCC covers, set stone</b></p>	31.07.2019	
3	<p><b>M/s. Asian Granito India Ltd.,</b>  202, dev Arc, Opp. Iskcon Temple,  S.G. Highway, Ahmedabad – 380 015,  Gujarat, India.  E-mail : <a href="mailto:info@aglasiangranito.com">info@aglasiangranito.com</a>  Tel.: +91 79 66125500/698</p>	<p><b>Ceramic Wall Tiles:</b></p> <p>Digital Printed, Matt/Glossy/structured tiles  300x900 mm/300x600 mm/300x450 mm/300x300 mm/248x325 mm/248x375 mm/248x248 mm/200x300 m</p> <p><b>Ceramic Floor Tiles:</b></p> <p><b>16</b> Plain/mat/rustic tiles – 600x600 mm  ii) Digital Printed Matt &amp; Glossy Tiles – 600x600 mm  <b>16</b> Tuff Guard Series (High Abrasion Resistant Tiles) – 600x600 mm  iv) Plain &amp; Rustic Tiles – 397x397 mm</p>	28.07.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>16 Plain &amp; Antiskid Tiles – 300x300 mm</b></p> <p><b>Vitrified Floor Tiles – Polished Tiles:</b></p> <p><b>16 Polished Double Charge Tiles – 800x800 mm</b></p> <p>ii) Polished – Soluble Salt, Full Body &amp; Double Charge Tiles – 605x605 mm</p> <p><b>Vitrified Glazed Floor Tiles – Rustic Finish:</b></p> <p><b>16 GRESTEK Rustic Glazed Tiles – 605x605 mm</b></p> <p>ii) Matt Finish Paver Tile – 300x300 mm</p> <p><b>Vitrified Glazed Floor Tiles – Matt Finish :</b></p> <p><b>16 Tuff Guard Series (High Abrasion Resistant Tiles) – 800x800 mm</b></p> <p>ii) Tuff Guard Series (High Abrasion Resistant Tiles) – 605x605 mm</p> <p><b>Vitrified Hardstone Tiles – Glossy/Matt Finish Tiles:</b></p> <p><b>16 Digital Printed Glossy Finish 800x800 mm</b></p> <p>ii) Digital Printed Glossy Finish</p> <p><b>16 Digital Printed Glossy/Matt Finish</b></p> <p>iv) Digital Printed Glossy/Matt Finish – 605x605 mm – 600x1200 mm – 800x1200 mm</p> <p>v) Digital Printed Glossy/Matt Finish</p>		
4	M/s. Akash Ceramics Pvt. Ltd.,	1. <b>Vitrified Tiles Under Brand Name Dakshinamurti Tiles-</b> 605mm X 605mm Size	30.06.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Regd.Office:7, yogi Complex, 3 <sup>rd</sup> Floor, opp, Drive-in cinema, Drive-in road, Ahmadabad-380 054, Gujarat, India. <a href="tel:91-79-26857400">Tel: 91-79-2685 7400/2685 7500</a> Fax: 91-79-26-85 7600/09619299287. Mob: 09825722184. <a href="mailto:Dakshinamurti_ho@yahoo.com">Dakshinamurti_ho@yahoo.com</a>	Vitrified Tiles: 1) Prima Collection 9soluble Salt Ivory) 2) Platina collection (Nano Polish Ivory) 3) La Graffica Collection (Terracotta, Osaka collection) 4) Pearl Collection(Micra Rose, Micra Lemon, Micra Verde) 5) Galaxy Collection (Etios Rosa, Etious Lemon, Etios Verde) <b>2. Digital collection under brand name Dakshinamurti Tiles-</b> 1) Digi-magix (450mm x 350mm) 2) Fast track (375mm x 250mm) 3) Digi-magix (326mm x 246mm) 4) Elegance/ Digi-magix (500mm x 246mm) 5) Fragrance Collection (600mm x 246mm) 6) Digi-magix (300mm x 300mm) 7) Fast track Galaxy (250 x 250mm) 8) Pavement Digi-magix (300mm x 300mm) 9) Digi-magix (396mm x 396mm) <b>3. Pavement Vitrified tiles Under brand name Dakshinamurti Tiles-</b> 1) Pavement Prima (all Pavement Ivory) (300mm		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>x 300mm)</p> <p>2) Pavement Lagrafica (all Pavement Terracotta) (300mm x 300mm)</p> <p><b>4. Non Digital collection under brands name Dakshinamurti Tiles-</b></p> <p>1) 5000 Series (300mm x 300mm)</p> <p>2) Rustic series(300mm x 300mm)</p> <p>3) Vitro Plain Color/matt print(396mm x 396mm)</p> <p>4) Vitro dark glossy/ rustic (396mm x 396mm)</p>		
5	<p><b>M/s. Crystal Industries Pvt Ltd.</b>            Kaiyal – Shendhavi Road, Tal: Kadi,            Dist- Mehsana, Gujrat – 382705.            Tel. No. : +91-2764 267531            Email : <a href="mailto:info@crystalceramic.com">info@crystalceramic.com</a></p>	<p><b>Glaze Vitrified Tiles, Polished Glaze Vitrified Tiles, Double Charge Vitrified Tiles, Soluble Salt, Vitrified Tile</b> : Size From 600 x 600 mm to 800 x 1200 mm.</p>	31.12.2019	
6	<p><b>M/s P.P.Kharpatil Consts Pvt Ltd,</b>            At &amp; Post:Chirner, Tal:Uran,            Dist:Raigad- 410 206,            Email:ppkharpatil@gmail.com</p>	<p>1)Parabolic Kerbstones            2)Kerbstones            3)Water Tables            4)Set Stones</p>	22.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	<a href="tel:02265111545">Tel:022 6511 1545/6529 8080</a>			
7	<p><b>R.A.K. Ceramics India Pvt Ltd,</b>  19<sup>th</sup> Floor, Commerz II, International Business Park,  Oberoi Garden City, Off Western Express Highway,  Goregaon (E), Mumbai-400 063  Contact Person: Mr Rajesh Salekar  E-mail:  <a href="mailto:rajesh.salekar@rakceramics.com">rajesh.salekar@rakceramics.com</a>  Mob: + 84228 43157, Tel: +91-22-6250 5100/120</p>	<p><b>1)Ceramics Wall &amp; Floor Tiles, (Finish: Glossy, Matt, Satin, Matt &amp; Antiskid):</b>  Size: 300X200 mm,300X300 mm,300X450 mm,  200x600 mm,250X750 mm,300X600mm,  250X375 mm,400x800 mm,600X600 mm,  396x396 mm</p> <p><b>2) Glazed Vitrified Tiles (GVT),(Finish: Matt, Antiskid, Satin Matt, Rustic Double Charge &amp; Full body Charge)</b>  Size: 298X598 mm,598X598 mm,800X800 mm,  598x1198 mm, 198X1200 mm,  800X1200mm,1000x1000 mm</p> <p><b>3) Polished Vitrified Tiles,(PVT) (Finish: Matt, Antiskid, Satin Matt, Rustic Double Charge &amp; Full body Charge)</b>  Size: 298X598 mm,598X598 mm,600X600 mm,  795x795mm,800X800mm,800X1200mm,1000x1000 mm</p> <p><b>4) Sanitary/ Bath Wares:</b>  1) Floor Mounted Water Closets</p>	11.06.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		2) Back to wall Water Closet 3) Bidet 4) Wall & Extended Wall Hungs 5) Wash Basin Wall Mounted 6) Table Top Wash Basin 7) Over & Under Counter Wash Basin 8) Full & Half Pedestal Wash Basins 9) Orissa PAN & EWC P & S trap 10) PVC Single & dual Flush Tank 11) Concealed Cistern 12) Health Faucet 13) Urinals		
8	<b>Somany Ceramics Ltd,</b> 401 to 408, Bonaza Building, Sahar Plaza, Next to Kohinoor Hotel, Andheri-Kurla Road, Andheri(E), Mumbai- 400 059 Contact person: Mr Amit shah Email:amitshah@somanyceramics.com Mob:+92231 71891, Tel: 022 4039 8300/01-04	<b>Ceramics wall Tiles :</b> 200X300mm, 250X375mm, 300X450mm, 300X600mm <b>Ceramic Floor Tiles:</b> 300x300mm, 600X600mm, 39X396mm <b>Glass Vitrified tiles(GVT) &amp; Polished Glazed            Vitrified Tiles:</b> 600X600mm, 600X1200mm, 800X800mm,800X1600mm, 800X1200mm, 196X1200mm <b>Polished Vitrified Tiles(PVT):</b> 600X600mm, 600X1200mm, 800X800mm, 800X1200mm,	02.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		1000X1000mm		
9	<b>Shreeji Precast,</b> Plot No D-76/2, TTC Industrial Area, MIDC Turbhe, Thane Belapur Road, Dist:Thane, Navi Mumbai- 400 705 Contact person: Mr. N R patel, Email: <a href="mailto:info@shreejiprecast.com">info@shreejiprecast.com</a> Mob:98200 29134, <a href="tel:02240132669">Tel:022 4013 2669</a> & 022 2762 1643	<b>Interlocking Paver Blocks:</b> Reflective Interlocking Paver Blocks (Normal/Lacquer Coated) Blocks Sizes:60, 80 & 100mm thick <b>Chequered Tiles:</b> Reflective Chequered Tiles (Light & heavy duty) <b>Kerb stone</b> :Parabolic/ Normal kerb Stone/Set stone <b>Water table</b> <b>RCC Cover with frame:</b> Light & Heavy Duty	03.07.2020	
10	<b>Ghanshyam Precast,</b> Office No 705, J.K. chamber Premises Co-op Society Ltd, Plot no 76, Sector-17, Vashi Navi Mumbai- 400 703 Contact person:Naresh R Patel Email: <a href="mailto:info.ghanashyamprecast@gmail.com">info.ghanashyamprecast@gmail.com</a> Mob:98200 29134, <a href="tel:02240132669">Tel:022 4013 2669</a>	<b>Interlocking Paver Blocks:</b> Reflective Interlocking Paver Blocks (Normal/Lacquer Coated) Blocks Sizes:60, 80 & 100mm thick <b>Chequered Tiles:</b> Reflective Chequered Tiles (Light & heavy duty) <b>Kerb stone</b> :Parabolic/ Normal kerb Stone/Set stone <b>Water table</b> <b>RCC Cover with frame:</b> Light & Heavy Duty	03.07.2020	
11	<b>J.M.Mhatre Infra Pvt Ltd,</b>	<b>1)Paver Blocks:</b> Thickness:60,80mm,100mm & 120mm,etc	16.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Market Yard, Plot No 492, Sahkar Nagar, Panvel-410 206, Dist:Raigad, Maharashtra <a href="tel:02227451625">Tel:022 2745 1625/2745 9771/72-75</a> , Fax:022 2746 0537, Mob:75065 05533 Email:jmmcpl@vsnl.net	<b>2)RCC Beams:</b> Sizes:1220X250X250mm, 220X150X150mm,1800X150X150mm, 1500X150X150mm etc <b>3)Kerb Stone:</b> Size:400X500X150mm <b>4)Parabolic Kerb Stone:</b> Size:850X500X150mm <b>5)Water table:</b> size:500X400X100mm <b>6)RCC Frames &amp; covers of SW drains:</b> Size: 1200X1200X150mm, 1200X990X150mm 1200X840X150mm, 2100X950X150mm, etc <b>7)Solid Concrete Blocks &amp; RE Wall blocks:</b> Size:390X190X190mm, etc		
12	<b>M/s Somany Ceramics Limited,</b> 401 to 408, Bonaza Building, Sahar Plaza, Next to Kohinoor Hotel, Andheri- Kurla Road, Andheri(E), Mumbai-400 059 Contact Person:Mr Sanjeev Kumar Email:sanjeevkumar@somanyceramics. com Mob: 75064 08691 <a href="tel:02240398300">Tel:022 4039 8300/01/02/03/04</a> Tele Fax:022 2839 0224	<b>Sanitary wares:</b> <b>Brand :Somany, Somany Signature &amp; Somany French Collection</b> 1.One Piece Toilet, Two Piece Toilet 2.Wall Hung/ Extended Wall hung Toilets 3.Table Top Basin/Art & Vanity Basins 4.Wall Hung Basin with Full & half Pedestal 5.Squatting pans 6.European Closets 7.Urinals 8.Cisterns-Ceramics, Plastics & Concealed Cistern	17.09.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
113	<b>K K Manhole &amp; Gratings Co,</b> 1114 Hubtown Solaris, Prof N.S. Phadke Road, Near East West Flyover, Andheri(E), Mumbai-400 069 <a href="tel:+912266913250">Tel:+91 22 6691 3250,</a> Mob:94222 53037, Contact Person: Mr Rajiv Aggarwal Email:kkmgnsk@gmail.com Mob No:98220 36550	<b>1)Precast RCC Manhole Covers &amp; Frames as per IS:12592:2002</b> <b>2) Precast Storm Water Grating Covers &amp; Frames</b> Brand: KK	24.10.2020	
v)	<b>Paints</b>			
1	<b>M/s British Paints.</b> Plot No. C-8/2, TTC Industrial Area, Pawane MIDC, Thane Belapur Road, Navi Mumbai - 400 705. Email - <a href="mailto:Mumbai@britishpaints.in">Mumbai@britishpaints.in</a> Tel. No. 022-32168090	<b>1) EXPA 7 ADVANCE EXTERIOR EMULSION - Exterior Emulsion</b> <b>2) EXPA cool premium exterior emulsion - Exterior Emulsion</b> <b>3) Shingar Exterior Emulsion - Exterior Emulsion</b> <b>4) Expatex Super Fine Finish- Texture Finish</b> <b>5) Expatex Rough Finish - Texture Finish</b> <b>6) Sheet Class spendour luxury interior emulsion - Interior Emulsion</b> <b>7) Sheet Class luxury interior emulsion - Interior Emulsion</b> <b>8) Satin Max rich interior emulsion - Interior</b>	25.10.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Emulsion</p> <p>9) <b>Glamour Premium Acrylic Emulsion</b> - Interior Emulsion</p> <p>10) <b>British Interior Emulsion</b> - Interior Emulsion</p> <p>11) <b>Masterblaster interior emulsion</b> - Interior Emulsion</p> <p>12) <b>Pearl Lustre</b> - Interior Finish</p> <p>13) <b>Acrisilk Acrylic Distemper</b> - Distemper Interior Finish</p> <p>14) <b>20-20 Acrylic Distemper</b> - Distemper Interior Finish</p> <p>15) <b>GLO Advanced enamel</b> - Enamel Finish - Interior &amp; Exterior</p> <p>16) <b>Satin Finish Enamel</b> - Enamel Finish - Interior &amp; Exterior</p> <p>17) <b>20-20 synthetic enamel</b> - Enamel Finish - Interior &amp; Exterior</p> <p>18) <b>YAK Q D Synthetic Enamel</b> - Enamel Finish - Interior &amp; Exterior</p> <p>19) <b>20-20 synthetic enamel</b> - Enamel Finish - Interior &amp; Exterior</p> <p>20) <b>Acrylic Cement Primer</b>- Interior Primer</p> <p>21) <b>All Purpose white primer solvent based</b> - Primer Coat for wooden, masonry, metal surface</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>22) <b>Acrylic Exterior wall primer</b> - Exterior Primer</p> <p>23) <b>Acrylic Wall Putty</b> - Acrylic Putty</p> <p>24) <b>British Wall Putty</b> - Cement Based wall putty</p> <p>25) <b>Terrace master highly durable acrylic water proofing</b> - Acrylic Water proofing</p> <p>26) <b>Red oxide primer</b> - Metal Primer</p> <p>27) <b>G.P. Aluminium paints</b> - Aluminium Paint</p> <p>28) <b>Wood grain melamine (2 K System)</b> - Wood Finish</p> <p>29) <b>Wood grain polyurethane</b> - Wood Finish</p> <p>30) <b>Britecrete Advanced URP</b> - Waterproofing</p> <p>31) <b>Sheildcree advanced URP</b>- Waterproofing</p> <p>32) <b>Britproof advance</b> - Waterproofing</p>		
2	<p><b>M/s. Kansai Nerolac Paints Ltd.</b>  Nerolac House, Ganpatrao Kadam Marg, Lower Parel, Mumbai - 400 013.  Tel. No. 022-24934001  Email : anshumandwivedi@nerolac.com</p>	<p><b>Nerolac Decorative Paints :</b></p> <ol style="list-style-type: none"> <li>1. Exterior Acrylic Emulsion - Excel Rainguard Excel total Excel Antipeel</li> <li>2. Exterior Texture Paint</li> <li>3. Interior Plastic Emulsion - Beauty Smooth &amp; Beauty Gold</li> <li>4. Acrylic Distemper</li> <li>5. Exterior &amp; Interior Primer</li> <li>6. Acrylic Putty</li> <li>7. Cement Putty</li> </ol>	27.11.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
3	<b>M/s. Kansai Nerolac Paints Ltd.</b> Nerolac House, Ganpatrao Kadam Marg, Lower Parel, Mumbai – 400 013. Tel. No. 022-24934001 Email : anshumandwivedi@nerolac.com	<b>Nerolac Industrial Paints</b> 1. Inorganic Zinc Silicate 2. Polyurethane Finish Coat 3. Epoxy Primer 4. Epoxy MIO Paints / Epoxy Finish Paints 5. Exterior Anti – Carbonation Paint 6. Polysiloxane Paint	27.11.2019	
4	<b>M/s Godavari Paints Pvt Ltd,</b> Tulsiram Gupta Mills Estate, Darukhana, Reay Road, Mumbai-400 010, Maharashtra, Tel No:022 2372 3227/1249 E-mail:anil@godavaripaints.com	<b>1. Exterior Paints:</b> 1.Pearl 2.Colourtex 3.Classic 4.Inspira <b>2. Interior Paints:</b> 1.Distempers 2.Emulsion 3.Primers 4.Putties <b>3.Primers:</b> Godavari Primers	03.01.2020	
5	<b>M/s PSL Corrosion Control Services Ltd,</b> PSL Towers, 615 Makwana Road, Marol, Andheri (E), Mumbai- 400 059 E-mail: rnb@pslltd.co.in	<b>Fusion Bonded Epoxy Coating to Reinforcement Steel:</b> Sizes: 8 mm 40 mm diameter TMT Bars	26.02.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Ph.: 022-66447777/ 66447788 Fax: 022-66447700/ 66447711			
6	<b>Nippon Paint (India) Private Limited,</b> Survey No 6 to 22, Taloja Ambernath Road, Village: Ghotchal, Ghotcamp, Tal: Panvel, Dist: Raigad-410 208, Tel: +91-40-3099 9000, Fax: +91-40-3099 9240, Contact Person: Mr Prasad Talvelkar, Mob. No: 98214 12315, E-mail: prasad.talvelkar@nipponpaint.co.in	<b>Industrial &amp; Decorative Paints</b> Brand Name: Nippon	03.12.2020	
7	<b>M/s ESDEE PAINTS LIMITED,</b> 203, Navketan, Chembur, Mumbai-4001 071, Tel: +91-22-2521 7982, Fax: +91-22-2521 2988, Contact Person: Mr Makrand Bondre, Mob: +91 98811 21244 / 84510 55175, E-mail:	<b>1. Decorative &amp; Wood Finishes:</b> Interior / Exterior Primers, Putty, Paints for Buildings & Civil Structures. Enamels, Coatings for Wood & Wooden furniture's. <b>2. Industrial Finishes:</b> Primers, Putty, Paints for Industrial Applications, Steel Structures. <b>3. Heavy Duty High Performance Coatings:</b> Anti-corrosive paint coatings	23.01.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	makrand.bondre@esdeepaints.com/ sales@esdeepaints.com,	<b>4. Water Proofing:</b> Water proofing to various Civil Structures		
8	<b>M/s Dooall Corpro India Pvt Ltd,</b> Suit No: 315, Bhaveshwar Arcade Annexe,3rd Floor, L.B.S Marg, Ghatkopar (W), Mumbai, Tel: +91-22-2500 3131, +91-22-2500 3232, Contact Person: Mr Dharmesh Dadia, Mob: +91 98208 74410, E-mail:info@dooall.in/ dooall.paints@gmail.com,	<b>Anti-Corrosive Paints &amp; Coatings:</b> 1) Epoxy Paints 2) Polyurethane Paints 3) Enamel Paints 4) Intumescent Paints 5) Cool- roof Paints	16.01.2021	
vi)	<b>Construction Chemicals &amp; Paints</b>			
1	<b>M/s.Clean Coats Pvt.Ltd.</b> K-30/1, Additional Ambernath Industrial Area, MIDC, Anandnagar, Ambernath (East)-421506, Dist.Thane, Maharashtra. Tel.No:6631 2487/6631 2486/2343 8054/2344 5002 Fax.No:2343 8054 Mob.No:9820149633	<b>1) Admixtures-</b> i) CONPROOF IA ii) CONPROOF SUPERPLAST iii) CONPROOF SUPERPLAST K201 iv) CONPROOF SUPERPLAST R301 v) CONPROOF SUPERPLAST R201(M) vi) CONPROOF PC 100 vii) CONPROOF LA 101 viii) CONPROOF LA 103 ix) CONPROOF KC 101 x) CONPROOF C 101.	31.05.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email.id:sahyadriinc@yahoo.in	<p><b>2. Curing Compound-</b></p> <ul style="list-style-type: none"> <li>i) CLEAN TECH CONCURE</li> <li>ii) CLEAN TECH CONCURE 100</li> <li>iii) CLEAN TECH CONCURE (E)</li> <li>iv) CLEAN TECH CONCURE (W)</li> <li>v) CLEAN TECH CONCURE (R-101).</li> </ul> <p><b>3. Curing Compound-</b></p> <ul style="list-style-type: none"> <li>i) CLEAN TECH CONCURE</li> <li>ii) CLEAN TECH CONCURE 100</li> <li>iii) CLEAN TECH CONCURE (E)</li> <li>iv) CLEAN TECH CONCURE (W)</li> <li>v) CLEAN TECH CONCURE (R-101).</li> </ul> <p><b>4. Segmental Adhesive-)</b></p> <p>CLEAN TECH SA.</p> <p><b>5. Waterproofing Systems-</b></p> <ul style="list-style-type: none"> <li>i) CONPROOF LWP</li> <li>ii) CLEAN TECH LATEX</li> <li>iii) POLY TECH CSM</li> <li>iv) POLY TECH WP 101</li> <li>v) POLY TECH WP 102</li> <li>vi) POLY TECH WP 104</li> <li>vii) POLY TECH WP 105</li> <li>viii) POLY COTE</li> <li>ix) QUIKSEAL AW.</li> </ul>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>6.Epoxy Grouts-</b></p> <ul style="list-style-type: none"> <li>i) TECH EG 104</li> <li>ii) CLEAN TECH CG 102</li> <li>iii) EPOXGROUT 101,102,103</li> <li>iv) CLEAN PLAST ME 101</li> <li>v) CLEAN TECH MRA.</li> </ul> <p><b>7. Repair- CLEAN TECH IR (M)</b></p> <ul style="list-style-type: none"> <li>i) CLEAN TECH IPU</li> <li>ii) CLEAN TECH ERM</li> <li>iv) PCLEAN TECH PORE FILLER</li> <li>v) CLEAN TECH JFS</li> <li>vi) CLEAN TECH RESIN &amp; HARDNER.</li> </ul> <p><b>8. Bridge &amp; Highway Repair and Protection-</b></p> <ul style="list-style-type: none"> <li>i) CLEAN TECH SLV 70</li> <li>ii) CLEAN TECH SLV 100</li> <li>iii) CLEAN TECH WB CONPROTECT.</li> </ul> <p><b>9. Anti-Carbonation Coating- FLEXKOTE AC.</b></p> <p><b>10. Rebar Coating-)CLEAN TECH RBC.</b></p> <p><b>11. Epoxy &amp; PU Flooring all range-</b></p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>i) CLEAN TECH SL</p> <p>ii) CLEAN TECH ESLS</p> <p>iii) MICROCRETE 101</p> <p>iv) INSUFLO 100.</p> <p><b>12. Anti-Corrosion Coating-</b></p> <p>i) Inorganic Zinc Silicate Primer-CLEAN TECH ZS PRIMER</p> <p>ii) Inorganic Zinc Phosphate Primer-CLEAN TECH ZP PRIMER</p> <p><b>13. Epoxy Zinc Rich Primer-CLEAN TECH ZR PRIMER</b></p> <p>i) Food Grade epoxy coating Primer-CLEAN TECH P</p> <p><b>14. Higher end surface tolerant Coating –CORPO TECH GP(M)</b></p> <p>i) Self-priming surface tolerant Epoxy Mastic-CORRO TECH ST 80</p> <p><b>15. High Build Epoxy MIO-CORRO GUARD HB MIO</b></p> <p>i) Aliphatic PU Coating-CLEAN TECH –</p>		



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		PUC(M) ii) High Build Thixotropic Polyamine cured epoxy Coating-CLEAN TECH —HBS(M) iii) CLEAN TECH CTE(M)-Polymine Cured Coal Tar Epoxy iv) Acrylic Polyurethane Finish paint-CLEAN TECH PU		
2	<b>M/s. Krishna Conchem Products Pvt.Ltd.</b> Unit#2, Bldg.6, Sector-3, Millennium Business Park, Mahape, Navi Mumbai-400 710. Tel.No:022 2778 2923/24 Fax.No:022 2778 2808 Mob.No:09594991872 Email.id:info@krihnaconchem.com	<b>1. Concrete penetrating Corrosion Inhibitor-</b> i) EPCO-KP-100 ii) EPCO-KP-200 i) EPCO-KP-200 C ii) POWRTHROW iii) CANODE. <b>2. Protective Coating for Steel- FEOVERT</b> i) IPNet-RB ii) Zerokorr <b>3. Polymer, Epoxy &amp; Cementation Grouts- KP-250/HP-250-SLV</b> i) MONOPOLPC Grout. <b>4. Sealants- EPCO-1010</b> i) EpcO-ACR. ii) EPCO-1010EpcO-ACR. <b>5. Boding Agent- EL-MONOBOND</b> i) EPIBOND ii) EPIBOND-21 EPIBOND-21-LP. <b>6. Admixtures- Supercon – 100</b>	30.04.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		i) Supercon – 300 ii) Supercon – 333 Krifib. <b>7. Repair Mortar- Monobond</b> i) Monobond-SBR ii) Epco KP-HP-350 iii)EL- Monobond iv) Molith-PMM v) Molith-SM Molith-TTCI <b>8. Water Proofing of water tank</b> –Food Grade-Water seal <b>9. Protecting coating for substructure- EPCO-2020-TX</b> <b>10. Protective coating for Concrete- IPNet</b> i) Monopol-456 W ii) Monopol-456. <b>11. Protective coating for Heritage structure- Monopol-333.</b> <b>12. Glass &amp; carbon Fibre wrapping &amp; Laminate System- Goldbond-1893.</b> <b>13. Micro concrete- Molith MC</b>		
3	<b>M/s. Choksey Chemicals Pvt. Ltd.,</b> 111, Industrial Area, Sion(East), Mumbai – 400 022 E-mail: <a href="mailto:contact@chokeychem.com">contact@chokeychem.com</a> Tel.: 022-24090124/127	<b>1. Sealants:</b> Techseal Polysulphide sealant-RDL 940/RDL941 EH/941EH HPP/PU2/Primer RDL 947 <b>2. Waterproofing Coatings:</b> - Masterol WD/ Masterol MRA - Mastercure RB2/ Mastercure WB2 - Flexo-O-Patch, Primer for flexo-O-Patch	08.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<ul style="list-style-type: none"> <li>- fix a tile, coal tar epoxy, techforce M, splash, techfore Gray, Master latex, Masterbond EP</li> <li>- Masterproof IWP1/IWP2, Mastercreate M81/URP</li> <li>- Mastergrout CNS 50/CNS100 Masterlock basic</li> </ul> <p><b>3. Admixtures:</b> Masterplast (SNF base) &amp; masterplast (PCE based)</p>		
4	<p><b>M/s Ardex Endura (India) Pvt Ltd,</b> 406 &amp; 407, Brigade Rubix, 20, HMT Campus, Yashwanthapur, Hobli, Banglore-560 022, Karnataka Tel. No: +91 80667 46500</p>	<p><b>Waterproofing Products:</b> Liquid Applied Membranes: WPM 004, WPM 002, WPM 810, WPM300, WPM 265, R 816 CE Sheet Membranes: WPM 1000, Butynol, Adhesive for WPM 1000: EP 305, WA-98.</p> <p><b>Tile Adhesive Product:</b> Adhesive: Silver star, Gold star, Diamond Star, Platinum star, Flex, S15 C, TA, White Star, AD1 Grouts: Cement Polymer Grout, Epoxy Grout, FR, WAD, GT1</p> <p><b>Tile and Stone Care:</b> Cleaner: Tile &amp; Stone care cleaner, Heavy Duty Tile cleaner Sealer: FC-SS, FC-SC, Heavy Duty tile and Stone sealer, Impregnating Tile &amp; Stone Sealer, Under tile and stone sealer.</p> <p><b>Concrete Repair, Anchor &amp; Grouts:</b> <b>Grouts:</b> B30, B33, B40, C10, C20, PU 100, PU 110 <b>Anchor:</b> EP 300, EP 310, EP 310 F, <b>Ancillary Concrete repair and Screed materials:</b> A3, A37.E 135, E-160, P51</p>	27.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
5	<b>M/s. Mapei Construction Products India Pvt.Ltd,</b> #402,3 rd Floor, Tudor Court, No.40, Lavelle Road, Bengaluru 560001 E-mail: infoindia@mapei.co.in Tel.: +91 80 2222 1820/22221840 Mobile: 8879258248 Web: <a href="http://www.mapei.co.in">www.mapei.co.in</a>	<b>Mapei Construction Products:</b> Admixtures, Curing Compound, Waterproofing, Primers, Repair & Protective Coatings, Sealants, Non-Shrink Grouts, Tile Adhesives & Repair products.	10.09.2019	
6	<b>M/s. Pidilite Industries Ltd.</b> Ramkrishna Mandir road, PO Box No.17411, Andheri (East), Mumbai-400059 India subhasish.ganguly@pidilite .com Mob No: 08451802482/9819217420	<b>1. Waterproofing:</b> Dr. Fixit Torchshield Dr. Fixit Samshiels Dr. Fixit Flexi PU270 Dr. Fixit Fast flex Dr. Fixit Pidifin2K Dr. Fixit Bathseal Kit Dr. Fixit Newcoat Dr. Fixit Flexshield e60 Dr. Fixit Polyplus CP Dr. Fixit Prebond Dr. Fixit Raincoat <b>2. Coatings</b> Dr. Fixit Raincoat Dr. Fixit Concrete guard WB Dr. Fixit Coal tar Epoxy <b>3. Additives &amp; Polymers</b> Dr. Fixit Pidiproof LW+	12.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Dr. Fixit Pidicrete URP Dr. Fixit Pidicrete AM</p> <p><b>4. Repair Product</b> Dr. Fixit Epoxy Bonding Agent Dr. Fixit Pidicrete MPB Dr. Fixit Epoxy Zinc Primer Dr. Fixit Micro-concrete Pagel U40 Dr. Fixit PU Foam Injection Dr. Fixit PU Plain injection Dr. Fixit Epoxy injection Pagel ZL10</p> <p><b>5. Grouts</b> Pagel V1 Dr. Fixit Pidigrout 10M</p> <p><b>6. Sealant</b> Dr. Fixit Pidiseal PS 41G/ PS 42P Dr. Fixit Pidiseal PS 43</p>		
7	<p><b>M/s. Conschemi chemtech pvt. ltd.,</b> 214,2<sup>nd</sup> floor, Heena Arcade, GIDC, Char Rasta, Vapi-396195, Dist: Valsad , Gujarat India Mob: 8767762858</p>	<p><b>1. Concrete Admixture-</b> Consplast super</p>	<p><b>31.07.2019</b></p>	
8	<p><b>M/s Hindcon Chemicals Ltd.,</b> 62B, Braunfed Row, Vashudha,</p>	<p><b>1) Water Proofing Compounds:</b> 1. Hind Proof No.1 2. Hind Proof No.2</p>	<p><b>23.01.2020</b></p>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Kolkata-700 027 Tel No:+91 33 2449 0835/39 Email:contactus@hindcon.com	3.Hind Proof No.3 4.Hind Proof No.4 5.Hind Plug S 6.Hind Crystal Seal (I)  <b>2) Concrete &amp; Mortar Admixtures:</b>  1. Hind Plast IWA 2. Hind Plast Super 3. Hind Plast Super 160 4. Hind Plast Super HPC 5. Hind Plast Super SCA  <b>3)Concreting Aids:</b>  1. Hind Mould Release OB 2. Hind Mould Release WT 3. Hind Cure AL 4. Hind Cure WP 5. Hind Bond EBA 6. Hind Fiber Glass 7. Hind SBR Bon 8. Hind Pump Prime 9. Hind Super Cure (R)  <b>4) Productive and Waterproofing Coating Sheeting:</b>  1. Hind Crete Plus-WPM 2. Hind Crete Plus-WPM (E) 3. Hind Styrene BR		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<ul style="list-style-type: none"> <li>4. Hind Anti Rust</li> <li>5. Hind Anti Rust EZ</li> <li>6. Hind ERS WS</li> <li>7. Hind Hydro Proof</li> <li>8. Hind Hydro Proof Ceramic</li> <li>9. Hind Crete Plus WPM(E) RTU</li> <li>10. Hind Hydra Swell</li> <li>11. Hind Hydralast 2K</li> <li>12. Hind Hydroflex PU</li> <li>13. Hind Hydroflex PU (E)</li> <li>14. Hind Hydroflex Polyurea</li> <li>15. Hind Seal Coat</li> <li>16. Hind Plasto guard</li> </ul> <p><b>5) Grouts &amp; Repairing Mortar:</b></p> <ul style="list-style-type: none"> <li>1. Hind Plast EGA</li> <li>2. Hind HSMC</li> <li>3. Hind Hydrafoam PU</li> <li>4. Hind Hydrafoam PU(SC)</li> <li>5. Hind Tile Grout Hind Patch R</li> </ul> <p><b>6)Shot crete Aid:</b></p> <ul style="list-style-type: none"> <li>1. Hind Shot Set P</li> <li>2. Hind Shot Set L</li> </ul> <p><b>7)Floor Toppings:</b></p> <ul style="list-style-type: none"> <li>1. Hind EMETOP M</li> <li>2. Hind EMETOP NM</li> <li>3. Hind EMETOP RTU</li> </ul>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		4. Hind Coat Prime 5. Hind Coat FC 6. Hind FLC E 7. Hind Selfloor 1000 8. Hind FLC EUV 9. Hind Act Colour 10. Hind Pentro Hard <b>8)Sealants:</b> 1. Hind Sealant E 2. Hind Sealant PS 3. Hind Sealant PPU 4. Hind Sealant BP 5. Hind Silicon Sealant 6. Hind Sealant Primer <b>9)Tile Adhesive:</b> 1. Hind Fix -TA 2. Hind Rust Clean 3. Hind Tile Clean		
9	<b>M/s Sika India Pvt Ltd,</b> 207, Raheja Arcade, Plot No 61 & 62, Sector-11, CBD Belapur, Navi Mumbai-400 614 Tel.:+91-022- 27572181	<b>1)Concrete Admixture:</b> Plastiment, Sikament, Sikaplast, Sika Viscocrete <b>2) Integral Waterproofer:</b> Plastocrete Plus, Sika Cim <b>3) Cement Grouts:</b> Sika Grout, Intraplast <b>4) Resin Grouts:</b> Sikadur <b>5) Site Batch Mortar:</b> SikalateX, Sika Raintite I <b>6) Repair Mortar:</b> Sika Top, Sika rep microcrete <b>7) Concrete Protection:</b> Sikagard 550 W, Sikagard XT	29.11.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>8) Liquid Waterproofing Membrane:</b> Sika Cool Coat, Sikatop seal 107, Sikalastic 560 <b>9) Membrane Waterproofing:</b> Sika WP Shield <b>10) Sealants:</b> Sikaflex <b>11) Floor Hardner:</b> Chapdur		
10	<b>M/s Amchem Products Pvt Ltd,</b> A-79, Sector -58, NOIDA, E-mail: riz@amchemproducts.com Ph:+91 120 2580121 Fax:0120-2581351	<b>100% Solids Polyurethane Coatings:</b> <b>Trade Name:</b> 1."Purethane" for Application to Steel Water Pipes (Interior & Exterior). Internal walls of STP/WTP. 2."Drythane" for Water proofing.	09.04.2020	
11	<b>STP Limited,</b> 201/202/203, B-Wing, Sagar Tech Plaza, Andheri- Kurla Road, Mumbai-400 072 E-mail: vsom@stpltd.com Mob: 91677 74242 Phone: +91-22- 4253 0100 Fax: +91-22- 2850 0137	<b>1) Waterproofing Preformed Membrane &amp; Primers:</b> Super Thermolay (APP/SBS), SuperTene, ShaliPVC, ShaliEPDM, Shalitek, Primer (Bitumen Based), ShaliKote (Water Based), Hydophilic Water Swellable bar-Shaliwater Bar 800, ShaliDrain 08 <b>2) Waterproofing Liquid Membrane &amp; primers:</b> ShaliUrethane BTM, ShaliUrethane LHM (Single & two Component), ShaliUrethane LM (Pigmented UV Resistant PU membrane), ShaliCryl LM HI (Waterproofing cum Heat Reflective Coating), ShaliCem EWP (Two component Cementitious Elastomeric Coating), ShaliCryl LM, Peneseal CWP <b>3) Repairing Products:</b> ShaliCrete, ShaliSBR Latex, ShaliFix FRM, ShaliFix MC <b>4) Sealants:</b> ShaliSealPS PG/GG, ShaliSeal PU, ShaliSeal PU	16.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>2K, ShaliSeal EMS (Epoxy Modified sealant),ShaliTex Sealing Compound, Bitumen Impregnated Fiber Board-SEJ Board (12/18/25 mm)</p> <p><b>5)Adhesive:</b> ShaliBond S (Segmental Bridge Adhesive),ShaliBond Concrete (Epoxy Adhesive for Concrte), ShaliFix BS (Light Weight Block Adhesive), CPRX Compound (Bituminous</p> <p><b>6) Grouts :</b>ShaliGrout 50/73/90, ShaliGrout IP (Cementitious Construction/cold Joint Grout), ShaliGrout EI (Epoxy Injection Grout for Strengthening),ShaliGrout Anchor.</p> <p><b>7)Admixture &amp; Curing Compound:</b> ShaliPlast LW+/LW++, STP No 1(P/L), ShaliPlast RCI, ShaliPlast SP, ShaliPlast PQC, ShaliPlast PCE, ShaliCure Acrylate, ShaliCure PA, ShaliCure SS, ShaliCure AL, ShaliCure AL WB, ShaliSlip</p> <p><b>8)Protective /Exterior Coating Anticarbonation Coating:</b> ShaliCryl 215, ShaliKote AC, ShaliKote AC WB</p> <p><b>9) Epoxy, Polyurethane Flooring, underlay, Top Coat &amp; Coating:</b> ShaliFloor SLTC 4E, ShaliFloor SLUL3ES, ShaliFloor TC 2PU/3PU, ShaliFloor TC 2HBE, ShaliFloor PU, ShaliFloor SLUL 1C</p> <p><b>10)Anti-Corrosive Coatings:</b> TankMastic, tankMastic HB, ShaliPoxy CTE 103/303/503 (Coal Tar Based Epoxy Coating),ShaliPrime Zn/Ph, ShaliPoxy MIO, ShaliRust</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>11)Road Surfacing Products:</b>            ShaliPatch (Pot Hole Repair compound),            Shaliseal RSTC (Sealer Coat for Roads),            ShaliMark (Road Marking Paints), ShaliMark WB,            ShaliPatch EC (Elastomeric Concrete for Repair of Bituminous &amp; Concrete Roads)</p> <p><b>12)Pipe Line Coatings &amp; Tapes:</b>            PipeWrap CT/BT, ShaliPoxy 400 (Food Grade Epoxy),            Shaliurethane PC, ShaliPoxy CTE 403</p>		
12	<p><b>M/s Perma Construction Aids Pvt Ltd,</b>            611/612 Nirmal Corporate centre,            L.B.S. Marg, Mulund(W), Mumbai-400 080</p> <p>Contact person: Mr Kapil Bansode            Email:info@permaindia.com            Mob:70390 61444/ 98200 40291            Tel: +91-22-2591 8911/2567 4690</p>	<p><b>Construction Chemicals:</b>            1)Admixtures            2)Waterproofing Systems            3)Tile Fixing Adhesive &amp; Joint Filler            4)Structural Repairs &amp; Bonding Agent            5)Epoxy coatings &amp; self leveling materials            6)Construction Aids</p>	13.06.2020	
13	<p><b>M/s Construction Industry Chemicals,</b>            Flat no 109, 1<sup>st</sup> Floor, Mahesh Building,            B.V.M.C.H.S., Dev Ali, Pen,            Dist:Raigad-402 107(M.S)            Mob:97629 37859, 72762 79407</p>	<ul style="list-style-type: none"> <li>• <b>Admixtures:</b></li> <li><b>1)Superplasticizers:</b>            1.Conchem-07, conchem-9A,conchem-11</li> <li><b>2)Third Generation superplasticizers:</b>            2.Conchem low PC, conchem mid PC, conchem high PC,            ConchemPQC-40</li> <li>• <b>Resin Based Curing compound:</b>            conchem cure-RB</li> </ul>	16.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email:amitshah1979@rediffmail.com/ Cicchem07@gmail.com	<ul style="list-style-type: none"> <li>• <b>Grouts:</b>Congrout-07</li> <li>• <b>Waterproofing Compounds:</b> Conchem-WP</li> </ul>		
14	<p><b>CICO Technologies Ltd,</b> C-44/2, 1 st &amp; 2 nd Floor, Okhla Industrial Area, Phase-II, New Delhi-110 020 Contact Person: Mr Gopal Zade, E-mail: gopalzade@cicogroup.com, cicotech@cicogroup.com, Mob. No: 99678 60723 / 98114 08608, Tel: 91-11-4050 9400, Tele Fax: 91-11-4050 9413</p>	<p><b>1) Water Proofer,Waterproofing Coatings, Membranes &amp; Water Sealers</b> CICO No 1, CICO Super, CICO Acryl, CICO No 2, CICO No 3, CICO Crystal seal, CICO WP Tapecrete P-151, Tapecrete RTU, Corchem 206I, CICO Aquapur, CICO Crystal Seal Admix</p> <p><b>2)Concrete Admixtures</b> CICO Plast N, CICO Plast super, CICO Plast Super-HS, CICO Plast Super C-300, CICO Plast Super CP-250, CICO Plast Super HS K504, CICO Plast Super C711, CICO Plast Super C804, CICO Plast Antifreeze, CICO Plast R, CICO Plast PPR,CICO Plast AEA, CICO Plast A, CICO MS, CICO Rockrete</p> <p><b>3) Concrete Aid</b> CICO Lease, CICO Lease WB, CICO Curefree-C &amp; CICO Curefree-WP, CICO Ritecure-AL, CICO Ritecure-WBM</p> <p><b>4) Grouts &amp; GroutingCompounds, Flooring Compounds, Floor Coating, Epoxy Compounds &amp; Mortars</b> CICO Grout GP, CICO Grout V1, CICO Grout V1/100, CICO Poxy 215, CICO NSPGC, CICO Grout E1, CICO Poxy 21LV, CICO Poxy 21, CICO Polygrout, CICO Fast-Setting High Strength Cement Capsule, CICO Microcrete, CICO Resifix, CICO Poxy 21P, CICO Poxy Screed &amp; Screed-SL, CICO Poxy SL 1000/2000 Series, CICO Poxy- TC-200, CICO Poxy-</p>	14.10.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		LC CICO Surface Hardener, CICO Flortop-RTU CICO Polycote-1100, CICO Poxy 2112/2119/2125, CICO Poxy 217/219 <b>5)Shotcrete Accelerators</b> CICO Shot-P, CICO Shot L-100, CICO Shot L- AF,CICO Shot P-AF <b>6) Bonding Materials,Sealants &amp; Membranes</b> CICO Bond EPO, CICO Poxy SBA, CICO Sealant T680, CICO Sealant Primer, CICO Shield, CICO B- Men <b>7)Tile &amp; Structural Adhesives</b> CICO TILFI NSA <b>8) Anti- Corrosives &amp; Protective Coatings</b> Corchem 60 I, Corchem 210 I, CICO Guard-S, CICO Guard-WS, CICO Thermoseal-XL, CICO Dampcoat, CICO Thane-TCE, CICO SIPEL, CICO SIPEL-S, CICO Sealcoat		
15	<b>M/s Sika India Pvt Ltd,</b> 501& 502, B Wing, Lotus Corporate Park, Off Western Express Highway, Goregaon (E), Mumbai-400 063, Tel:+91-22-6270 4038, Fax: +91-22- 6270 4039	<b>1 .Concrete Admixture</b> Plastiment, Sikament, Sikaplast, Sika Viscocrete <b>2. Integral Waterproofer</b> Plastocrete Plus, Sika Cim <b>3. Cement Grouts</b> Sika Grout, Intraplast <b>4. Resin Grouts</b> Sikadur <b>5. Site Batch Mortar</b> SikalateX, Sika Raintite I <b>6. Repair Mortar</b> Sika Top, Sika rep microcrete 4 <b>7. Concrete Protection</b> Sikagard 550 W, Sikagard XT <b>8. Liquid Waterproofing Membrane</b> Sika Cool Coat, Sikatop Seal & Sikalastic Series <b>9. Membrane Waterproofing</b> Sika WP Shield <b>10. Sealants</b> Sikaflex	29.11.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>11. Floor Hardner</b> Chapdur		
16	<b>M/s Kunal Conchem Pvt Ltd,</b> 562, Sector-16A, Faridabad-121 002, Tel: 0129-400 8854, Fax: 0129-407 3517, Factory At: Plot No 3104, 3106, GIDC, Sarigam, Dist: Valsad, Gujarat-396 155, Contact Person: Mr Roshan Solanke, Mobile No: 99240 63274 E-mail: kunal.conchem@gmail.com , mrinal@kunalconchem.com,	<b>Admixtures</b> 1) Kunalplast PC-30 2) Kunalpast PC-50 3) Kunalplast PC-100 4) Kunacon 37 SI 5) Kunacon 37 SR 6) Kunacon 37 PQC 7) Kunacon 37 CNI 8) Kunacon 37 SS <b>Waterproofing &amp; other Chemicals</b> 1) Kunacrete 2) Kuna No 1 3) Kunamac Super L 4) Kuna Latex 5) Kuna White 6) Kuna Slick Prime 7) Kunabex 100 8) Kunagrout GP 9) Kunafinish MB 10) Kunaseal GG 11) Kunashot LAF	18.11.2020	
17	<b>MC-Bauchemie (India) Pvt Ltd,</b> 411, Arenja Corner, Sector-17, Vashi, Navi Mumbai-400 703 Tel: (022) 2789 3867/ 2856, Fax: (022) 2789 3870,	<b>I Waterproofing</b>  <b>1 .Waterproofing Tile adhesive and Tile Grout:</b> Zentrival series, Zentrival PL,Zentrival PL-Flex, Zentrival PL-Flex Super, Zentrival HS, Zentrival FM <b>2. Crystallisation Based Coating:</b> Dichtament	30.10.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Contact: Mr Sujit Kar, Mob No: 75063 70088 E-mail: sujit.kar@mc-bauchchemie.in,	DS, Dichtament DS2,Dichtament DS-Flex, Dichtament series. <b>3.Polymer Modified Cementitious Waterproof Coating:</b> Zentrifix Elastic, Zentrifix series. <b>4. Liquid Applied Polymer Modified Waterproof Coating:</b> Roofex 2000, Roofex Series, Expert proof Series. <b>5. Water Repellent Coatings for Exterior and Interior Walls:</b> Emcephobe SX, Emcephobe AC, Nisiwa SH, Emcephobe LE, Emcephobe Series <b>6. polymer Injections For DPC Treatment:</b> Samafit VK systems <b>7. Integral Waterproofing compound</b> MC-Special DM, MC-Special Plus, Dichtament DM, Putz Dichtament  <b>II Injection System :</b> <b>1.Cementitious Injection Grouting Additive</b> MC-Einpresshilfe EH <b>2. Micro fine cement Injection:</b> Centricrete <b>3. Epoxy Based Injection Systems</b> MC-Dur 1264, MC-Injekt 1264 series, MC-Fastpack EP Solid, Mc-Fastpack 1264 Series <b>4.PU Based Injection systems</b> MC-Injekt 2033, MC-Injekt 2300 Series,MC-Injekt 2700 Series, MC-Fastpack PU solid, MC-Fastpack 2033 series, MC-Fast Pack 2300 Series, MC-Fastpack 2700 Series		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>5. Hydro Structural Resin Based Injection Systems:</b> MC-Injekt GL 95 Series, MC-Injekt GL 95-TX series</p> <p><b>6. MMA resin Based Injection system:</b>MC-Injekt 3000 series</p> <p><b>7. Soil Conditioning, Soil stabilising, Soil grouting Injections:</b>MC-Montan Drive Series, MC-Montan Injekt Series, MC-Montan Grout series.</p> <p><b>III Grouts</b></p> <p><b>1.Cementitious Free Flow grout;</b> Emckrete, MC-Expacrete</p> <p><b>2. Epoxy Free Flow Grout</b> MC-Dur 1250 Systems, MC Dur Grout systems</p> <p><b>IV Micro concrete:</b></p> <p><b>1 Cement based Micro Concrete</b> Emckrete Type A,MC-Expacrete Type A</p> <p><b>V Curing Compound</b> Emcoril, Emcoril white, Emcoril AC</p> <p><b>VI Repair</b></p> <p><b>1.Corrosion Inhibitor:</b> Zentrifix KMH, MC-Dur ZKE</p> <p><b>2. Polymers:</b> Nafufill BB2,Nafufill SBR</p> <p><b>3. Fine Filler Mortar:</b> Nafuquick, Zentrifix FF2/FF6,Zentrifix F92</p> <p><b>VII Protective Coatings</b></p> <p><b>1 Anticarbonation Coating</b> EmceColor Flex, Betonflair W, Betonflair CT</p>		



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>VIII Floorings</b>  <b>1. Floor Hardener:</b> Dreitop Range  <b>2. Car Park Floor:</b>MC-Floor Topspeed Range  <b>3. Resin Flooring:</b> MC DUR 1200/1800/1900  <b>4 PU Screed:</b> MC-DUR 2500 Range</p> <p><b>IX Admixtures</b>  <b>1. Plasticizers &amp; Super Plasticizers</b> Emceplast BV, Zentrament Range, Muraplast Range, MC-Powerflow Range  <b>2. Corrosion Inhibiting admixture:</b> MC-Corrochure  <b>3.Plaster Additive:</b> MC-Mischoel AEA, Putz Dichtament</p> <p><b>X Sealant</b>  <b>1. Polyurethane (2 component):</b> Mycoflex 250 SP/VE, Mycoflex 450 SP/VE  <b>2 .Polysulfide (2 component):</b> Mycoflex 4000 SP/VE  <b>3. MS-Polymer (1 component):</b> Mycoflex 488 MS</p>		
18	<p><b>M/s Surfa Coats (India) Pvt Ltd,</b>  “Surfa Sadana” 639, 46 th “A” Cross,  3 rd Block, Rajaji Nagar, Bengaluru-560 010,  Tel: 2295 9271, 2295 9272, 2295 9273/74,  Fax: (080) 2315 4718,</p>	<p><b>Decorative Paints, Primers,Putty &amp; Construction Chemicals:</b>  Brand: “Surfa Coats “  1) Paints for Exterior walls, Textures &amp; Stone Finishes  2) Paints for Interior walls, Textures &amp; Stone Finishes  3) Paints for Metal &amp; Wooden surfaces.</p>	12.02.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Contact Person: Mr Aditya Prashanth, Direcor, Mob: +91 99721 46427, E-mail: adithya@surfacoatpaints.com			
<b>vii)</b>	<b>Tiles</b>			
<b>1</b>	<b>M/s. SWASTIK CERACON LTD.</b> A/1103-04, MITTAL COMMERCIAL, CTS NO.1629, MAROL VILLAGE ESTATE, ANDHERI (E), MUMBAI-400059. Tel.No:022 28500309 Fax.No: Mob.No:9372362818 Email.id:sales@swastiktiles.in.com	<b>1. Ceramic Wall Tiles (GABON/SWASTIK)-</b> i) Digital Printed/Matt/Glossy/300x600/ 300x450. <b>2. Ceramic Floor Tiles (GABON)-</b> Digital Printed/Matt/Glossy/300x300/600x600. <b>3. Vitrified Floor Tiles (GABON)-</b> Polished-Multi —Charged/800x800/600x600/800x1200. <b>4. Vitrified Floor Tiles (SWASTIC)-</b> SS(Nano)/600x600. <b>5. Glazed Vitrified Floor Tiles-</b> Fully Body Vitrified (Tectonical)/600x600. <b>6. Glazed Vitrified Floor tiles (GVT/PGVT)</b> (SWASTIK). DP lossy/Matt/800x800, 600 x 600/800x1200/ 600x1200. <b>7. DP lossy /Matt/ 800x800, 600x600 /</b> <b>800x1200/</b> 600x1200- Duratruf Floor Tiles/300x300 /DP floor Tiles/300x300	<b>30.04.2019</b>	
<b>vii</b>	<b>Bitumen and Bituminous products</b>			

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
ix)	<b>ALUMINIUM PANEL SHEET</b>			
1	<b>M/s. Euro Panel Products Panels Pvt. Ltd.,</b> 702, Aravali Business Centre, Ramdas Sutrale Road, Next to Bata Showroom, Borivali (West), Mumbai – 400 092. E-mail : <a href="mailto:sales@eurobondacp.com">sales@eurobondacp.com</a> Tel.:+91-22-2968 6500 Mobile : 7045454992	<b>“Aluminium Panel Sheet”</b> in the brand name of <b>“EUROBOND”</b> . i) 1220 x 2440 mm/3&4 mm/ASTMD-253-89 ii) 1220 x 3050 mm/ASTMD-253-89 iii) 1220 x 3660 mm/ASTMD-253-89 iv) 1550 x 940mm/ASTMD-253-89 v) 3mm/4mm/ASTMD-253-89	<b>31.07.2019</b>	
2	<b>M/s Alstrong Enterprises India (Pvt) Limited,</b> Unit No 107, 1 <sup>st</sup> Floor Town Centre II, Near Mittal Estate, Andheri Kurla Road, Saki Naka, Andheri(E), Mumbai-400 059 Tel.No: 93212 48240	<b>Aluminium Composite Panel:</b> Width up to :1220 mm to 1550 mm Panel Thickness: 3 mm to 4 mm	<b>25.09.2019</b>	
3	<b>Alubond Dacs India Pvt Ltd,</b> 301, T.V. Industrial Estate, Ahire Road, Behind Glaxo, Worli, Mumbai-400 030 Tel: +91 22 4915 0150, Fax: +91 22 4321 1451, E-mail: <a href="mailto:alubonddacs@alubond.com">alubonddacs@alubond.com</a>	<b>Aluminium Composite Panels/Sheets:</b> Brand Name: Alubond USA 1) Panel Thickness: 3,4,5 & 6 mm 2) Standard Width: 1250, 1500 & 1550 mm 3) Non Standard Width: 8 to 10 weeks order time required. 4) Skin Thickness: 0.25,0.30 ,0.50 mm	<b>26.03.2020</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		5) Core: LDPE Core (Non FR), FRB & FRA2 6) Coating: PVDF, Lumiflon, HDPE		
<b>x)</b>	<b>DOORS</b>			
<b>1</b>	<b>M/s Anand Wood Crafts</b> Happy Trade Centre,62, Sarojini Devi Road, Opp. Clock Tower ,Secunderabad-3 Email:anandwoodcrafts@rediffmail.com Tel: 27803019/27807297	<b>Flush Door Shutters: In Thickness of 19mm to 45mm</b>	<b>31.07.2019</b>	
<b>2</b>	<b>M/s. Sintex-BAPL Limited</b> Kalol,382 721,Dist.Gandhinagar,India. Mr. Nikhil Joshi(G.M.) Contact No.02764-253500 (M)9687667052	<b>Factory made doors:</b> Sierra Brand, Indiana Brand, Micra doors	<b>16.10.2019</b>	
<b>xi)</b>	<b>Roofing</b>			
<b>1</b>	<b>M/s. Aditya Profiles Pvt. Ltd.</b> Office 14-16, First Floor, Mudra Commercial Complex, Pune-Satara Road, Bibvewadi, Pune – 411037. Mobile No. 98230 42844	<b>Metallic Roofing &amp; Decking Sheets. Customized Roll Forming Section &amp; allied products :</b> 1. Standing Seam Roofing System 2. Trapezoidal Screw Down System 3. Floor Decking Sheets 4. Clip Lock Roofing Sheets	<b>11.12.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	E-mail : <a href="mailto:aditya.jain@adityaprofiles.com">aditya.jain@adityaprofiles.com</a>			
2	<b>M/s. Kalzip India pvt Ltd.</b> 310, 3 <sup>rd</sup> floor, Vipul Agora, M.G.Road, Gurgaon, Harayana-122002-india. Tel: 91-124-4848800 Fax -91-124-484801 Mob:09650025454/0982628090 <a href="mailto:suresh.pillai@kalzip.com">suresh.pillai@kalzip.com</a> <a href="mailto:info@roofsandceilings.com">info@roofsandceilings.com</a>	<b>“Aluminum /Steel Standing Seam Roofing &amp; Cladding System Is Including liners panels &amp; KB35/200, TF800R/WL18/76 &amp; FC Façade System” in the brand name of “KALZIP”-</b> <b>“Aluminum/Steel Standing Seam Roofing &amp; Cladding System Is Including liners panels &amp; KB35/200, TF800R/WL18/76 &amp; FC Façade System” in the brand name of “KALZIP”</b>	31.07.2019	
<b>B)</b>	<b>WATER SUPPLY / SEWERAGE/SANITARY ITEMS:</b>			
<b>i)</b>	<b>C.I. / D.I. / G.I. Pipes &amp; Fittings &amp; valves</b>			
1	<b>M/s. ELECTROSTEEL STEELS LIMITED</b> G.K.Tower, 2 <sup>nd</sup> & 3 <sup>rd</sup> floor, 19,Camac street, Kolkata-700017	<b>Ductile Iron spun Pipes.</b> Dia 100 mm to 1200 mm as per IS 8329:2000.	11.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	West Bengal, India.. Tel: 91-33 7103 4400 Fax No: 91-33-2290 2882. Email.id:fmpatel@electrosteel.com Mob.No.098337 34505			
2	<b>M/s Jindal Saw Ltd,</b> A-1, UPSIDC, Indl. Area, Nandgaon Road, KosiKalan, Dist. Mathura (U.P)-281403	<b>Ductile Iron Pipes:</b> Centrifugally Cast (Spun)Ductile Iron Pressure pipes for Water, Gas & Sewage from DN 80mm to DN 1000 mm dia as per BIS 8329:2000	31.08.2019	
3	<b>M/s. Time Technoplast Ltd.</b> <b>102,</b> Todi Complex, 35, Saki Vihar Road, Andheri (E), Mumbai – 400072. Email – ttl@timetechnoplast.com Tel. : 022-71119999/ 28039700/ 42119999	<b>1. HDPE Pipe : IS 14333:1996, PE63, PE-100, PRESSURE CLASS : PN2.5 TO PN 16, IS 4984:1995, PE-63, PE-80, PE-100, IS 4984:2000, PE-63, PE-80, PE-100 Pressure Class : PN 2.5 to PN 16:</b> HDPE Pipes : IS 14333 : 20mm to 1000mm, IS 4984: 20mm to 1000mm. <b>2. GRP PIPES : AWWA C-950 / IS 12709, IS 14402 :</b> GRP Pipes : AWWA C-950 / 12709, IS 14402 : 250mm to 2100mm.	23.08.2019	
4	<b>M/s. Surya Roshni Ltd.</b> Padma Tower-1, Rajendra Palace, New Delhi-110008 Email:-suniluniyal@bgh.surya.in	<b>G. I. Pipe for water supply:</b> Mild steel tubes as per IS 1239:Part 1: 2004 <b>Pipes for structural use, HVAC and fire-fighting purpose:</b> Steel tubes for structural purpose as per IS 1161:1998	02.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	:sangam.surya@gmail.com Mobile:9762866684/7042389776	<b>Steel pipes for water &amp; sewerage, HVAC &amp; Firefighting purpose:</b> Steel pipes for water & sewerage as per IS 3589:2001		
5	<b>M/s Jindal Fittings Ltd,</b> Jindal Centre,12 Bhikaji cama Place, New Delhi-110 066, Tel No:+91 11 26188360-74 Email:prakash.haryan@gmail.com	<b>Ductile Iron Fittings &amp; Specials:</b> Size Range: DN 80mm to 2200mm	09.01.2020	
6	<b>M/s Jaquar &amp; Company Pvt Ltd,</b> 5 th Floor, Cheda Arcade, A-1, Khira Nagar, S.V. Road, Santacruz (W), Mumbai-400 054 E-mail: chandrakant@jaquar.com Ph.: +91-22- 6601 3200	<b>CP Fittings &amp; Sanitary Ware:</b> CP Fittings & Sanitary Ware under Brand Name: 1) Jaquar & 2) ESSCO	27.02.2020	
7	<b>M/s Chandranchal Enterprise (P) Ltd,</b> Plot No 163-164, 2 nd Floor, Opposite Govt Model High School, Mouli Jagran Vikas Nagar Main Road, E-mail: <a href="mailto:ct@chandranchal.com">ct@chandranchal.com</a> Ph.: +91-172- 2739950/51/52	<b>1)D.I Fittings (Socketed &amp; Flanged):</b> Size: 80 mm to 1000mm, PN: 1.0 &1.6 Class: K12 <b>2) D.I Flanged Pipes (DoubleFlanged):</b> Size: 80 mm to 1000mm, PN: 1.0 & 1.6 Class: K9 <b>3) D.I Sluice Valves (Flanged):</b> Size: 50 mm to 1200 mm, PN: 1.0 & 1.6 <b>4) D.I Non Return Valves(Flanged):</b> Size: 50 mm to 1000 mm, PN: 1.0 &1.6	04.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mob: 96463 98950	<b>5) D.I Butter Fly Valves Valves(Flanged):</b> Size: 40 mm to 2000 mm, PN: 1.0 & 1.6 <b>6) D.I Manhole Covers &amp; Frames:</b> Size: up to 560 mm		
8	<b>M/s Jayswal Neco Industries Ltd,</b> F-8, MIDC Industrial Area, Hingna Road, Nagpur-440 016 E-mail: <a href="mailto:sachin.patil@necoindia.com">sachin.patil@necoindia.com</a> Ph.: 07104-237276/ 237471 Fax: 07104-237583/ 236 255	<b>1)Cast Iron Pipes &amp; Fittings:</b> Brand: NECO Size: 50 mm to 300 mm Dia. <b>2)Cast Iron Pipes &amp; Fittings(Hubless):</b> Brand: NECO Size: 50 mm to 300 mm Dia. <b>3)Cast Iron Manhole Frames, Covers &amp; Gratings:</b> Brand: NECO Circular: 450 mm to 600 mm Dia. Square/Rectangular: 300x300 mm to 900x1200 mm <b>4)Ductile Iron Manhole Frames, Covers &amp; Gratings: Brand:</b> NECO Circular: 350 mm to 600 mm dia Square/Rectangular: 300x300 mm to 900x1200 mm	19.02.2020	
09	<b>H.B. Industries,</b> Opposite Transport Nagar, Bulandpur Road, G.T Road by- Pass, Jalandhar-144 004, Punjab, Tel: 0181-2601116- 18 Fax: 0181-2601119, E-mail: <a href="mailto:hb fittings@hbgroup.in">hb fittings@hbgroup.in</a>	<b>G.I Malleable Pipe Fittings:</b> 1) "HB" Brand- GI Heavy Fittings Size-1/4" to 6" 2) "NB" Brand-GI Medium Fittings Size-1/4" to 6"	22.11.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
10	<b>Graphite India Limited,</b> Gut no 523/524, Village: Gonde, Tal: Igatpuri, Dist: Nashik-422 403 Tel: +91 2553 229400, Fax: +91 2553 229500, E-mail: bhushan@graphiteindia.com Mob: 93732 58143	<b>Glass Fibre Reinforcement Plastic Pipes:</b> Size: From 300 mm to 3000 mm dia Stiffness Class: SN 2500 to 5000 N/m <sup>2</sup> Pressure Class: 3,6,9,12 & 15 Kg/cm <sup>2</sup> Pipe Length: up to 12 m length	15.01.2020	
11	<b>Sigma Flow Control India Ltd,</b> Tobacco House, Room No 506, 5th floor, 1 & 2, Old Court House Corner, Kolkata-700 001(W.B), India, Tel: +91 33 2262 4871, Fax: +91 33 2262 4872, E-mail: enquiry@sigmaflow.in	<b>1)D.I &amp; C.I Sluice Valves: From 50 mm to 1200 mm diameterPN-1.0 to PN-1.6</b> <b>2) D.I Resilient Seated Gate Valves: From 50 mm to 1200 mm diameterPN-1.0 to PN-2.5</b> <b>3) D.I &amp;C.I Non Return Valves: From 50 mm to 1000 mm Single &amp; Double</b> <b>4)D.I &amp; C.I Butterfly Valves: From 50 mm to 2000 mm diameter</b> <b>5)C.I Single Air Valves: From 15 mm to 50 mm diameter</b> <b>6) D.I &amp; C.I Double Orifice Air Valves: From 40 mm to 200 mm diameter</b> <b>7)D.I &amp; C.I Tamper Proof Air Valves: From 40 mm to 200 mm diameter</b> <b>8) D.I &amp; C.I Kinetic Air Valves: From 40 mm to 200 mm diameter</b> <b>9) D.I Single Chamber Air Valves: From 40 mm to 200 mm diameter</b>	25.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>10) D.I Flange Adapter &amp; Couplings: From 40 mm to 600 mm diameter</b> <b>11) Socket Repair Clamp: From 50 mm to 300 mm diameter</b> <b>12) D.I Tapping Saddle: From 50 mm to 400 mm diameter</b>		
12	<b>TRUFORM Techno Products Ltd,</b> 119, Handloom Market, Gandhibag, Nagpur-400 002 (M.S), India, E-mail: kaushalmohta@truformtechnoproducts.com Fax: +91 712 2765282, Mob: 92252 41133	<b>Ductile Iron Pipe fittings As per IS 9523:2000:</b> D.I. Pipe Fittings Size: ND 80 mm to 600 mm-PN 10	08.05.2020	
13	<b>AVK Valves India (PVT) Ltd,</b> 179, KIADB Industrial Area, 3 rd Phase, Malur, Kolar-563 130, Karnataka, India, Tel: +91 8151 324 743, Mob: 93240 53322, E-mail: sandeep@avkindia.com	<b>1)Gate Valves:</b> D.I resilient Seated Gate Valves Size: 40 mm to 800 mm dia Pressure: PN 10,16 & 25 <b>2)Gate valves:</b> D.I Metal Seated Gate Valves Size: 350 mm to 1800 mm dia Pressure: PN 10,16 & 25 <b>3)Butterfly valves:</b> D.I Double Flanged Short & Long Body	06.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Size: 350 mm to 2400 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>3) Butterfly valves:</b>  D.I Double Flanged  Short &amp; Long Body  Size: 350 mm to 2400 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>4) Butterfly valves:</b>  D.I Butterfly Valves -Wafer type  Size: 50 mm to 200 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>5) Air Valves:</b>  D.I Kinetic Air Valves  Size: 40 mm to 200 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>6) Air Valves:</b>  D.I Single Ball Air Valves</p> <p>Size: 25 mm dia  Pressure: PN 10,16</p> <p><b>7) Non-Return Valves:</b>  Check valves  Size: 50 mm to 600 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>8) Control Valves:</b>  Pressure Reducing Valves, Pressure</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		Sustaining valves, ACV, AFC Size: 50 mm to 300 mm dia Pressure: PN 10, 16		
14	<b>M/s Sangir Plastics Pvt Ltd,</b> Sangir House, 366/2933, Motilal Nagar II, Mumbai-400 062 Email:dhruv.arya@sangir.com Mob:75066 60083, <a href="tel:2228717800">Tel:22 2871 7800</a> Fax:+91 22 2874 1794	<b>1)HDPE pipes &amp; Fittings</b> :Size:20mm to 800mm <b>2)T-Rib Liner Sheets:</b> Sheet & Roll form thickness from 1.65mm to 5mm <b>3)PE manholes:</b> Diameter from 400mm to 1200mm & height from 700 mm to 1000mm <b>4)Garbage chutes:</b> Size:450mm to 800mm	08.05.2020	
15	<b>Srikalahasthi Pipes Limited,</b> B-707, Mahavir Icon, Plot No 89 & 90, Sector -15, CBD belapur, Navi Mumbai-400 614, <a href="tel:+91226516274546">Tel:+91 22 6516 2745/46,</a> Mob:099208 11341, Email:splmum@srikalahasthipipes.com	<b>1 )Ductile iron S/S Pipes:</b> D. I. Socket & Spigot Pipes Size: DN 100 To DN 1100mm Length: 5.5 to 6.0m Class:K7 & K9 <b>2) Ductile iron Flanged Pipes:</b> D.I Welded Flanged Pipes Size: DN 100 to DN 1000mm Length: up to 5.5 m Class: K9 Pressure: PN 10 to PN 16	06.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
16	<p><b>Jupiter Engineering Co,</b>  Ichapur Canal Side, Radha Gobind Road,  Howrah-711 104 (WB),  Tel: 2653-1285/8759, Fax: (033) 2653 9692,  Contact person: Mr Sunil M Pawar,  Mob: 90290 41480,  E-mail: jupitervalve@gmail.com,  jecovalve@gmail.com</p>	<p><b>1)Sluice Valves as per IS 14846:</b>  Size: 50 mm to 1600 mm dia  Rising &amp; Non Rising Stem</p> <p><b>2) Non Return Valves as per IS 5312, Part 1 &amp; 2</b>  Size: 50 mm to 1200 mm dia</p> <p><b>3)Butterfly valves</b>  Size: 50 mm to 2000 mm dia  (Single Air Valve- 40 mm to 200 mm, Double Air Valve- ISI Marked 40 mm to 200 mm, Double Air Valve – ISI Marked/ IS 14845/ G &amp; K catalogue)</p> <p><b>4)Air Valves</b>  15 mm to 200 mm  (Single Air Valve- 40 mm to 200 mm, Double Air Valve- ISI Marked - 40 mm to 200 mm, Double Air Valve – ISI Marked/IS 14845/G &amp; K catalogue)</p> <p><b>5)Tamper Proof Air valves</b>  40 mm to 200 mm as per AWWA C-512</p>	21.10.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>6)Gate Valve (Resilient Seated &amp; Metal Seated)</b>  50 mm to 1200 mm as per AWWA C-509/API 600/BS 1414/ Outside Screw &amp; Yoke with Non Rotating Rising Stem)</p> <p><b>7)Sluice Gate</b>  IS-13349 &amp; IS-3042</p> <p><b>8)Check Valves (Dual Plate)</b>  80 mm to 1300 mm (API-594)</p> <p><b>9) Air Cushion Valves</b>  150 mm to 1500 mm (MS Fabricated, Flanged &amp; Plain Ended)</p> <p><b>10)Non-Return Valves</b>  Check valves  Size: 50 mm to 600 mm dia  Pressure: PN 10,16 &amp; 25</p> <p><b>11) Pressure Reducing Valves</b>  80mm to 600mm</p> <p><b>12) Knife Gate Valves</b></p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		80 mm to 600 mm		
17	<b>Jupiter Metal Industries(Jal.),</b> B-22, Focal Point Extension, Jalandhar-144 012,Punjab, Tel:0181-2602137/5092 2137, Contact Person:Mr Vijay Shukla, Mob:98675 15254/98671 70500, Email:info@kirtipipefittings.in	<b>1)Malleable Cast Iron Pipe Fittings as per IS 1879:2010:</b> Brand "Kirti" Sizes: From 15mm to 150mm Diameter <b>2)Malleable Cast Iron Pipe Fittings Extra Heavy Non ISI</b> Brand "Kirti" Sizes: From 15mm to 150mm Diameter <b>3)I.Forged Brass Ball Valves</b> Brand:"Kirti" Sizes:From 15mm to 100 mm diameter <b>II.Forged Brass Swing Check valves</b> Brand:"Kirti" Sizes:From 15mm to 50 mm diameter	30.12.2020	
18	<b>Varahi Polymers,</b> Plot No 30/31, Vishwakarma Industrial Estate, B/H Chitra G.I.D.C, Bhavnagar-364 004,Gujarat Tel:+91-99785 05655 Contact person:Mr Suresh Bhootra,	<b>HDPE Double Wall Corrugated Pipes as per IS 14930:Part 2:2001:</b> Brand:"SY -Aron" Sizes:1.50(OD)mm/38(ID)mm 2.63(OD)mm/51(ID)mm 3.75(OD)mm/63(ID)mm	09.12.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mob No:96625 11983/99742 53888, Email:info.varahi24@gmail.com			
19	<b>Electrotherm (India) ltd</b> A1, Skylark Apartment, Satellite Road, Satellite, Ahmadabad, Gujarat-380 015 Tel:+91-79-2676 8844, Fax:+91-792676 8855 Contact Person:Mr Pawan Sharma, Tel: 022-2772 4200 Email: dip.mumbai@electrotherm.com	<b>1.Centrifugally Cast (Spun) Ductile Iron Pressure Pipes with Socket &amp; Spigot ends as per IS:8329:2000</b> Sizes: Diameter from DN 80mm to DN 1200mm Class:K7 & K9	01.01.2021	
20	<b>M/s Shree Krishna Industries,</b> P-261/1 Benaras Road, Belagachia, Howrah-711 108, Tel: +91-33-2651 0077, Contact Person: Mr Rahul Nandy (MD), Mob: +91 91639 05657, +91 98744 45657 E-mail: <a href="mailto:skivalves@gmail.com">skivalves@gmail.com</a>	<b>1.C./ D. / S.G Iron/ C. S Sluice Valves as per IS:14846:2000 :</b> Brand: "INFRA & TRUSTMAN" Sizes: Diameter From 50 mm to 1200 mm <b>2. C./ D. / S.G Iron/ C. S Sluice Valves Non-Rising Spindle Type:</b> Brand: "INFRA & TRUSTMAN" Sizes: Diameter From 1400 mm to 1800 <b>3. C./ D. / S.G Iron/ C. S Sluice Valves Rising Spindle Type as per BS:5150, IS: 14846-2000:</b>	30.01.2021	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 1200 mm  <b>4. D. I/ S.G Iron Resilient Seated Wedge Sluice Valves as per IS:14846-2000 / 5163:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 1200 mm  <b>5. C.I/ D. I/ S.G Iron/ C. S Non-Return Valves (Single Door Swing Type) as per IS:5312(Part-I):</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 600 mm  <b>6. C.I/ D. I/ S.G Iron/ C. S Multidoor Check Valve (Swing Type) as per IS:5312(Part-II):</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 500 mm to 1500 mm  <b>7. C.I/ D. I/ S.G Iron/ C. S Dual Plate Check Valves as per API 594:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 2000 mm  <b>8. C.I/ D. I/ S.G Iron/ C. S Wafer &amp; Flange Type Butterfly Valves as per IS 13095, BS 155, AWWA C-5504:</b></p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter From 50 mm to 600 mm &amp; 100 mm to 2500 mm</p> <p><b>9. C./ D. / S.G Iron/ C. S Single, Double, Kinetic Air Valves as per IS 14845:2000 (Isolating / In Built S.V):</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter From 15 mm to 200 mm</p> <p><b>10. C./ D. / S.G Iron/ C. S Tamper Proof Air Valves as per AWWA C-512:</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter From 50 mm to 200 mm</p> <p><b>11. C./ D. / S.G Iron/ C. S/ M.S Fabricated/S. S Single Face Sluice Gate as per IS:3042, IS: 13349, AWWA C-501 AWWA C-512:</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter From 300 mm to 3000 mm (Square)</p> <p><b>12. C./ D. / S.G Iron/ C. S Globe Valves as per IS:9338 &amp; BS:5152 :</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter From 50 mm to 400 mm</p> <p><b>13. C./ D. / S.G Iron/ C. S Foot Valves as per IS:4038 :</b></p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 600 mm  <b>14. C./ D. / S.G Iron/ C. S Knife Gate Valves:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 1200 mm  <b>15. C./ D. / S.G Iron/ C. S Ball Valves as per BS 5351 &amp; Bs: 5159</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 15 mm to 250 mm  <b>16. C./ D. / S.G Iron/ C. S Pressure Relief Valves:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 200 mm  <b>17. C./ D. / S.G Iron/ Ball Foot Valves:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 600 mm  <b>18. C.S Gate Valves (Rising / Non- Rising Type):</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 1200 mm  <b>19. C.S Swing Check Valves as per IS:5312, BS:1868:</b>            Brand: "INFRA &amp; TRUSTMAN"            Sizes: Diameter From 50 mm to 600 mm</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>20. C.S Globe Valves as per IS:5352, BS:5351:</b>  Brand: "INFRA &amp; TRUSTMAN"  Sizes: Diameter From 50 mm to 300 mm</p> <p><b>21. C.S Forged Steel Gate, Globe &amp; Check Valves (Screwed/ Socket Type) as per API 602:</b>  Brand: "INFRA &amp; TRUSTMAN"  Sizes: Diameter From 15 mm to 50 mm</p> <p><b>22. M.S Fabricated Dismantling Joints &amp; S.S Expansion Joints:</b>  Brand: "INFRA &amp; TRUSTMAN"  Sizes: Diameter From 100 mm to 2000</p> <p><b>23. M.S Zero Velocity (Surge) valves as per AWWA Standards:</b>  Brand: "INFRA &amp; TRUSTMAN"  Sizes: Diameter From 200 mm to 2000</p> <p><b>24. M.S Air Cushion Valve:</b>  Brand: "INFRA &amp; TRUSTMAN"  Sizes: Diameter From 50 mm to 300 mm</p> <p><b>25. Cast Iron/ Ductile Iron Manhole Covers as per IS:3950:</b>  Brand: "INFRA &amp; TRUSTMAN"</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Sizes: Diameter up to 600 mm</p> <p><b>26. Cast Iron Pipe Fittings as per IS:1538:</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter up to 600 mm</p> <p><b>27. Cast Iron Flanged Pipes as per IS:7181:</b></p> <p>Brand: "INFRA &amp; TRUSTMAN"</p> <p>Sizes: Diameter up to 750 mm</p>		
21	<p><b>M/s Kamala Valves &amp; Engineering Pvt Ltd,</b>  27A, Waterloo Street, 2<sup>nd</sup> Floor, Suit No 201, Kolkata-700 069,  Tel: +91-33-2231 1775, +91-33-2231 1299,  Contact Person: Mr B Mukherjee (Director),  Mob: +91 94330 23637, +91 80010 02500  E-mail: <a href="mailto:director@kamalavalves.in">director@kamalavalves.in</a>/  <a href="mailto:kamalavalves@rediffmail.com">kamalavalves@rediffmail.com</a>,</p>	<p><b>1. C./ D. / C. S Sluice Valves as per IS:14846, BS:5150,5163,1414, AP1 &amp; DIN :</b></p> <p>Brand: "KCE/KAMALA"</p> <p>Sizes: Diameter From 50 mm to 1600 mm</p> <p>Flanged/ Plain/ Socketed End</p> <p><b>2. C./ D. / C. S Non-Return (Single Door) Valves per IS:5312: Part-1-04, BS:5153, 1868, API, DIN, :</b></p> <p>Brand: "KCE/KAMALA"</p> <p>Sizes: Diameter From 50 mm to 600 mm</p> <p><b>3. C.I Non- Return (Multidoor):</b></p> <p>Brand: "KCE/KAMALA"</p> <p>Sizes: Diameter From 400 mm to 1200 mm</p> <p><b>4. C./ D. / C. S Single Air Valves as per IS:14845:</b></p>	30.01.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>Brand: "KCE/KAMALA"            Sizes: Diameter From 15 mm to 150 mm  <b>5. C./ D. / C. S Double Air Valves as per IS:14845:</b>            Brand: "KCE/KAMALA"            Sizes: Diameter From 20 mm to 300 mm  <b>6. C./ D. / C. S Kinetic Air Valves with or without isolating valves as per IS:14845:</b>            Brand: "KCE/KAMALA"            Sizes: Diameter From 40 mm to 350 mm  <b>7. C.I Tamper proof Air Valves with S.S ball with or without isolating valves as per AWWA C-512:</b>            Brand: "KCE/KAMALA"            Sizes: Diameter From 40 mm to 200 mm  <b>8. C./ D. / C. S Flange End Globe Valves as per IS:9338, BS:5152,3967:</b>            Brand: "KCE/KAMALA"            Sizes: Diameter From 50 mm to 200 mm  <b>9. C./ D. / C. S Wafer &amp; Flange type Butterfly Valves as per IS:13095/91, BS:5155, AWWA, C-504:</b>            Brand: "KCE/KAMALA"            Sizes: Diameter From 50 mm to 2400 mm</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>10. C.I/ D. I/ C. S Lift/ Flap type Foot Valves as per IS:4038:</b>  Brand: "KCE/KAMALA"  Sizes: Diameter From 50 mm to 500 mm</p> <p><b>11. C.I Fire Hydrant as per IS:909,908, BS:750:</b>  Brand: "KCE/KAMALA"</p> <p><b>12. S.S/ G.M Landing Valves as per IS:5290:</b>  Brand: "KCE/KAMALA"</p> <p><b>13. C.I/ D. I/ C. S Pressure Relief Valves:</b>  Brand: "KCE/KAMALA"  Sizes: Diameter From 50 mm to 200 mm</p> <p><b>14. C.I/ D. I Specials as per IS: 1538, 5531, 13382, BS: 4622.:</b>  Brand: "KCE/KAMALA"  Sizes: Diameter From 80 mm to 1600 mm  Flanged/ Socketed &amp; Plain End</p> <p><b>15. C.I/ D. I D/F Pipes as per IS:7181.1537,1536, BS:4622:</b>  Brand: "KCE/KAMALA"  Sizes: Diameter From 80 mm to 1600 mm</p> <p><b>16. C.I/ M. S Sluice Gate as IS:3042/65, 13349:</b></p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		Brand: "KCE/KAMALA" Sizes: From 200X200 mm to 3000X3000 mm Circular/Square/Rectangular type <b>17. C.I Float Valves:</b> Brand: "KCE/KAMALA" Sizes: Diameter From 50 mm to 400 mm <b>18. Brand: "KCE/KAMALA"</b> Sizes: Diameter From 80 mm to 600 mm <b>19. C.I/ C.S/ S.S Knife Edge Gate Valves:</b> Brand: "KCE/KAMALA" Sizes: Diameter From 80 mm to 500 mm <b>20. C.I/ C.S / M.S Air Cushion Valves:</b> Brand: "KCE/KAMALA" Sizes: Diameter From 50 mm to 800 mm <b>21. C.I/ C.S / M.S Zero Velocity Valves:</b> Brand: "KCE/KAMALA" Sizes: Diameter From 50 mm to 1200 mm <b>22. C.I/ D. I Dismantle Joints, Mechanical Collar Couplings, C.I Expansion Joint, C.I Mechanical Adaptor, M.S Patch Clamp, Socket lear Repair Clamp:</b>		



Sr. No.	Manufacturer Name	Item			Vendor's Registration Valid Up to	Remarks									
		Brand: "KCE/KAMALA" Sizes: Diameter From 80 mm to 1400 mm <b>23. M.S Flange as per IS:1538, 6392, BS:4504, ANSI B16.5:</b> Brand: "KCE/KAMALA" <b>24. C.I Manhole Cover with Frames as per IS:1726:</b> Brand: "KCE/KAMALA"													
22	<b>Hawa Engineers Ltd,</b> Plot No: 129, B/h Kashiram Textile Mill, Narol Road, Narol, Ahmedabad-382 405, Gujarat, Tel: +91 79 2532 0781/ 82/ 86, Fax: +91 79 2532 0785, Contact Person: Mr Anwar Daruwala (Director), Mob: +91 7433 961296/ 99091 55566 E-mail: anwar@hawaengltd.com	<table border="1"> <thead> <tr> <th data-bbox="842 679 1099 794">S. No</th> <th data-bbox="1099 679 1357 794">Material description</th> <th data-bbox="1357 679 1615 794">Material/size/range/Type</th> </tr> </thead> <tbody> <tr> <td data-bbox="842 794 1099 1098">1</td> <td data-bbox="1099 794 1357 1098">CI/ DI Sluice Valves</td> <td data-bbox="1357 794 1615 1098">Brand: "Mrck" Size: 25 mm to 1200 mm Pressure: PN 1.0, PN 1.6, PN 2.0 &amp; PN 2.5</td> </tr> <tr> <td data-bbox="842 1098 1099 1377">2</td> <td data-bbox="1099 1098 1357 1377">CI/DI Single, Double Acting Air Valves, Double Acting Kinetic Air</td> <td data-bbox="1357 1098 1615 1377">Brand: "Marck" Size: 25 mm to 250 mm Pressure: PN 1.0, PN 1.6, PN</td> </tr> </tbody> </table>	S. No	Material description	Material/size/range/Type	1	CI/ DI Sluice Valves	Brand: "Mrck" Size: 25 mm to 1200 mm Pressure: PN 1.0, PN 1.6, PN 2.0 & PN 2.5	2	CI/DI Single, Double Acting Air Valves, Double Acting Kinetic Air	Brand: "Marck" Size: 25 mm to 250 mm Pressure: PN 1.0, PN 1.6, PN			04.03.2021	
S. No	Material description	Material/size/range/Type													
1	CI/ DI Sluice Valves	Brand: "Mrck" Size: 25 mm to 1200 mm Pressure: PN 1.0, PN 1.6, PN 2.0 & PN 2.5													
2	CI/DI Single, Double Acting Air Valves, Double Acting Kinetic Air	Brand: "Marck" Size: 25 mm to 250 mm Pressure: PN 1.0, PN 1.6, PN													

Sr. No.	Manufacturer Name	Item			Vendor's Registration Valid Up to	Remarks
			valve, Tamper Proof Double Acting Air Valves	2.0 & PN 2.5		
		3	CI/DI Butterfly Valves	Brand: "Marck" Size: 40 mm to 2600 mm Pressure: PN 1.0, PN 1.6, PN 2.0 & PN 2.5		
		4	CI/DI Non Return Valves	Brand: "Marck" Size: 25 mm to 1000 mm Pressure: PN 1.0, PN 1.6		
		5	CI/DI Dual Plate Check valves	Brand: "Marck" Size: 50 mm to 2000 mm Pressure: PN 1.0, PN 1.6, PN 2.0, PN 2.5		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
ii)	<b>M.S. Tubes/ M.S. Pipes/ M.S. Sections</b>			
1	<b>M/s. Mali Engineering Pvt. Ltd.,</b> Plot No. W-168(B), MIDC Taloja, Navi Mumbai-410 208 <a href="mailto:maliengineering07@gmail.com">maliengineering07@gmail.com</a> mob:9322672986	<b>M.S. Pipe-</b> M.S. Pipe SAW welding from 300mm dia. To 2400mm dia. With 3mm to 16mm thick (having coating of food grade epoxy Paint)	<b>30.07.2019</b>	
2	<b>M/s. JCO Gas Pipe Ltd.,</b> D-3/2, Okhla Industrial Area, Phase-II, New Delhi – 110 020 E-mail : <a href="mailto:contact@jcopipe.com">contact@jcopipe.com</a> Tel.: 011-47105100/26389150 Mobile : Shri Saket Mishra (9717613530) Email:marketing@jcopipe.com/epc@jcopipe.com	<b>1. MS Spiral Saw Line Pipes</b> Outside Diameter 406mm-1660mm/Wall thickness 5mm-25mm/Length (per Pipe): 6 mtr-14 mtr/As per IS 3589:2001 with grades Fe 330, Fe 410 & Fe 450, IS 504:1997 with grade Fe 410, API 5L PSL 1 Grades upto X70 & other National & International Standards.	<b>03.08.2019</b>	
iii)	<b>RCC Pipes</b>			
1	<b>M/s. AMEYA CONCRETECH PVT.LTD.</b> Corp.Off:12,1 <sup>st</sup> Floor, Mirza Nagar, Opp.Railway station, Virar (E),	1. <b>RCC Pipe NP2 Class Pipe-</b> 300mm/450mm/600mm/800mm/900mm/1000mm/1200mm. 2. <b>RCC Pipe NP3 Class Pipe-</b> 300mm/350mm/400mm/450mm/500mm/6	<b>30.04.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Dist.Thane- 401 303. Tel.No:95250 2524542 <b>Fax.No:0250 2502559</b> <b>Mob.No:9765554123</b> <b>Email.id:</b>	00mm/800mm/ 900mm/ 1000mm/ 1200mm. 3. <b>RCC Pipe NP4 Class Pipe-</b> 300mm/350mm/400mm/450mm/500mm/6 00mm/700mm/800mm/900mm/1000mm/1 200mm.		
2	<b>M/s.Garima Cement Pipe Industries LLP,</b> S.No.405/3, Nagpur-Mumbai Highway A/p. Kokamthan, Tal. Kopargaon, Dist. Ahmednagar -423 601 E-mail : <a href="mailto:gcpikop@gmail.com">gcpikop@gmail.com</a> Mobile: 9326073450	<b>Vertical vibrated cast RCC pipes:</b> i)350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm, 1400mm, & 1600mm dia. NP-3 class with spigot & socket end joints. ii) 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm, 1400mm, & 1600mm dia. NP-4 class with spigot & socket end joints.	22.08.2019	
3	<b>Siddhivinayak Precast Pipes Pvt Ltd,</b> Arihant Heights, Plot No 76, Sector-25, Near Gyan Prabhodhini School, Pradhikaran, Nigdi, Pune- 411 044 Tel: +91 -20- 2765 2888/ 2765 3888, E-mail: <a href="mailto:Siddhipipes@hotmail.com">Siddhipipes@hotmail.com</a>	<b>1)Precast RCC Spigot &amp; Socket end vertically vibrated cast pipes in NP 3 &amp; NP4 Class.:</b> Diameter: 300 mm, 450 mm, 600 mm, 700 mm, 900 mm, 1000 mm, 1200 mm, 1400 mm, 1600 mm & 1800 mm <b>2)RCC Precast Manhole with Covers:</b> 1. 1000 mm dia base depth from 1.5 mt	23.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>to 10.0 mt</p> <p>2. 1200 mm dia base depth from 1.50 mt to 10.0 mt</p> <p>3. Circular Manhole covers from 900 mm to 1800 mm diameter</p> <p><b>3)RCC Precast Pole Foundation:</b> For Electric &amp; Telecommunication Poles</p> <p><b>4)RCC Precast Chamber Covers with Frames:</b> For Sewer &amp; Storm water Drains</p> <p><b>5)Precast Compound wall with Columns &amp; Footings:</b> Precast Compound wall with column &amp; Footing</p> <p><b>6)RCC Precast U-Type SW drains:</b> RCC Precast U-Type SW drains</p>		
4	<p><b>Shivamm Industries,</b> Arihant Heights, Plot No 76, Sector-25, Near Gyan Prabhodhini School, Pradhikaran, Nigdi, Pune- 411 044 Tel: +91 -20- 2765 2888/ 2765 3888,</p>	<p><b>1)Precast RCC Spigot &amp; Socket end spun pipes in NP 2 &amp; NP3 Class.:</b> NP2: 300 mm, 450 mm, 600 mm &amp; 900 mm in S &amp; S joints. NP3: 150 mm,200 mm,250 mm,300 mm, 400 mm, 450 mm, 500 mm,</p>	07.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Fax: +91-20- 2765 8666 E-mail: info@shivamm.com	600 mm, 800 mm in S&S Joints. NP3: 450 mm, 600 mm, 900 mm in Flush Joints <b>2) Interlocking Paver Blocks:</b> 1. Steel Moulded in Regular & Shot Blasted in 60 mm, 80 mm, 100 mm, and 120 mm thickness. 2. Lacquer finishes Rubber Moulded Paver Blocks in 60 mm & 80 mm thickness. <b>3)Precast Kerb Stones &amp; Road Dividers:</b> Precast Kerb Stones & Road Dividers <b>4)Lacquer finish rubber moulded ferrocrete slabs:</b> Lacquer finish rubber moulded ferrocrete Slabs <b>5)RCC Precast Chamber covers with Frames:</b> RCC Precast Chamber covers with frames <b>6)Solar Foundations: Size:</b> 300x300x300 & 300x300x200 mm		
5	<b>M/s Pranali Cement Pipes Pvt Ltd</b> 103, Shantidham Appartment, Near Shanti Ashram, Dr Kalpana Chawla Marg, Borivali(W), Mumbai-400103 Contact person: Mr Piyush Jain/Mr Avinash Jain	<b>1.NP-2 Class (S/S) pipes as per IS 458:2003</b> Brand:Pranali Size:1)150 mm dia to 300mm dia (Spun Pipes) 2)350mm dia to 1800 mm dia (Vertically Cast Vibrated Pipes)	03.09.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mob:77100 74753/9324622669 Email:pranalipipes@gmail.com	<b>2.NP-3 Class (S/S)pipes as per IS 458:2003</b> Brand:Pranali Size:1)150 mm dia to 300mm dia (Spun Pipes) 2)350mm dia to 1800 mm dia (Vertically Cast Vibrated Pipes) <b>3.NP-4 Class (S/S)pipes as per IS 458:2003</b> Brand:Pranali Size:1)150 mm dia to 300mm dia (Spun Pipes) 2)350mm dia to 1800 mm dia (Vertically Cast Vibrated Pipes)		
iv)	<b>UPVC/CPVC Pipes &amp; Fittings</b>			
1	<b>M/s. Prince Pipes &amp; Fittings Ltd.,</b> The Ruby, 8 <sup>th</sup> Floor,29, Senapati Bapat Marg, (Tulsi Pipe Road), Dadar(W), Mumbai - 400 028, Maharashtra, India. E-mail : <a href="mailto:info@princepipes.com">info@princepipes.com</a> <a href="mailto:jmt@princepipes.com">jmt@princepipes.com</a> Tel.: 022-6602 2222	<b>SWR UPVC PIPES AND FITTINGS —ULTRAFIT:</b> Type A-75,90,110,160mm. OD; Type B-75,90,110,160mm. OD <b>AGRI UPVC PIPES AND FITTINGS -AQUAFIT:</b> 20mm. OD to 400mm. OD in Class 1 ,Class 2 Class 3 & Class 5 in Rubber Ring and Solvent Joints <b>PPR PLUMBING PIPES AND FITTINGS-            GREENFIT:</b> 20mm to 160mm. OD. <b>CPVC PLUMBING PIPES -SMARTFIT:</b>	06.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mobile : 9867673707	<p>1. ½To 2” in SDR 11 and SDR 13.5</p> <p>2. 2½” to 4” in SCHEDULE 40 and SCHEDULE 80.</p> <p><b>THREE LAYERED PIPES OF WHICH, OUTER AND INNER LAYERS ARE MADE UP OF CONVENTIONAL UPVC MATERIALS AND INTERMEDIATE LAYER IS MADE OF FOAM PVC-FOAMFIT AND DRAINFIT:</b></p> <p>110mm, 160mm, 200mm, 250mm, 315mm, 400mm. OD in SN 2(SDR 51), SN4 (SDR 41) and SN8 (SDR 34).</p> <p><b>UPVC PLUMBING SYSTEM PIPES AND FITTINGS -EASYFIT:</b></p> <p><b>Pipes</b></p> <p>SCHEDULE 40 and SCHEDULE 80 as per ASTM D1785 (plain ended). Sizes ½” to 6”.</p> <p><b>Fittings</b></p> <p>SCHEDULE 40 as per ASTM D2466 and SCHEDULE 80 as per ASTM D2467 sizes ½” to 4”.</p>		
2	<p><b>M/s. Ashirvad Pipes Pvt. Ltd.</b></p> <p>4-B, Attibele Industrial Area, Hosur Road,Bengaluru – 562 107. Tel. No. 080-28061000 Email – <a href="mailto:info@ashirvad.com">info@ashirvad.com</a></p>	<ol style="list-style-type: none"> <li>1. CPVC for Hot &amp; Cold Water Supply</li> <li>2. UPVC Aqualife for Cold Water Supply</li> <li>3. SWR Drainage piping system</li> <li>4. Low Noise SWR System</li> </ol>	23.10.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		5. Underground Drainage System 6. UPVC Water Supplies Pipes 7. UPVC Column Pipes (For Submersible Pumps)		
3	<b>M/s. A.K.G. Industries</b> B/48, Okhla Industrial Area, Phase-I, New Delhi – 110020. Email : <a href="mailto:akgind@akggrouppindia.com">akgind@akggrouppindia.com</a> Mobile : 9810070272.	<b>1)Rigid PVC Conduit Pipes &amp; Fittings :</b> Size : 20 mm to 63mm Category : Light (LMS), MMS & HMS <b>2)PVC Casing Caping / Trunking</b> Size : 16x16, 20x12, 25x12, 25x16, 32x12, 32x16, 38x16, 50x16	05.11.2019	
4	<b>M/s Polycab Wires Pvt Ltd.</b> Polycab House,771,Mogul Lane, Mahim(W),Mumbai-400016 Shri Ujwal Choudhari:09004557052 <a href="mailto:ujwal.chaudhary@polycab.com">ujwal.chaudhary@polycab.com</a> Col.K.K.Bhandari:09324546125 kailash.bhandari@polycab.com	<b>UPVC Conduits &amp; Accessories:</b> As per IS:9537 Part 3(1983) & IS:3419:1988	23.01.2020	
5	<b>Skipper Limited,</b> Survey No 823, Ahmedabad-Rajkot Highway,	<b>CPVC, UPVC,PVC &amp; SWR pipes &amp; fittings:</b> 1. CPVC , UPVC Pipes & Fittings: From 15 mm to 150 mm dia & PVC Pipes &	02.01.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Village: Rajoda, Tal: Bavala, Ahmedabad-382 220, Gujarat, E-mail: pvcgujarat@skipperlimited.com Tel.: 75730 49808, Mob: 75730 02264	Fittings 2. SWR pipes & Fittings: From 75 mm to 160 mm		
6	<b>Superplast Company,</b> H-117 to 123, Ansa Indl.Estate, Saki Vihar Road, Andheri(E), Mumbai-400072 Email:superplastcompany@gmail.com <a href="tel:02228472322">Tel:022 28472322</a> Mob:9821651690 (Shri ashish Udani)	<b>1)Rigid PVC conduit pipes:</b> Conduits for electrical installation intended for mounting on walls and ceilings <b>2)casing n Caping patti:</b> Cable trunking and ducting systems for electrical installations intended for mounting on walls and ceilings	22.04.2020	
7	<b>Savoire-Faire manufacturing Co Pvt Ltd,</b> 2161/T6,Lal Rattan Building Basement, West Patel Nagar, Near Satyam Cinema, New Delhi-110 008 <b>Contact person:Ms Preet Kamal</b> Email:info@sfmc-india.com Mob:+9560575638, Tel:011-30159600(30lines)	<b>1)PP-R Pipes &amp; Fittings,(Confirming to IS 15801:2008):</b> SFMC Brand PP-R Pipes :Size: OD 20mm to 200mm Pressure: PN 10,16 & 20 <b>2)CPVC Pipes &amp; Fittings (Confirming to IS 15778:2007) :</b> Flow life by SFMC CPVC pipes & fittings: Size: DN 15 to 50mm, Class-2(SDR 13.5), DN 15 to 50mm, Class-1(SDR 11)	23.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
8	<p><b>M/s HIL Limited(CK Birla group)</b>  7<sup>th</sup> floor, SLN Terminus, Sy No 133,  Gachibowli-Kondapur Road,  Hyderabad- 500 032, Telangana  <a href="tel:+91-40-30999000">Tel:+91-40-30999000</a>, Fax:+91-40-030999240  Contact:Mr Joy Mukherjee  Email:joy.mukherjee@hil.in/info@hil.in</p>	<p><b>1)CPVC Plumbing Pipes in SDR 11&amp; 13.5 as per IS 15778.CPVC Fittings in SDR 11 as per ASTM D 2846:Brand Birla Aerocon</b>  Sizes: From 15mm to 50mm diameter</p> <p><b>2)</b>  <b>1.UPVC Plumbing Pipes in SCH 40 &amp; 80 as per ASTM D 1785 as per IS 4985:2000.Plumbing Fittings in SCH 80as per ASTM D 2467</b>  <b>2.UPVC SWR Pipes as per IS 13592:2013</b>  <b>3.UPVC Pressure Pipes:Brand Birla Aerocon</b>  i.Sizes: From 15mm to 100mm diameter  ii)SWR, Sizes:From 75mm to 160mm  iii)Agri &amp; Water supply, Sizes:40mm to 160mm</p> <p><b>3)UPVC Column Pipes,</b>  <b>(Class: Medium, Standard &amp; Heavy):</b>  Brand: Birla Aerocon  Sizes:25mm to 100mm</p> <p><b>4)Solid Wall Panels:</b>  Brand:Birla Aerocon  Sizes:2400X600mm,2700X600mm,  3000X600mm  Thickness:50mm &amp; 75mm</p>	23.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>5) AAC Blocks (Autoclaved Aerated Blocks) as per IS 2185:Part 3:1984</b></p> <p>Brand:Birla Aerocon</p> <p>Face Size:600X150 &amp; 600X200mm</p> <p>Thickness:75,100,125,150,200,230mm</p>		
9	<p><b>Kisan Mouldings Limited,</b>  “Tex centre”, K-Wing, 3<sup>rd</sup> Floor,  26'A Chandivali Road, Off Saki Vihar Road, Andheri(East), Mumbai-400 072  <a href="tel:022-42009100">Tel:022-4200</a> 9100,4200 9200,  Fax:2847 8508  Contact Person:Mr Ashwani K Singh  Mob:75067 27223  Email:ashwani.kumar@kisangroup.com</p>	<p><b>1)CPVC pipes &amp; Fittings:</b>  Brand: KML Classic  Size: From 15mm to 50mm as per IS:15778,  Class-1 SDR 11 &amp; Class-2 SDR 13.5 &amp;  ASTM D 2846 for hot &amp; cold water plumbing.  Size: From 65mm to 110 mm as per ASTM F439 &amp;  F441 for higher diameter with schedule 40 &amp; 80</p> <p><b>2)uPVC pipes &amp; Fittings</b>  Brand:Pipes-Kisan Free Flow &amp; KML Classic  Fittings-Kisan</p> <p><b>3)SWR (Soil,Waste &amp; Rain water) uPVC pipes &amp; fittings</b>  Brand Name /Size: Kisan Classic from 40 mm to 160 mm as per IS: 13592 &amp; IS: 14735.</p> <p><b>4) HDPE pipes &amp; Fittings:</b>  Brand Name /Size: Kisan &amp; KML Classic 20 mm to</p>	27.08.2020	

Sr. No.	Manufacturer Name	Item			Vendor's Registration Valid Up to	Remarks
		630 mm as per IS: 4984-2016 & IS:14333 & pressure of PN-2.5 to PN-12.5 <b>5) UGDS (Underground Drainage &amp; Sewerage System)</b> Brand Name /Size: Kisan & KML Classic from 110 to 315 mm Pressure rating SN-2, SN-4 & SN-8 <b>6) Agri pipes &amp; Fittings</b> Size: Kisan & KML Classic from 20 mm to 250 mm as per IS: 7834				
10	<b>Sarovaram Industries LLP,</b> 2161/T6, Lal Ratan Building Basement, West Patel Nagar, Near Satyam Cinema, New Delhi-110 008, Tel: +91-11-2702 5487, Contact Person: Mr K.L.Kindra (VP), Mrs Preet Kamal (GM), Mob: 098184 42235 / 095605 75638 / 095990 42080, E-mail: info@sfmc-india.com	<b>S. No</b>	<b>Material description</b>	<b>Material/ size/ range/ Type</b>	06.02.2021	
		1	I.uPVC Pipes for Potable Water Supply & Agri Pipes as per IS 4985:2000. II.uPVC Pipe Fittings	Brand: SFMC Sizes: OD from 20 mm to 400 mm for Pipes & Fittings		
		2	I.uPVC SWR Pipes as per IS 13592:2013 II.uPVC Pipe Fittings	Brand: SFMC Sizes: OD from 75 mm to 160 mm for Pipes & Fittings		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
11	<b>Kiran Infra Tech,</b> B-141-A, Road No 9-D, V.K.I Area, Jaipur-302 013, Ph: (0141) 233-1030, 233-0305, 233-0427, Fax: (0141) 233-1808, 226-0073, Contact Person: Mr C.G.Oak (VP), Mob: +91 94133 40804, E-mail: cgoak55@gmail.com	<b>Double Wall Corrugated (DWC) HDPE Pipes as per IS 16098: Part 2:2013 :-</b> Brand: "Gemini" Sizes: 75 mm (Nominal I.D) To 1000 mm (I.D)	17.03.2021	
12	<b>Tirupati Plastomatics Pvt Ltd,</b> B-141-A, Road No 9-D, V.K.I Area, Jaipur-302 013, Ph: (0141) 233-1030, 233-0305, 233-0427, Fax: (0141) 233-1808, 226-0073, Contact Person: Mr C.G.Oak (VP), Mob: +91 94133 40804, E-mail: cgoak55@gmail.com	<b>Double Wall Corrugated (DWC) HDPE Pipes as per IS 14930: Part 2:2001 :-</b> Brand: "Gemini" Sizes: 40 mm (Nominal O.D) / 32 mm (Nominal I.D) To 315 mm (O.D) / 275 mm (I.D)	17.03.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
v)	<b>SFRC Manhole Covers &amp; Frames , Composite FRP/GRP Manhole Cover with Frame &amp; Water Tank Covers :</b>			
vi)	<b>Valves</b>			
1	<b>Flownix Valves Private Limited.</b> 1, Roma Building, Plot No. 9, Tejas Society, Tejas Hall Lane, Kothrud, Pune – 411038. Phone No. 9822192620/9373311689 Email : <a href="mailto:flownixvalves@gmail.com">flownixvalves@gmail.com</a>	<b>1. Hydraulic Operated Zero Velocity Valves :</b> 500mm to 3200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>2. Spring Operated Zero Velocity Valves :</b> 80mm to 3200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>3. Hydraulic Controlled Non-Return Valves :</b> 400mm to 3200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>4. Multi-Function (Smart) Valves :</b> 500mm to 3200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>5. Vaccum Breaker / Air Cushion Valves :</b> 100mm to 600mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>6. Axile Gate NRV :</b> 80mm to 2200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>7. Dual Sealing Hybrid Valves for Gravity Mains :</b> 500mm to 3200mm Pressure rating upto 40 Kg/Cm <sup>2</sup> <b>8. Antislam Vaccum Breaker Valves with slow closing plus quick opening trigger :</b> 100mm to 600mm Pressure rating upto 30 Kg/Cm <sup>2</sup>	20.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>9. Antislam Air Vaccum Valves with Quick opening Trigger</b> : 100mm to 600mm Pressure rating upto 30 Kg/Cm <sup>2</sup>		
2	<b>Delta Systems,</b> 16, Shriram Complex, 1126/A Model Colony, Off Fergusson Road, Pune-411 016 Phone: 98221 92620	1) <b>Zero Velocity Valves</b> : 80 mm to 1000 mm Pressure Rating – up to 40 Kg/Cm <sup>2</sup> a)Spring Loaded b)Hydraulically operated 2) Vacuum Breakers Valves:100 mm to 600mm Pressure Rating – up to 30kg/cm <sup>2</sup> 3)Antislam Air Vacuum Breaker Valves with slow closing: 100 mm to 600 mm Pressure Rating – up to 30kg/cm <sup>2</sup> 4)Antislam Air Vacuum Breaker Valves with quick opening trigger: 100 mm to 600 mm Pressure Rating – up to 30kg/cm <sup>2</sup> 5) Hydraulically Controlled Non Return Valves: 400 mm to 3200 mm Pressure Rating – up to 40kg/cm <sup>2</sup> 6) Multifunction Valves: 500 mm to 3200 mm Pressure Rating – up to 40kg/cm <sup>2</sup> 7) Axil Gate NRV: 80 mm to 2200 mm	10.01.2020	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		Pressure Rating – up to 40kg/cm <sup>2</sup> 8) Dual sealing Hybrid Valves for Gravity mains: 500 mm to 3200 mm Pressure Rating – up to 40kg/cm <sup>2</sup>		
vii)	<b>FLY ASH</b>			
1	<b>M/s. Ashtech (India) Private Limited</b> ASHFORD Centre,9 <sup>th</sup> Floor, Opp. Peninsula Corporate park, Lower Parel (West),Mumbai-400013. Tel.No:91-22 2219 0200/022 61490200. FaxNo:91-22 2206 2211. Mob.No:09223051307 Email.id:sales@ashtectechnical.net	Super pozz (fly ash)	<b>31.07.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
2	<b>M/s.Sahyadri Inc.</b> Admn.Off:45, Essaji Street, Masjid Bunder (West), Mumbai-400 003. Tel.No:6631 2487/6631 2486/2343 8054/2344 5002 Fax.No:2343 8054 Mob.No:9820149633 Email.id:sahyadriinc@yahoo.in	VAMACRETE -63 (FLY ASH)	31.05.2019	
3	<b>M/s. Green Tech</b> 623, Arenja Corner, Sector-17, Vashi, Navi Mumbai - 400 705. Tel. No. 27651224, 27651226	Fly Ash - Fly Ash	27.09.2019	
C)	<b>ELECTRICAL ITEMS:</b>			
i)	<b>Transformers</b>			
1	M/s. Shree Transformers, Plot No.47, Road No.3, Sector 1-S, New Panvel – 410 206, Dist. Raigad (MAH.) E-mail : <a href="mailto:8891.amit@gmail.com">8891.amit@gmail.com</a> <a href="mailto:Amit8891@yahoo.com">Amit8891@yahoo.com</a> Mobile : 9820803501-9867683562	<b>Oil cooled Transformers</b> i) 630 KVA 22/0.433 KV ii) 100 KVA 22/0.433 KV	31.08.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
2	<b>M/s.United Insulation Industries Ltd.</b> 26/1-2,Village Khandiwada(ASHOJ) Vadiodara-Halol Highway, Next to narmada Canal, Tal.Waghodia Dist.Vadodara-391 510	<b>VPI &amp; Cast Resin Dry type Transformers:</b> Upto 5 MVA,33KV class	25.09.2019	
2	<b>M/s Shriram Switchgears (Maharashtra)</b> Old M.I.D.C,Phase-I,Shivni, Akola-444001 Email:sales@shriramindustries.in <a href="tel:0724-2258041">Tel:0724-2258041</a> Mob:8779340768 (Shri Pavan Salunkhe)	<b>VPI Dry Type transformers:</b> Upto 3MVA/11/22/33KV	23.05.2020	
3	<b>M/s Esennar Transformer (P) Ltd</b> Plot No 2, Phase no 1, IDA, Pashamailaram, Sangareddy (Dist.) 502307 Contact person: Shri D Balakrishna( Manager (Mktg)	<b>1)Oil Cooled Power &amp; Distribution transformers:</b> From 100KVA to 16MVA upto 33KV class Above 16 MVA to 31.5MVA upto 132KV Class <b>2)Dry Type Cast Resin Transformers:</b> Upto 5MVA, 33KV Class	13.03.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	8978171717 Email:bk@esennar.com/vr@esennar.com <a href="http://www.esennar.com">www.esennar.com</a>			
4	<b>M/s Vardhaman Electromech Pvt Ltd</b> F-674, Phase-II, RIICO Indl. Area, Sitapura, Jaipur-302022 Email: <a href="mailto:info@vardhaman.net">info@vardhaman.net</a> <a href="tel:09829781124">Tel:09829781124</a> ( rahul jain)	<b>Electrical power &amp; Distribution Transformers:</b> -1 MVA to 8 MVA, 33KV class --10 KVA to 1000 KVA, 11KV class	13.03.2020	
5	<b>M/s Kamath Transformers Pvt Ltd</b> No.A-155, 3 <sup>rd</sup> cross, 1 <sup>st</sup> Stage, Peenya Industrial estate, Bangalore-560058 Email:marketing@kamathtrafo.com <a href="tel:9845089938">Tel:9845089938</a> (Shri K V Kamath)	<b>Dry type transformers</b> <b>Oil immersed transformers</b>	10.07.2020	

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks	
6	<b>M/s Ames Impex Electricals Pvt.Ltd.</b> Plot No.22,23,30,31, Nirmal Industrial Park, New G.I.D.C. At & Post: Gozaria-328825 Dist: Mehasana ,Gujarat Email:info@amesimpex.com/kishornerurkar@gmail.com Mobile : 9867776740(Kishor Nerurkar)	<b>Transformers:</b> AMES Brand VPI/Dry type cast resin transformers up to 33 KV		24.01.2021		
7	<b>Telawne Power Equipments Pvt.Ltd.</b> R-457,MIDC,Rabale,Behind pipeline road,Thane-Belapur road,Navi Mumbai-400701.INDIA. Email:rajgopal@telawne.com Website : www.telawne.com Mobile:Mr.Rajgopal Kondapure/Hitesh Jadhav (8433999823/8104550114)	1	Oil cooled Transformers	Power transformer up to 20 MVA,33 KV Distribution transformer from 63 KVA, 22 KV to 2500 KVA, 33 KV Level 3	24.02.2021	
		2	Dry type transformers	Dry type CRT transformers up to 1500 KVA,11 KV Dry type VPI transformers up to 2500 KVA,11 KV Unitized and pad-mounted		

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks	
		3	Sub station	Pad Mounted substation (Oil cooled & Dry type) to 1000 KVA,11 KV		
				Unitized /Compact substation with dry type VPI Transformer upto 1000 KVA,11 KV		
8	<b>Super Power Equipments Pvt.Ltd.</b> Plot No.427/7,TTC Industrial Area, MIDC,Rabale,Navi Mumbai-400701 Email : superpower427@gmail.com Website : www.superpower.co.in Mobile : Mr. Jayesh Thakkar/Chetan Panchal (9820060193/9892867111)	<b>Transformers:</b> Conforming to IS:1180 Part I -2014		28.02.2021		
31.	<b>Transfab Power (I) Pvt.Ltd.</b> 3,Shrinivas Palace,40/30, Erandwane,Bhonde Colony, Nera Kalmadi School, Pune-421208 Email : marketing@transfabindia.com Website : www.transfabindia.com Mobile : Mr. Kamal Toshniwal/Mahesh (7045064999/9850085608)	<b>1.Oil filled power &amp; distribution transformers:</b> From 63 kVA to 25000 kVA up to 33 kV with expansion plan of manufacturing transformers up to 25 MVA, 132kV class. <b>2. VPI Dry type transformers:</b> Up to 2 MVA/33 KV/22 KV/11 Mv		26.02.2021		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
ii)	<b>Cables &amp; Wires</b>			
1	<b>M/s. Chandresh Cables Ltd.,</b> Block 1108, Village : Chhatral, Taluka : Kalol, District : Gandhinagar, North Gujarat – 382 729, INDIA E-mail : <a href="mailto:works@avocab.com">works@avocab.com</a> , Tel : +91-2764-232252/233352	<b>Industrial Power Cables LT &amp; HT:</b> i) Aluminium/Copper/Multicore upto 500 Sq.mm/armoured/IS: 7098 Part-I ii) Aluminium/Copper/IC, 2C, 3C, 3.5C, 4C/Single Core upto 1000 Sq.mm/Unarmoured/IS: 7098 Part-I/IS: 7098 Part-2 <b>2) Industrial Control Cables:</b> i) Copper/1C-61Core/1.5 sq.mm/ armoured/ IS:7098 Part-1 ii) Copper/1C-61 Core/2.5 sq.mm Unarmoured /IS:7098 part-1 <b>04.</b> Copper 1C-61 Core/4 sq.mm/IS: 7098 part-1/IS: 7098 Part-2 <b>Flexible Cable Wires:</b> i) Copper/1C-91 Core/1.5 sq.mm/ flexible/ IS:694:2010 ii) Copper/1C-91 Core/2.5 sq.mm/ flexible/ IS:694:2010 iii) Copper/1C-91 Core/4 sq.mm/flexible	27.07.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		/IS:694:2010 iv) Copper/1C-91 Core/upto 1000 sq.mm./flexible/IS:694:2010		
2	<b>M/s HPL Electric Pvt. Ltd</b> 2H Rushab Chambers, 2 <sup>nd</sup> Floor, off-Makwana Road, Marol, Andheri (E), Mumbai. <a href="tel:02232965176">Tel:022 32965176/28506246</a>	1. Electronic Energy Meters & Multifunction Panel Meters 2. Wires & Cables 3. Switchgears, Control gears & Protection devices 4. All type of indoor & outdoor lighting products 5. MCB, RCCB, Modular switches & Distribution Boards	<b>09.08.2019</b>	
3	<b>M/s.HAVELLS INDIA LTD.,</b> 1271, Solitaire Corporate Park, Bldg. No.12, 7 <sup>th</sup> Floor, Andheri-Ghatkopar Link Road, Chakala, Andheri(East), Mumbai – 400 093 E-mail : <a href="mailto:mumbai.office@havells.com">mumbai.office@havells.com</a> Tel.: 022-67298600-602  Mobile : 09967719156 (Shri S.K.Suman)	<b>Wires, LT&amp;HT Cables:</b> Upto 220 KV	<b>15.09.2019</b>	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
4	<b>M/s. Vardhman Cables &amp; Conductors,</b> 11/1, Takwadi, Kalbadevi Road, Opp. Edward Cinema, Mumbai – 400 002 Email – <a href="mailto:ajaysaboo@gmail.com">ajaysaboo@gmail.com</a> <a href="mailto:bhatarcab@gmail.com">bhatarcab@gmail.com</a> Mobile No. 9892813056/ 8970070555	<b>LT XLPE Cables &amp; AAC / AAAC / ACSR Conductors :</b> BHARAT CAB confirming to IS:694 1988, IS:1554. <b>Cables, Conductors &amp; Jointing Kits :</b> (P-1) 1988, IS 7098 (P-1) 1988	25.10.2019	
5	<b>M/s. Thermo Cable Limited,</b> 206, Madhava Building, Bandra kurla Complex, Bandra (East), Mumbai -400 051 <a href="mailto:Mumbai@thermopads.com">Mumbai@thermopads.com</a> Tel: 022-26590022	<ol style="list-style-type: none"> <li>1. <b>Instrumetation Cable</b>-Single/Multi. Triad Quad/0.5/0.75/1.0/1.5/2.5 (sq.mm)/Upto 1100V.</li> <li>2. <b>Thermocouple extension/Compensation leads/Cable:</b> Single/ Multi pairs</li> <li>3. <b>LT Power &amp; Control Cable-</b>              i) Aluminum/Copper/Single Core              ii) Aluminum/Copper/Multi Core</li> <li>4. <b>High Temperature Cable-</b> Plain/Tinned Copper/Silver Plated Copper/Nickel plated copper Single Core/Multi Core/Pairs.</li> <li>5. <b>Fire Resistant Cable-</b> Copper/Single /Multi Pair/ Triad/ Quad/ 0.5/0.75 /1.0/1.5/ 2.5(sq.mm)/upto 1100V</li> <li>6. <b>Rubber/Special Cable-</b> Single Core/Multi Core/ pairs/upto 1100 V</li> </ol>	28.07.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
6	<p><b>M/s. ABAK Electrofab Engineering Pvt. Ltd.</b> A/6, Ashiana, Sector-17, Vashi, Navi Mumbai – 400 703.</p> <p>Email – <a href="mailto:abak@abakengg.com">abak@abakengg.com</a> <a href="mailto:raj@abakengg.com">raj@abakengg.com</a></p> <p>Tel. : 91-22-27682953/27635184 Mobile No. 9833643377</p>	<p><b>L.T. Panels :</b></p> <ol style="list-style-type: none"> <li>1. Current carrying capacity – 6000 AMP (Max.)</li> <li>2. 440-1000 Volts – LT Panels.</li> </ol>	29.09.2019	
7	<p><b>M/s. R.R. Kabel Limited</b> Ram Ratna House, Oasis Complex, P.B. Marg, Worli, Mumbai – 400013. Mob:7666602120</p>	<p><b>LT Cable :</b> Unilay HR-FR , FIROX LSOH, SUPEREX FR, Fire Alarm Cable / CCTV Camera Cable / Speaker Cable.</p>	22.11.2019	
8	<p><b>M/s. Rex Polyextrusion Pvt. Ltd.,</b> 'Kumar's plaza', 1<sup>st</sup> floor, 1077, North Shvajanagar, opp. K.W.C College, Sangli-416 416, Maharashtra, India <a href="mailto:info@rexpoly.co.in">info@rexpoly.co.in</a> tel: +91-233-2621845 (4 line)</p>	<ol style="list-style-type: none"> <li>1. <b>D Rex</b> – Non pressure underground for drainage and sewerage.</li> <li>2. <b>Tele Rex:</b> HDPE for power, signal, telecom cable &amp; optical fiber cable</li> </ol>	15.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mob: 09922437041			
09	<b>M/s. Universal Cables Ltd.</b> Mobile : 7738700036(D.M.Lopes)	<b>Address 1:</b> PO Birla Vikas,Satna,M.P.-485005 : All types of cables ,Voltage grade ranging from 1.1KV to 400 KV,LV&MV capacitors from voltage grade 230V to 220 KV <b>Address 2:</b> Plot nos.L58 to L60 ,Verna Industrial Estate,Verna, Goa-403722: PVC Insulated sheathed/unsheathed circular /flat cable /cords with rigid flexible base copper & aluminium / Conductor class 1,2,&5, Insulation Type A,C&D sheath type ST1,ST2& ST3,Category OI,FR & FRLSH for working voltage upto & including 1100 V/HR PVC Insulated winding wire for submersible motors	21.01.2020	
10	<b>M/s. Tempsons Instruments (I) Pvt. Ltd.(Unit#II)</b> A-190,Road No.5,Mewar Industrial Area, Udaipur,Rajasthan-313 003(India) Kind Attn: Shri Gaurav Bansal Mobile No. 09352194963	<b>LT Power &amp; Control Cables:</b> Upto 1.1KV	04.12.2019	
11	<b>M/s. Zenium Cables Limited,</b> Survey No.342/1/1/1P,Lal Darwaja, Udwada Paria Road, Village Sarodi, Tal.Paradi, Dist.Valsad, Gujarat-396185 Kind Attn: Shri Amit Goti	<b>1.Wires:</b> PVC/XLPE,FR,FRLS,HFFR,LSZH Single core, sheathed/unsheathed wires in 1100 V <b>2.Cables:</b> PVC/XLPE/ Insulated Single core/ MultiCoreFR, FRLS, HFFR, LSZH/Instrumentation, Fire resistant & Co-axial cables in 1100V	06.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mobile No. 09323456104			
12	<b>M/s. Paramount Communications Ltd.</b> Unit: Paramount Cable Corporation, 201, Royal Plaza, Link Road, Andheri (West), Mumbai-400053 Email : <a href="mailto:mumbai@paramountcables.com">mumbai@paramountcables.com</a> <a href="mailto:prasad.k@paramountcables.com">prasad.k@paramountcables.com</a> Tel. : +91 22 26398408, 26343359 Mobile : 09769804474	<b>PVC Power Cables (Including light duty wires &amp; Cables), LT XLPE Power Cables, LT/HT Aerial Bunched Cables, Control Cables, Instrumentation cables, Railway Signaling cables, Telecom Cables, Quad cables, Composite cables, Solar Cables, Optical Fiber cables:</b> Ranging from 1100 V to 33 KV	15.02.2020	
13	<b>M/s. Dynamic Cables(P) Ltd.</b> F-260, Road No.13, V.K.I.Area, Jaipur-302013. Kind Attn: Shri S.Kadam/Ravi Tayade Mobile No. 09001096020/09920249937 Email: <a href="mailto:kadam@dynamiccables.co.in">kadam@dynamiccables.co.in</a>	<b>1) HT/LT XLPE Cables:</b> HT&LT Aerial Bunched cables/Power cables/Conductors	06.02.2020	
14	<b>M/s Rajnigandha Cables Pvt Ltd</b> <b>Plot No. 74,75, EPIP, Phase II, Village Thana, Baddi-173205, Dist. Solan HP.</b> <b>Shri Nitin Shah: 09322695098</b> <a href="mailto:Nshah.rajnigandha@gmail.com">Nshah.rajnigandha@gmail.com</a> / <a href="mailto:rajnigandhabaddi@gmail.com">rajnigandhabaddi@gmail.com</a>	<b>PVC Insulated Cables:</b> 1) Flame Retardant PVC Insulated wires (FR) 2) Flame Retardant Low smoke & Halogen PVC insulated wires (FR-LSH) 3) Low smoke zero Halogen Insulated wires (LSZH)	09.02.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
15	<b>M/s D.B. Electricals Pvt. Ltd</b> D-3-6 & 33-A/34-A, Tuem Industrial Estate,Tuem Pernem,Goa-403512 Shri Ajay Parsekar:09930888228 <a href="mailto:ajay@dbepl.com">ajay@dbepl.com</a> Shri Sanjay Sakpal:09022031122 <a href="mailto:sanjay@dbepl.com">sanjay@dbepl.com</a>	<b>Electrical LT Control Panel:</b> Upto 6300A rating for operating on 3 Phase,4 wire, 433 V AC systems conforming to IS 8623 with a short circuit withstanding capacity of 75ka/sec	15.03.2020	
16	<b>M/s Apar industries Ltd.(Unit-Uniflex cables)</b> 12/13, Jyoti Wire House,23A,Shah Industrial estate, Off.Veera desai road, Andheri(W),Mumbai-400053 Shri Badri Prasad Tripathi:7498269168 <a href="mailto:badriprasad.tripathi@apar.com">badriprasad.tripathi@apar.com</a>	<b>1)HT cables:</b> upto 33KV <b>2)1.1KV LT Cables/Aerial Bunch cables:</b> Upto 1000mm2 <b>3)1.1KV Flexible Cables/wire:</b> UNICAB/ Aushakti <b>4)Optical fibre cables</b> <b>5)Fire survival cables &amp; wires</b>	09.04.2020	
17	<b>M/s Samcon Industrial Controls Pvt Ltd.</b> Unit No.112,Krishna Building, Laxmi Industrial Complex, Pokhran Road No.1,Vartak nagar, Thane (West) Shri Sunil P Amrutkar (Director)9820421854 Email:spa@samcon.co.in Shri P.S.sakare:9819629910 Email:bd2samcon@gmail.com Web:www.samconcontrolpanel.com	<b>LT Control Panels:</b> <b>1. Power Control Centre</b> <b>2. Motor Control centre</b> <b>3. Power Distribution Board</b> <b>4. Lighting Distribution Board</b> <b>5. Automatic Power factor Control(Capacitor Panel)</b> <b>6. Feeder Pillar/Distribution box</b> <b>7. Draw out Panel</b> <b>8. Power/Motor Control Centre</b> <b>9. Bus duct</b>	13.04.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>10. DG AMF Panel</b> <b>11. DG Synchronising panel</b> <b>12. Street Lighting panel</b> <b>13. Solar AC DC Panel</b> <b>14. Drive &amp; Automation panel</b> <b>15. On Site Construction Panel</b> <b>16. HVAC Panel</b>		
18	<b>M/s Ketan Enterprises,</b> 68, Sidhpura Ind. Estate, Masrani lane, Halav Pool, Kurla(W), Mumbai-400070 Email:sales@kentercables.com/bhavik k@kentercables.com <a href="tel:9833448349">Tel:9833448349</a>	<b>LT PVC Insulated Power &amp; Control Cables:</b> Up to & Including 61 core X 1.5 Sqmm and 2.5 Sqmm. Single Core up to and including 630 sq m single core.2, 3, 3.5 & 4 Core up to and including 630 Sqmm FR & FRLSH Sheathed Cables <b>LT XLPE Insulated Power &amp; Control Cables:</b> Up to & Including 61 core X 1.5 Sqmm and 2.5 Sqmm. Single Core up to and including 630 sq.m single core. 2, 3, 3.5 & 4 Core up to and including 630 Sqmm FR & FRLSH Sheathed Cables <b>HRRFR Insulated cables:</b> Upto & Including 61 core X 1.5 Sqmm and 2.5 sqmm.Single Core upto and including 630 sq.m single core.2, 3, 3.5 & 4 Core upto and including 630 sqmm FR & FRLSH Sheathed Cables <b>Instrumentation cables:</b> Up to and including 2.5 sq.mm . Multicore / Pair / Traid /Quad cables. Individual or Overall Shielded, Armoured / Un-armoured FR / FRLS / ZHFR Insulated/Sheathed Cables <b>LT AB cables:</b> Up to and including 3 Core X 150 Sqmm + 1C X 16 Sqmm + 1C X 120 Sqmm	06.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>LAN cables:</b> CAT 5 and CAT 6 UTP / STP / SFTP, Armoured /Un-armoured Cables</p> <p><b>CO Axial cables:</b> RG 59, RG6 &amp; RG11 Armored &amp; Un-armoured</p> <p><b>Telephone and Switch board cables:</b> ITD specifications up to and including 1000 pairs Jelly filled Armoured / Unarmoured cables</p> <p><b>Fire Survival (F.S.)/FRLS cables / Fire Cable:</b> Kenter Brand</p>		
19	<p><b>M/s Gemscab Industries Ltd</b> 704-707, 7<sup>th</sup> Floor, Vikrant tower, 4, Rajendra Palace, New Delhi-110008 Email:Mumbai@gemscab.com Tel:9223170503/9967345252 / 92231 71494</p>	<p><b>Cables:</b> HT XLPE power cable upto &amp; including 33KV LT power &amp; Control Cables Flexible wires &amp; cables, Instrumental cables</p>	07.06.2020	
20	<p><b>M/s Lapp India Pvt Ltd.</b> Plot no. 98, J &amp; K, Jigani Industrial Area, Phase-II, Bengaluru-560105 Contact Person: Shri Gaurav sarkar/Ms. Richa Kumar Mob:7028026611/8433913836 Email:gaurav.sarkar@lappindia.com Web:www.lappgroup.com</p>	<p><b>PVC Insulated Cables:</b> 1)Single core house wires 2)Multi core power &amp; control cables 3)Fire survival cables 4)Power LV cables 5)CAT6, RG6, RG11 5)Optical Fibre cables 7)Lift Cables 8)BMS Cables 9)Conduits &amp; Glands</p>	05.03.2020	
21	<p><b>M/s. KEI Industries Ltd.</b> Nirvan Corporate, 7<sup>th</sup> floor, Opposite Aghadi Nagar, Pump House, Rajmata Jijabai road, Andheri (East), Mumbai-400093</p>	<p><b>1)Electrical Wires</b> Copper/aluminium/PVC Insulated Wires Flexible conductor cables for working voltage up to &amp; including 1100 V as per IS 694 2010 (FR, FRESH, ZHFR, LSZH)</p>	08.10.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email : manoj.kakkar@kei-ind.com Mobile : 9820029440(Manoj Kakkar)	<p><b>2) LT Cable</b>            Copper/aluminium/conductor/ PVC &amp; XLPE insulated PVC Sheathed Armored &amp; Unarmored cables working voltage up to &amp; including 1100V as per IS 1554 part I: as per IS 7098: Part 1:1988(FR,FRLS,LSZH)</p> <p><b>3) HT Cable</b>            Copper/aluminium Cross linked Polyethylene insulated/conductor/ XLPE PVC Sheathed cables working voltage upto &amp; including 3.3KV upto &amp; including 33KV as per IS 7098: Part II:2011(FR,FRLS,LSZH)</p> <p><b>4) Rubber Cable LT</b>            Elastomer Insulated insulated cables: for working voltage upto &amp; including 1100 V as per IS 9968:Part1:1988(FRLS)</p> <p><b>5)Rubber Cable HT</b>            Elastomer insulated cables: Part 1 for working voltage upto and including 33K V as per IS 9968:Part II:2002(FRLS)</p> <p><b>6)Extra High Voltage Cables</b>            Copper/aluminium/conductor/crosslinked polyethylene, insulated, Al.Corrugated/polyal tape/lead,PVC/HDPE Sheathed cables working voltage from 66 KV upto &amp; including 220 KV as per IS 7098 part III:1993,IEC:60840 &amp; IEC : 62067</p> <p><b>7) Instrumentation Signal &amp; Control cable</b>            Pair/Triad/Quad, PVC/PE/XLPE/Rubber Insulated, Individual &amp; Overall shielded, PVC/FR/FRLS/LSZH/Rubber inner sheathed, armoured/unarmoured or</p>		



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		braided PVC/FR/FRLS/LSZH/rubber outer sheathed Instrument, Signal & Control cables voltage grade upto 1100 V. <b>8)Fire survival,Instrumentation signal &amp; control cable</b> Pair/Triad/Quad,PVC/PE/XLPE/Rubber Insulated, Fire Barrier Glass Mica Taped, Individual & Overall Shielded PVC/FR/FRLS/LSZH/Rubber inner sheathed, armoured/unarmoured or braided ,PVC/FR/FRLS/LSZH/Rubber outer sheathed, instrument, signal & control cables Voltage grade upto 1100V		
22	<b>M/s Sriram Cables Pvt Ltd</b> A-524,RIICO Industrial Area, Chopanki(Bhiwandi)-301707 Email:Mumbai@sriramcables.com <a href="tel:9818868281">Tel:9818868281</a> (Shri Anil Garg)	<b>1)3.3KV upto 33KV HT Power cables:</b> IS :7098(Part-2)/2011 <b>2)LT XLPE Power cables :</b> IS :7098(Part-1)/1988 <b>3)Flexible cables :</b> IS 1554(Part-1)/1988 <b>4)Signalling cables:</b> IS 694 <b>5)Indoor cables:</b> IRS: S-63/2014 <b>6)Quad cables:</b> IRS:S-76/89 <b>7)Cadmium copper conductor for overhead railway traction:</b> As per ETI/OHE/76(6/97) with A & C slip no 1 to 5 <b>8)HDGC Contact wire:</b> As per ETI/OHE/76(6/97) with A & C slip no 1 to 5 <b>9)Jelly filled Telecommunication :</b> Cable as per G/CUG/01-03 Aug-2003 <b>10)Instrumentation cable: BS:5308</b>	26.07.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
23	<b>M/s CMI Energy India Pvt Ltd.,</b> 501-503, New Delhi House, 27, Bara Khamba Road, New Delhi-110001 Email:mumbai@cmilimited.in Mob:9821829972(Kakade D K)/M Gaur(9599599244)	<b>1.HT Cables:</b> Upto 66KV XLPE <b>2.LT Power &amp; Control cables, PVC Wires, Aerial Bunched cables &amp; Conductors:</b> Upto & Including 1.1KV Upto & Including 1100V	06.12.2020	
24	<b>M/s Vardhaman Cables &amp; Conductors,</b> 11/1, Takwadi, Kalbadevi Road, Opp Edward Cinema, Mumbai-400 002 Email:ajaysaboo@gmail.com <a href="mailto:bharatcab@gmail.com">bharatcab@gmail.com</a> Mob:9892813056/8970070555	<b>1.LT XLPE Cables &amp; AAC/AAAC/ACSR Conductors:</b> BHARAT CAB conforming to IS:694 1988 IS:1554 <b>2.Cables, Conductors &amp; Jointing Kits:</b> (P-1)1988, IS 7098(P-1) 1988	25.10.2019	
25	<b>M/s Ravin Cables Ltd.</b> 302, 3 <sup>rd</sup> floor, Akruiti Trade Centre, Road no 7, MIDC, Andheri(E) Mumbai-400 093, India	<b>1.Power Cables:1.1KV-33KV</b> <b>2.Control cables: As per IS:7098-I &amp; IS:1554-I</b> <b>3.AB Cables: 1.1KV -33KV</b>	17.12.2019	
26.	<b>M/s Bravo Cable Trays Pvt Ltd,</b> W/ 343, T.T.C Industrial Area, Rabale M.I.D.C, Navi Mumbai-400 701 Tel: +91 22 2760 7687 /89/ 90 Contact Person: Mr Himanshu Doshi, (Director), Mob: +91 98214 79051/ 81088 41492, E-mail: doshi@bravocabletrays.com, doshihv@gmail.com	<b>Perforated Cable Trays, Ladder type Cable Trays, Cable Ducts, Trunking Raceway &amp; connecting accessories :</b> as per IS :1079 & Galvanizing as per IS:4759: Brand: "Bravo " G.I & Hot Dip G.I Cable Trays	20.02.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
27.	<b>International Industrial Products,</b> D-43,Anandnagar,MIDC,Ambarnath(E) Dist.Thane,Mumbai Email : gulmargcables_1@yahoo.co.in Mobile : Rahul Kapoor(9820430920)	<b>1.Power &amp; Control cables(Gulmarg Brand):</b> PVC & XLPE insulated, Copper & Aluminium conductor, (Armored & Unarmored) Ranging from 1.5 to 300 sqmm.single & Multicore.	10.02.2021	
28.	<b>Ultracab (India) Ltd.</b> Sr.No.262,B/H,GalaxyBearings Ltd.Shapar(Veraval) Dist: Rajkot-360024.Gujarat(India) Email:writer@ultracabwires.com Website : www.ultracab.in Mobile:Mr. Cowsi R Writer (7666080100)	<b>Wires &amp; Cables :</b> <ol style="list-style-type: none"> <li>1. House wires(FR/FRLS/HRLF)</li> <li>2. Submersible round and flat cables</li> <li>3. Industrial flexible cables(up to 61 cores)</li> <li>4. PVC/XLPE power &amp; control cable(single core up to 1000sqmm.&amp; 4CX 400sqmm.)</li> <li>5. Instrumentation cable(Shielded armoured/braided cable)</li> <li>6. Communication cable(telephone paired/jelly filled cables/Cat 5e/Cat 6)</li> <li>7. Elevator cable</li> <li>8. Autocables(BS6862,GXL,TXL,SXL)</li> <li>9. Thin wall cables(Single &amp; Multi core)(FLRY-</li> </ol>	06.03.2021	

<b>Sr. No.</b>	<b>Manufacturer Name</b>	<b>Item</b>	<b>Vendor's Registration Valid Up to</b>	<b>Remarks</b>
		A/Y/B) 10.Battery/Starter cables(SGX,SGT) 11.Welding cables 12.Panel wires 13.Solar cables(TUV 2pfg standard) 14.Aerial Bunched cables		

Sr. No.	Manufacturer Name	Item			Vendor's Registration Valid Up to	Remarks
29.	<b>M/s Vishal Cables Pvt Ltd,</b> 56, Ground Floor, Ashok Shopping Centre, Near G.T Hospital Complex, L.T Road, Mumbai-400 001, Tel: 022-2269 5486/ 2264/ 1337, Fax: 022- 2269 5490, Contact Person: Mr Hirasingh Ailsinghani, Mob: +91 90497 77777 / 96199 18554 E-mail: vishalcables@gmail.com	<b>S No</b>	<b>Material descriptio</b>	<b>Material Name /Brand/ Size / Range</b>	04.03.2021	
1	XLPE Cables as per IS 7098 (PART-I) 1988 (Both Aluminium /	Brand: "Vishal" XLPE Cross Linked Polyethylene Insulated & PVC Sheathed Armoured / Unarmoured Single Core: Up to 1000 Sq.mm Multi Core: Up to 400 Sq.mm				
<b>S No</b>	<b>Material descriptio</b>	<b>Material Name /Brand/ Size / Ran</b>				
2	PVC Cables as per IS 1554 (Pt-I)/1988 (PART-I) 1988 (Both Aluminium / Copper Conductor)	Brand: "Vishal" <u>Power &amp; Control Cables:</u> PVC Insulated Armoured / Unarmoured PVC Sheathed Power Cables Suitable for 1100 V Grade Single Core: Up to 1000 Sq.mm Multi Core: Up to 400 Sq.mm <u>Copper Control Cables:</u> Armoured / Unarmoured				

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks	
		3	PVC Wires & Cables as per IS 694-1990 (Both Aluminium / Copper Conductor)	Brand: "Vishal" <u>Flexible wires &amp; Cables:</u> PVC/ FRLS Wires, Flexibles, Unsheathed, Sheathed Cables suitable for 1100 Volts Single Core: Up to 630 Sq.mm Multi Core: Up to 50 Sq.mm <u>Service Wires/ Twin flat Cables:</u> Armoured / Unarmoured Two core up to 10 sq.mm		
		4	Aerial Bunched cables as per IS-14255:1995	Brand: "Vishal" XLPE/ Polyethylene Insulated Aluminium Conductor for Working Voltage up to & Including 1100 volts 16 Sq.mm up to 120 Sq.mm.		
iii)	<b>Switches ,Switchgears</b>					
1	<b>M/s.Teknic Electric(I) Pvt. Ltd.</b>	<b>Control &amp; signaling device, Control station :</b> Push button switches & Actuator (metallic &		<b>04.10.2019</b>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	116,Hammersmith Indl.estate, Mahim (West) Mumbai-400016 <a href="mailto:teknico@teknico.co.in">teknico@teknico.co.in</a> mob: 9321192391 Shri Dileep Nair)	Non-metallic) Illumination push button switches & Actuator (metallic & Non-metallic) Selector switches & Actuator (metallic & Non-metallic) Illuminated selector switches & Actuator (metallic & Non-metallic) Pilot light/indicating lamp with bulb & LED (metallic & Non-metallic) Control station (Plastic & Metallic) Accessories & Contact elements		
2	<b>M/s. SIEMENS LTD.</b> Thane Belapur Road, Thane – 400601. Email – <a href="mailto:angshuman.roychoudhury@siemens.com">angshuman.roychoudhury@siemens.com</a> Mob: 9820049424/9870414195(Pawan Dahake)	<b>SIEPAN 8PU</b> :Low Voltage Switchboards Technology by Siemens	19.12.2019	
3	<b>M/s Megawin Switchgears Pvt Ltd.</b> P.B. No.434, Alagapuram Post, Perumal Malai Adivaram, Salem-636004	<b>1.Switchgears</b> :HT switchgear upto 33KV (VCB & RMUs) <b>2.Transformers</b> :Dry Type Cast Resin Transformer & Unitised sub-station.	22.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Kind Attention: Shri Ashish Korde Mob No:09561226593			
4	<b>M/s Polycab Wires Pvt Ltd.</b> Polycab House,771, Mogul Lane, Mahim(W),Mumbai-400016 Shri Ujwal Choudhari:09004557052 <a href="mailto:ujwal.chaudhary@polycab.com">ujwal.chaudhary@polycab.com</a> Col.K.K.Bhandari:09324546125 <a href="mailto:kailash.bhandari@polycab.com">kailash.bhandari@polycab.com</a>	<b>Switches &amp; Metal Boxes:</b> Levana Brand	<b>30.01.2020</b>	
5	<b>M/s Popular Switchgears(P) Ltd</b> 712,Arun Chambers, Tardeo main Road, Tardeo,Mumbai- 400034 Shri Kunal Deshpande 9730073248 <a href="mailto:kdeshpande@popularswitchgears.co.in">kdeshpande@popularswitchgears.co.in</a> Shri A.T.Dongare 8451919117 <a href="mailto:adongare@popularswitchgears.co.in">adongare@popularswitchgears.co.in</a>	<b>Switchgear Panels:</b> MV VCB panels upto36KV,CRP upto 220KV,415 V AC & 220V DC LT panels	<b>18.04.2020</b>	
6	<b>M/s Salzer Electronics Ltd.</b> Unit IIC/0.M/s SRK Impex, 811, 8 <sup>th</sup>	<b>Modular switches &amp; Accessories:</b> Salzer brand switches/domestic wires/ACCL, MCB, DB, Wires & Cables, Rotary switches, relays,	<b>17.07.2020</b>	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	floor, Lodha Supremus, Road no 22, Near new passport office, Wagle estate, Thane west, Mumbai-400 604 Email:uday@salzergroup.com Tel:9833912513 (shri uday Kokate)	contactors, Cable ducts, load break switches, Terminal Connectors & Transformers.		
7	<b>M/s Polycab wires(P) Ltd.</b> Polycab House, 771, Mogul Lane, Mahim(W), Mumbai-400016 Email: <a href="mailto:info@polycab.com">info@polycab.com</a> <a href="tel:9324546125">Tel:9324546125</a> (Col.K K Bhandari)	<b>LV Switch Gears:</b> MCB, Isolator, RCCB, RCBO, DBs	30.08.2020	
8	<b>M/s Stelmec Limited,</b> "Sea Queen", 43-A,H K Bhabha Road, Band Stand, Bandra(W), Mumbai-400 050 Email:corporate@stelmec.com Mob:9960592329(Swanand Desai)	<b>11KV/33 KV Indoor/ Outdoor medium Voltage            Switchgear:</b> Conforming to IS 13118	23.01.2020	
9	<b>M/s Bentec Bhartia Engineers Pvt            Ltd.</b> Kasba Industrial Estate, Phase-II, Plot No 11, E.M. Bypass, Kolkata-700 107, West Bengal, Tel: 033-24431524, Contact Person: Mrs Mukta Jain,	<b>Brand: "Bentec / Benlo"</b> MCB (Miniature Circuit Breakers), MCCB (Moulded Case Circuit Breakers), RCCB (Residual Current Operated Circuit-Breakers), Distribution Boards	18.03.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks															
	Mob: 86008 69665, E-mail: muktabentec@rediffmail.com																		
10.	<b>Novateur Electrical &amp; Digital Systems Pvt.Ltd.</b> C/203,Corporate Avenue,Atul Projects, Near Mirador Hotel,Chakala, Andheri Ghatkopar Link Road, Andheri (East).Mumbai-400059 Email:kiran.chandurkar@legrand.co.in Mobile:9867561524(Kiran Chandurkar)	<b>1.Low voltage panels with switchgears</b>  LEGRAND Make	06.02.2021																
11.	<b>Larsen &amp; Toubro Limited,</b> Electrical & Automation, L&T Business Park,TC-2,Tower-B, 7th floor,Gate No.5,Powai Campus, Saki Vihar Road,Powai, Mumbai-400072,India. Email:Kruti.Mehta@lntebg.com/ Website: www.lntebg.com Mobile : Mrs. Kruti Mehta(+91 22 6705 4729/9320054036)	<table border="1"> <thead> <tr> <th data-bbox="844 884 934 954">Sr. No</th> <th data-bbox="934 884 1106 954">Material description</th> <th data-bbox="1106 884 1675 954">Material size/range/type</th> </tr> </thead> <tbody> <tr> <td data-bbox="844 954 934 1024">1</td> <td data-bbox="934 954 1106 1024">Switch Gears</td> <td data-bbox="1106 954 1675 1024">Air Insulated medium voltage 3.3 KV,6.6 KV,11 KV &amp; 33 KV</td> </tr> <tr> <td data-bbox="844 1024 934 1094"></td> <td data-bbox="934 1024 1106 1094"></td> <td data-bbox="1106 1024 1675 1094">Gas Insulated Medium voltage switchgears</td> </tr> <tr> <td data-bbox="844 1094 934 1165">2</td> <td data-bbox="934 1094 1106 1165">Ring Main Unit</td> <td data-bbox="1106 1094 1675 1165">17.5 KV/630 A/21kA</td> </tr> <tr> <td data-bbox="844 1165 934 1252">3</td> <td data-bbox="934 1165 1106 1252">Compact Sub station</td> <td data-bbox="1106 1165 1675 1252">Ncube SCADA compatible in line with IEC 62271-202</td> </tr> </tbody> </table>	Sr. No	Material description	Material size/range/type	1	Switch Gears	Air Insulated medium voltage 3.3 KV,6.6 KV,11 KV & 33 KV			Gas Insulated Medium voltage switchgears	2	Ring Main Unit	17.5 KV/630 A/21kA	3	Compact Sub station	Ncube SCADA compatible in line with IEC 62271-202	10.12.2020	
Sr. No	Material description	Material size/range/type																	
1	Switch Gears	Air Insulated medium voltage 3.3 KV,6.6 KV,11 KV & 33 KV																	
		Gas Insulated Medium voltage switchgears																	
2	Ring Main Unit	17.5 KV/630 A/21kA																	
3	Compact Sub station	Ncube SCADA compatible in line with IEC 62271-202																	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
12.	<b>Press Fit Pipe and Profile</b> Rajrajeshwari compound, Survey 127, Ghar 1070, Near Bombay Rayon, Sonale,Bhiwandi,Dist.Thane, Maharashtra-421302 Email:mumbai@pressfitindia.com/raje sh.punjabi@pressfitindia.com Mobile : 9822379904(Rajesh Punjabi)	<b>1. PVC Conduit pipes :</b> Conforming to IS:9537 (Part 3) 1983 <b>2.Casing capping:</b> Conforming to IS: 14927(Part 2)2001 <b>3.Wires &amp; Cables:</b> Conforming to IS-694-2010 <b>4.Switches &amp; Sockets:</b> Conforming to IS: 14772-2000 <b>5.Switchboards :</b> Conforming to IS: 3854-1997 <b>6.Plugs &amp; Sockets:</b> Conforming to IS-1293-2005	06.02.2021	
iv)	<b>Luminaries, LED's, Lamps, High Mast Systems , Poles &amp; LED based Solar street lighting systems</b>			
1	<b>M/s. Goldwyn Limited.</b> 15 & 16, Noida Special Economic Zone, Noida 201 305.India. <a href="tel:0911204712400">Tel:No: 091 120 471 2400.</a>	1. LED Street Light-15 W to 200 W. 2. LED Bay Light-25 W to 350 W. 3. LED Battens-16 W to 40 W. 4. LED Flood Light-20 W to 250 W. 5. LED Panel Light-22 W to 60 W. 6. LED Down Light-5 W to 25 W.	31.07.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Fax.No:91 120 471 2424. Mob.No:09730449434. Email.id:premshineraj@goldwynled.com	7. LED Tube Light-7 W to 18 W. 8. Solar Based LED Street Light-9 W to 30 W		
2	<b>M/s. Rayon illuminations and Energy Solutions Pvt. Ltd.,</b> Plot No. A-38, 'A' sector, Five Star MIDC Area, Shendra, Aurangabad 431 201 E-mail : <a href="mailto:info@rayonilluminations.com">info@rayonilluminations.com</a> , Mobile : 9657729144	LED High bay lights :Upto 200W LED Panel lights: Upto 50W LED Flood lights:Upto 200W LED Tube lights:Upto 22W LED Down lights:Upto 22W LED Street lights:Upto 200W	27.07.2019	
3	<b>M/s. Pyrotech Electronics Pvt. Ltd.,</b> F-16 A, Road No.3, MIA, Madri, Udaipur – 313003 (Raj.) INDIA E-mail : <a href="mailto:pyrotech@peplelectronics.com">pyrotech@peplelectronics.com</a> Tel.: +91-294-3264181/182	<b>LED Lighting (Indoor)</b> ii) LED Bulbs & CFL Lamp:5W to 15W &7W iii) Chandelier Lamp:5W iv) LED Lamp:2W to 30W v) LED Tube & Linear Lights:5W to 20W & 15W/22W vi) LED Panel and Recessed Light:6W,12W,18W,20W,40W vii) LED Down Light and Surface Mounted:2W to 30W viii) LED Step Light:3W to 7W ix) LED Picture/Mirror Light/Painting Light:5W/10W x) LED Hand Lamp:7W/12W xi) LED Strip Light:6W to 30W	28.07.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		xii) LED COB Lights:5W to 30W xiii) LED Corn Lamp:10/20/30 xiv) LED Transportation Lights:15W/25W/42W <b>LED Lighting (Outdoor)</b> i) LED Well glass (non flame proof & flame proof):15W to 60W ii) LED flood light:10W to 300W iii) LED Portable/Rechargeable flood light:10W/20W/30W iv) LED high bay light:50W/100W/150W v) LED Street Light:12W to 200W vi) LED Solar Street light:9W to 60W vii) LED under-water light:5W to 13W viii) LED nozzle lights:12W ix) LED In-ground light:2W to 12W x) LED spot light:5W to 11W xi) LED garden light & pathway Bollards:8W & 5W xii) LED Wall Light:5W to 12W xiii) LED Aviation Light:6W/14W xiv) LED traffic light:9W <b>2) Electric Wires &amp; Bare panels</b> <b>3) C &amp; R Panels</b> <b>4) Junction Box</b> <b>5) Lighting pole</b> <b>6) Large Video Screen(LVS)</b> <b>7) MCC, PCC, Lighting Distribution Board, APFC panel, Distribution Board, HT &amp; LT Panels</b>		
4	M/s.Agile Electronics	LED street lights floodlights: AGILE 140-150	18.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	135/108,Andheri Industrial Estate, Off Veera Desai road, Andheri West,Mumbai-400053	lm/w output 10 KVA <b>Solar LED lights:</b> 8W,12W,24W		
5	<b>M/s.V.K.Industries,</b> 16.Mehta Industrial Estate, 3 <sup>rd</sup> Liberty garden X lane, Malad(W) Mumbai-400064 Mobile No.9702305888	<b>Lighting &amp; Luminaries:</b> <b>Vinay</b> LED Bulb/Panel lights & colour changeable Down lights/surface lights/led Batten/ceiling infrared sensor/ Retail Lighting solution/LED pendent lights & Table lamps/ LED wall lights/ LED picture spot lights/T-fitting light/Bulk Head Lamps/Brick Lamps/ Column outdoor lamps/Led outdoor wall lamps/Up down lights/Bollard Lamps/swimming pool light/Garden, Gate & Ground path lamps/Street lights <b>Switches:</b> <b>Vinay</b> -Touch/Jewel/ Imago/ Twinz/ Twinz Arista/ Corum/Adora/Adora Chrome/ Altis/ Cadila/ Cadila Plus/ Woodis/ Wooden/ Tierra/ Clair/ Catry/ Color/ Civic- Xp/ Bouton <b>Wire:</b> <b>Vinay</b> -Genuine FR (Fire Resistance) cables/ Stranded FR (Fire Resistance) cable/ Flame Retardant low smoke (FRLS) cables/zero Halogen flame retardant low smoke cable/ Unibunch FR cables/ flat cables for submersible pumps upto	<b>26.09.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>1100V/ round Multi-core flexible cables up to 1100V/ CAT 5e UTPLAN cables/ CAT 6 GIGABIT UTPLAN cables/ TV Co-Axial cables/ Telephone cables</p> <p><b>Electrical accessories:</b></p> <p><b>Vinay</b> Brand Lamp holder/flush &amp; surface mounting boxes for switches/ remote control switches for lights &amp; fans/ flex box/Musical Bells</p> <p><b>Security solutions:</b></p> <p>SEEQUIRE for Multi Apartment</p> <p><b>Miniature Circuit Breaker:</b></p> <p><b>Vinay</b> Brand MCB, DB's, RCCB's</p>		
6	<p><b>M/s Surya Roshni Ltd.</b></p> <p>402,Mayuresh Chambers, Plot No.60, Sector 11,CBD Belapur, Navi Mumbai-400 614</p>	<p><b>Lighting &amp; Luminaires (LED lights):</b></p> <p>LED light products</p>	02.10.2019	
7	<p><b>M/s.Leo Circuit Boards Pvt. Ltd.,</b></p> <p>D-30/6, T.T.C. Industrial Area, MIDC Turbhe,</p>	<p>LED street light: 15 watts to 150 watts</p> <p>LED flood light: 30 watts to 150 watts</p> <p>LED HighBay light: 40 to 150 watts</p> <p>DOWN Lights: LEO !@% mm to 600 x 300 mm LED</p>	10.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Navi Mumbai – 400 613 E-mail : <a href="mailto:info@leoelectronics.com">info@leoelectronics.com</a> Tel.: 65159010/27636949	FIXTURES		
8	<b>M/s. VIN Semiconductors Pvt. Ltd.</b> 306/307, 3 <sup>rd</sup> Floor, Marathon Max, LBS Marg, Opp. Nirmal Lifestyles, Mulund (W), Mumbai – 400 080. Email – <a href="mailto:contact@vinled.com">contact@vinled.com</a> <a href="mailto:anandp@vinled.com">anandp@vinled.com</a> Mobile No. 9820442065/8879644569	<b>Electrical LED Lighting Luminaries</b>	<b>17.10.2019</b>	
09	<b>M/s. Halonix Technologies (P) Ltd.</b> B-31, Phase – II, Noida, Dist – Gautam Budh Nagar, Uttar Pradesh – 201305. Tel. No. +91-120-4756100 Email : <a href="mailto:suhas.mahadik@halonix.co.in">suhas.mahadik@halonix.co.in</a>	<b>1) Indoor – Outdoor LED Luminaries, Lamps, Ballast, Energy saver devices :</b> Smart Street Lights, Flood lights, Post top lanterns, tunnel light luminaries. <b>2) HPSV / MH Outdoor luminaries. CFL / FTL Indoor luminaries :</b> Commercial & Decorative, LED Street Lights, Flood Lights.	<b>11.12.2019</b>	
10	<b>M/s. Samudra Electronics System (P) Ltd.</b> 12, Electronic Sadan – II, MIDC Bhosari, Pune – 411026.	<b>LED Lighting, Fixtures &amp; CCMS</b> Street Lights, Multi application lights, Tube Lights & Bulb Lights.	<b>21.12.2019</b>	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email – <a href="mailto:anandt@samudraled.com">anandt@samudraled.com</a> Mobile No. 9922911056			
11	<b>M/s. Syska LED lights Pvt.Ltd.</b> Syska House,Office No.S-2,2 <sup>nd</sup> floor, Sakore Nagar,New Airport Road, Near Anand Residency, Pune-411014 Kind Attn: Shri Vishal Chabbria Mobile No. 09594904740	LED Glass Bulb 16102 (Part 1): 201 LED Rocket Bulb 16102 (Part 1): 201 LED PA Bulb 16102 (Part 1): 201 LED PAP Bulb 16102 (Part 1): 201 LED PAG Bulb 16102 (Part 1): 201 LED Candle Lights 16102 (Part 1): 201 LED T5 Tube lights 10322 (Part5/SEC1):2012 LED T8 Tube lights 10322 (Part5/SEC1):2012 LED Weatherproof 10322 (Part5/SEC13):2012 Battern LED Down Lights 15885(PART2/SEC13):2012 LED panel lights 15885(PART2/SEC13):2012 (Recessed) LED Bulk head 10322(PART 5/SEC1):2012 LED Ceiling Lights 10322(PART 5/SEC1):2012 LED Surface Panels 10322(PART 5/SEC1):2012 lights LED track lights 10322(PART 5/SEC1):2012 LED Hi bays 10322(PART 5/SEC1):2012 LED beam light 15885(PART2/SEC13):2012 LED street lights 15885(PART2/SEC13):2012	05.12.2019	
12	<b>M/s Jaquar &amp; Co.Pvt Ltd.</b> 5 <sup>th</sup> Floor,Chheda Arcade, A-1, Khira nagar, S.V. Road, Santacruz(W),Mumbai-400054 Shri Shrinivas P Kshirsagar:08291151854/ 09702240383 Email:shrinivas.pk@jaquar.com	<b>LED Lighting:</b> Indoor, Outdoor & Decorative lighting	15.03.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
13	<b>M/s Ajmera Electrotech LLP,</b> Ajmera House, Plot No.A-61,TTC Indl.Area, Khairane MIDC, Navi Mumbai-400705 Shri Jignesh Ajmera:9867063900 Email:ajmera@ajmera.net	<b>LED Light fittings:</b> Low bay, High Bay LED lamps, Down lights & Tube lights, street lights & flood lights	16.02.2020	
14	<b>M/s Lite Technology Co.(P) Ltd.</b> Light UP House, 8/57.58,sahyog Co.Op.Hsg.Society, Ol Anand Nagar, Santacruz(East), Mumbai-400055 Shri Chandraksha Bangera:9820020508 Email:ltetech.chandraksha@gmail.com	<b>LED light fittings:</b> LED fixtures/LED Bulbs/LED Drivers under Brand name "lightup" Polycab	26.03.2020	
15	<b>M/s Quadralumen Private Limited,</b> 3-8, G-Floor,731/, Bombay Aircondition market bldg, Pandit Madan Mohan Malviya Marg, Tardeo,Mumbai,Maharashtra India-400 034 Shri Rahul Bafna:9820289796 <a href="mailto:rahul@quadralumen.com">rahul@quadralumen.com</a> <a href="mailto:sales.india@quadralumen.com">sales.india@quadralumen.com</a>	<b>LED Lightings:</b> Conforming to IS:103224(1984):All Parts	14.03.2020	
16	<b>M/s Havells INDIA Ltd</b> 1271, Solitaire Corporate Park, Bldg.No 12,7 <sup>th</sup> Floor, Andheri-Ghatkopar Link Road, Chakala, Andheri(East), Mumbai- 400 093 Email:Mumbai.office@havells.com	<b>LED Luminaires:</b> LED lamps, Downlighters, Batten, Tubelights, Street lights, High bay/Low bay, Flood lights, 2X2,4X1,1X1 Panel, Industrial batteries, Consume batteries, LED Drivers/extension	01.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	<a href="mailto:Shubham.aggarwal@havells.com">Shubham.aggarwal@havells.com</a> Tel:022 67298600 Mob:9769408149			
17	<b>M/s Eveready Industries India Ltd</b> Kasturi Building, 2 <sup>nd</sup> floor, J.Tata road, Churchgate,Mumbai-400020 Email:partha.banerji@eveready.co.in Tel:9004698440(Shri Partha Banerji)	<b>LED luminaries(Indoor, Outdoor &amp; Industrial):</b> LED battens, Panels, Down lights, Spot lights, Street lights, flood lights, High Bay, Bulbs	02.08.2020	
18	<b>M/s Orient Electric Ltd.</b> 604, 6 <sup>th</sup> floor, Dev Corpora, near Cadbury Junction, Eastern Express Highway,Thane West-400601 Email:vishal.pawar@orientelectric.com <a href="tel:8655799272">Tel:8655799272</a> (Vishal Pawar)	<b>1.Residential LED range:</b> Lamps, down lighter, tube light,& Wall light <b>2.Healthcare LED range:</b> LED tiles, clean room lights, down lighters <b>3.Commercial offices LED range:</b> Total range for indoor SOHO to High end modern offices <b>4.Industrial LED range:</b> High bays, battens, vapor proof, well glass etc <b>5.Warehouse LED range:</b> High bays, battens, vapor proof etc <b>6.Outdoor LED range:</b> Street lights & flood lights	15.08.2020	
19	<b>M/s Luker Electric Technologies Pvt Ltd.</b> 1806, Lodha Supremus, Saki Vihar road, Opp.MTNL Building, Andheri(East) Email:ajeetkarn@lukerindia.com Mob:9987987223(Ajeet Karn)	<b>LED Lights:</b> LED bulbs & Tubes, Slim Panel lights, Surface panel light,Down lights, concealed spot lights, Dimmable COB lights,LED strip/strip driver & RGB controller Ceiling lights,underwater lights,outdoor LED drive, Focus/track lights & zoom lights, Street lights & flood lights, Low & high bay lights, Well Glass & Canopy lights/Assembled linear lighting & Architectural lighting.{Mirror lights, Indoor/Outdoor wall lights,Hanging lights,Bulkhead lights/ Gate lights & garden lights}	20.12.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
20.	<b>Polycab Wires (P) Ltd.</b> Polycab House,771,Mogul Lane, Mahim(W),Mumbai-400016,India. Email:info@polycab.com/ Website: www.polycab.com Mobile : Ashish Singh(9022705400)	<b>Polycab Make lighting and luminaires:</b> 1.Modernia/0.60X0.60 m, panel, down lighters) 2.Domestico, Intenso,Scientillate,Celene,Pearl. 3.Industria/High Bay, Well glass,Batten , Weather proof 4.Arenia Street lights 5.Urbania/Flood lights 6.Gardenia/Bollard 7.Lamps/Bulbs/Tubes. 8.Accessories/Control Gears	27.03.2021	
v)	<b>Circuit Breakers/Meters/MCB/RCCB/PLC's</b>			
1	<b>M/s. GM Modular Pvt. Ltd.,</b> 405, Shalimar Morya Park, New Link Road, Opp. Infinity Mall, Andheri (West), Mumbai – 400 053 INDIA E-mail : <a href="mailto:info@gmmodular.com">info@gmmodular.com</a> Mobile : 9820258075	<b>Switches for Domestic and Similar purpose:-</b> <b>Types – Modular/ Semi-Modular/four five/ G-Home/G- Magic:</b> As per IS : 3854:1997 CML No. – 7273676 <b>Plugs and sockets outlet of 250 Volts and rated Current up to 16 Amps:</b> As per IS : 1293:2005 CML No.- 7272775	29.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>Ceiling Rose:</b> As per IS : 371:1999 CML No.- 7459791</p> <p><b>Electric Type Fan Regulator:</b> As per IS : 11037:1984 CML No.- 2915968</p> <p><b>Polyvinyl Chloride (PVC) insulated Unsheathed and Sheathed Cables/ Cords with Rigid and Flexible conductor for Rated Voltages upto and including 1100V:</b> As per IS : 694:2010 CML No. – 7800003510</p> <p><b>Pressure sensitive adhesive insulating Tapes for Electrical purposes – part 3: requirements for individual materials- section 1: plasticized Polyvinyl Chloride Tapes with non-thermosetting adhesive:</b> As per IS:7809:Part 3:Sec 1:1986 CML No.- 7800002508</p> <p><b>Rigid Plain Conduits of insulating materials for electrical installations. (PVC pipes &amp; fittings):</b> As per IS :9573 (Part 3):1983 CML No.- 6200023680</p>		
vi)	<b>Earthing Electrodes</b>			

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
1	<b>M/s.Orange Electrodes Industries</b> Plot No. 9, Shivshakti Laghu Udyog Sankul, Behind Hotel Pariwar garden, Mumbai – Nashik Highway, Asangaon – 421301 Tal. Shahapur, Dist – Thane	<b>Welding Electrodes : AWS:E-6013 &amp; AWS:E-7018</b> <b>i) Gala Weld – E-6013-2.50/3.15/4.00/5.00-LRS- GRADE-2/B.V. – GRADE / DNV</b> <b>ii) Orange- S – E-6013-2.50/3.15/4.00/5.00-LRS- GRADE-2/B.V. – GRADE2 / DNV</b> <b>iii) Orange – 7018 E-7018-2.50/3.15/4.00-LRS- GRADE-3YH5/IRS—GRADE 3YH/ B.V. – GRADE 3YH5</b>	15.10.2019	
2.	<b>M/s. Kapilansh Dhatu Udyog (P) Ltd.</b> 112, Handloom Market, Gandhibagh, Nagpur – 440002.	Centrifugally Cast Iron Earthing Electrode : Brand Name <b>“KAPITRODE”</b> (Earthing for life long safety) for sizes 75, 100 & 150mm lengths from 1200mm to 3000mm with GI Clamp & CI Funnel.	31.08.2019	
vii)	<b>Elevators/Escalators/Travolators/Walkways/Cable Trays/Panel Boards</b>			
1	<b>M/s. Eros Elevators &amp; Escalators Pvt. Ltd</b> 405, Bharat Industries Estate, Tokersey Jivraj Road, Sewree, Mumbai-400 015 INDIA <a href="mailto:info@eroselevators.com">info@eroselevators.com</a> Mob:-8422800104	<b>Elevators, escalators &amp; parking system:</b> New & Existing Replacements	15.09.2019	
2	<b>M/s. Thyssenkrupp Elevators(India) Pvt.Ltd.</b> A-24,Vardhan House,Street	<b>Elevators/Escalators &amp; Travellators</b>	31.01.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	No.3,M.I.D.C. Andheri(East),Mumbai,Maharashtra-400093. Kind Attn: Shri Kiran Y Jagtap/Mr.Rahul Mandloi Mobile No. 09702999445/9702999446 Email id: <a href="mailto:kiran.jagtap@tkeap.com/rahul.mandloi@tkeap.com">kiran.jagtap@tkeap.com/rahul.mandloi@tkeap.com</a>			
3	<b>M/s Johnson Lifts Pvt Ltd.,</b> Unit 903-904, Technocity IT Premises, Co.Op.Society Ltd. Plot No. X-5/3, TTC Industrial Area, Mahape, Navi Mumbai- 400 710 Email:avinash.bodne@johnsonlifts.com Mob:09322919116/022-41558333	<b>1.Lifts &amp; escalators:</b> Intended for commercial, industrial(Public Mass transport) & residential applications	09.02.2020	
4	<b>M/s. Omega Elevators,</b> 11, Sanjivbag Society, New Sharda Mandir Road, Paldi,Ahmedabad-380007	<b>Elevators/Lifts</b>	24.01.2020	
5	<b>M/s R.K.Engineering Works,</b> W-87, Anand Nagar, Additional MIDC, Ambarnath(E), Dist-Thane-421501 Email: <a href="mailto:sales@rkenggworks.in">sales@rkenggworks.in</a>	<b>Cable Trays:</b> Perforated type, ladder type, Trunking & Bolted type with accessories	22.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	<p><a href="tel:02512620960">Tel:0251 2620960</a>  Mob:9892693327(Shri K S Mhoparekar)</p>			
6	<p><b>M/s J.J. Electrofab(India)Pvt Ltd</b>  Plot No D-1, MIDC Talaja,  Navi Mumbai-410 208  Email:sales@jjelectrofab.com  <a href="tel:9820134913">Tel:98201 34913</a>(Josef George)</p>	<p><b>All types of electrical panel boards:</b>  Customized as per requirements</p>	24.09.2020	
7	<p><b>M/s Pentax Ferro Inc.</b>  Gut no. 11/12, Opp. Bhartiya fertilizer,  Khanivali road, Village Khupri, Taluka Wada, Dist. Thane  Email:bhavsar@jencogalva.com  Mob:9323717288(Arvind Bhavsar)</p>	<p><b>Pentax Ferro Inc. Make Cable Trays:</b>  Cable trays with accessories &amp; cable supports with C strut channels &amp; gratings(Industrial floorings)/Drain gratings</p>	03.01.2021	
8	<p><b>Omega Elevators,</b>  5/C, Archana Industrial estate,  Opp.Ajit Mills,Rakhial,Ahmedabad-380023.  Email : factory@omega-elevators.com  Website : www.omega-elevators.com  Mobile : Mr. Devang Mehta (9930256977)</p>	<p><b>Escalators : Omega Escalators</b></p>	06.03.2021	
9	<p><b>Eskay Elevators (I) Pvt.Ltd.</b>  Eskay ouse at Eskay Resorts,  Off Link Road,Borivali(West),  Mumbai-400091.INDIA.  Email : abdul.k@eskaygroupindia.com  Website : www.eskayelevators.com  Mobile : Mr. Abdul Kader (7718886402)</p>	<p><b>1.Elevators/lifts, passenger/goods cum passenger elevators/car parking stackers/parking solutions/escalators: Zen -EE-MRL Series/EE-MR Series</b></p>	26.03.2021	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
viii)	<b>Bustrunking / Relays / Substation / Power plant/ Temperature Controllers &amp; Process Indicators/ Timers/ Counters</b>			
ix)	<b>Conductors</b>			
x)	<b>Energy Saving Systems</b>			
xi)	<b>HDPE corrugated Sheathing Duct &amp; HDPE Double walled corrugated Pipes</b>			
xii)	<b>Pumps</b>			
1	<b>M/s. Aqua Machineries Pvt. Ltd.</b> Plot No. 3821, GIDC, Phase IV, Vatva, Ahmedabad – 382445 India.	<b>Aqua make submersible non clog pumps for sewage, storm water, raw water applications and submerged centrifugal pumps for raw water applications –</b> 1. Submersible sewage pumps 2. Submersible Centrifugal pumps 3. Submersible Vertical turbine pumps 4. 4. Non clog flood proof pumps 5. Submersible storm water pumps 6. Submersible Propeller tube installed pumps 7. Slurry Pumps	15.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		8. Dredging Pumps		
2	<b>M/s. Pullen Pumps Industries Pvt. Ltd.</b> 501,Hemkoot building, Opp. Capital 122omm...centre, Ashram road, Ahmedabad-380009 Gujarat India. <a href="mailto:marketing@pullenpump.com">marketing@pullenpump.com</a> Tel: 079-2658316 Mobile no: 09998152514 (Shri Jay Patel)	<b>1. Non Clog Swage Submersible Pump set-</b> up to 500 HP & above (waste water) <b>2. Centrifugal Submersible Pump set</b> -up to 500 HP & above- raw water <b>3. Bore well type Submersible Pump set-6”</b> -up to 22” 500 HP & above- Clear water. <b>4. Submersible Dredging Pump Set</b> -up to 500 HP & above- Clear water/waste water. <b>5. Polder type Submersible pump set-up</b> to 500 HP & above- raw water. <b>6. Submersible Mono Block Pump Set-up</b> to 50HP & above- Clear water	12.10.2019	
3	<b>M/s.CNP Pumps India pvt. Ltd.,</b> Plot No.B-5, Sambhav It park, TJSB House, Behind Aplab co., Wagle Indl.Estate, MIDC, Thane-400604 <a href="mailto:sales@cnpindia.com">sales@cnpindia.com</a> +91-22-2581 8400 Web; <a href="http://www.cnpindia.com">www.cnpindia.com</a>	<b>1.Vertical Multistage Centrifugal Pump-</b> 0.4m3/hr-240m3/hr 320m (H) <b>2. Monoblock Pump</b> -0.5m3/he-28m3/ hr54m (max H) <b>3.Vertical Turbine Pump-Upto</b> 40000m3/hr max 400m (H) <b>4.Split Casing Pump</b> -upto 25000m3/hr max 280m (H) <b>5. In-Line Circular Pump</b> -1m3 /hr-7560m3 /hr9bar max. <b>6.Deep-Well Submersible Pump</b> -0.5-3 HP 500	09.08.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		m(H) <b>7.Non Clog Submersible Pump</b> -0.5 HP to 705HP <b>8. END Suction Centrifugal Pump</b> -0.3m <sup>3</sup> /hr-800m <sup>3</sup> /hr 16 bar max <b>9. Horizontal Multistage Pump</b> -0.5m <sup>3</sup> /hr-28m <sup>3</sup> /hr 54m(H) max <b>10.Open-Well Submersible Pump</b> -3-50 HP 12-280m(H) <b>11.Horizontal Open Well Submersible Pump</b> -0.5-3 HP 5-85m(H) <b>12.Multistage Open Well Submersible Pump</b> -3 to 50 Hp 12 to 28m (H) <b>13.Submersible Jet Aretor</b> - PH range 5to9		
4	<b>M/s Flowmore Limited,</b> 714/715, 7 <sup>th</sup> Floor,Marathon Max, Mulund Link Road,Mulund West, Mumbai-0400080 Shri Ajish kumar G: 9930105918/022-67997964 Email:ajish.kumar@flowmoregroup.com/bommkt@flowmoregroup.com	<b>1)Vertical Turbine pumps:</b> Upto 300m head 7000m <sup>3</sup> per hour <b>2)Horizontal split case pumps:</b> Upto 250m head 18000m <sup>3</sup> per hour <b>3)Vertical propeller pumps:</b> Upto 30m head 60000m <sup>3</sup> per hour <b>4)Vertical sump pumps:</b> Upto 80m head 1600m <sup>3</sup> per hour <b>5)Multistage pumps:</b> Upto 400m head 700m <sup>3</sup> per hour <b>6)Horizontal end suction pumps:</b> Upto 170m head 1350m <sup>3</sup> per hour	26.02.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>7)Slurry pumps:</b> <b>8)Centri. Non clog pumps &amp; Vertical non clog pumps:</b> Upto 60m head 12000m3 per hour		
5	<b>M/s Kishor Pumps Pvt Ltd.</b> 675/2, Pune-Nashik Highway, Kuruli(Chakan), Pune-410501 Shri vineet Kulkarni (Sr.Gen. Manager (Mktg):9011011339 Email:vineet.kulkarni@kishorpumps.com	<b>1)Submersible Sewage Pumps</b> <b>2)Submersible Raw water/Submersible Clear water pumps</b> <b>3)Vertical Non-clog pumps</b> <b>4)Horizontal Non-clog pumps</b> <b>5)Submersible Mixers</b> <b>6)submersible Aerators</b> <b>7)Horizontal End suction/split case clear water pumps</b>	12.04.2020	
6	<b>M/s C.R.I Pumps Pvt. Ltd.</b> Office NO.105,1 st floor, Shivaji Market, Plot No.8/9,Sector 19 D, Vashi , Navi Mumbai-400 705 Email:Mumbai@cripumps.com <a href="tel:9370499199">Tel:9370499199</a> (shri chandrakanta jagtap)	<b>1 Motors for submersible pump sets 0.5 HP to 100 HP</b> <b>2 Submersible pump sets 4",6",8",10" -0.5 to 100 HP</b> <b>3 Mono bloc Pump set Surface pumpset-3 HP to 20 HP</b> <b>4 Open well submersible pump set 3 HP to 50 HP</b> <b>5 Centrifugal Jet Pumps Surface Pumpset-0.5 to 1.5 HP</b> <b>6 Squirrel cage induction motors Surface-3 HP to 7.5 HP</b>	05.07.2020	
07	<b>M/s Modi Pumps (India) Pvt Ltd.,</b>	<b>1.Submersible Dewatering Pumps:</b> 1.5 to 150HP	<b>25.10.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	F-86, Anand Nagar, Additional MIDC, Ambernath(East), Pin Code:421 506 Maharashtra,India Email:indiasales@modyumpump.com <a href="mailto:joseph@modyumpump.com">joseph@modyumpump.com</a> Mob:9819571603	<b>2.Submersible sewage pumps:2 to 20HP</b> <b>3.Submersible Non-log pumps: 6HP, 8HP, 10HP</b> <b>4.Non submersible high capacity portable diesel driven fire pump</b> <b>5.Spare parts of the above mentioned submersible pumps</b> <b>6.Control panels for the above mentioned submersible pumps</b> <b>7.Authorised representative for sales &amp; services of dredging pumps- Make-Drageflow S.r.l(Italy):5 HP to 400HP</b> <b>8.Authorised representative for sales &amp; services of centrifugal horizontal pumps, slurry pumps, food processing pumps, self priming pumps refrigeration pumps-make-cornell pumps(USA)</b>		
<b>D)</b>	<b>CIVIL MISCELLANEOUS ITEMS</b>			
<b>1</b>	<b>M/s.B.D.INDUSTRIES.</b> 5,Raj Rajeswari Road, Opp. Naval stores Main Gate, L.B.S. marg, Narayan Nagar, Ghatkopar (W),Mumbai-400 096. Tel.No:91 22-2509 4238/2515 1801. FaxNo:91-22-2515 4239. Mob.No:09967455556.	<ol style="list-style-type: none"> <li>1. Metro Rail barricade-2 meter x 2 meter approx.</li> <li>2. Safety Fence- L x H x W x = 2000 x 1210 x 560 mm approx.</li> <li>3. 3 piece (detachable) barricades- L x H x W = 2000 x 1200 x 550 mm approx.</li> <li>4. Parabolic barriers- L x H x W = 1000 x 800 x 350 mm approx.</li> <li>5.               <ol style="list-style-type: none"> <li>i) 2 meter /1 meter barricades- L x H x W = 2000 x 1000 x 560mm approx./ L x H x W = 1000 x</li> </ol> </li> </ol>	<b>31.05.2019</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email.id:marketing@bdi-group.org	800x 470mm approx. ( Barricade) L x H x W = 1100 x 530 x 130mm approx. (Intermediate). <b>6.</b> New jersey barricades- New jersey barricades. <b>7.</b> New jersey barricades- L x H x W = 1000 x 750 x 350mm approx. <b>8.</b> Light barriers- H x W x T = 1325 x 450 x 50mm (Small) 1335 x 610 x 60mm (Big). <b>9.</b> Traffic cones- <b>10.</b> Delineators- Height 1000mm approx. <b>11.</b> Un-mountable kerbs/lane dividers- L x W x H 310mm x 210mm 960mm. <b>12.</b> Speed breakers- <b>13.</b> Signages. <b>14.</b> Road studs/ cat eyes. <b>15.</b> Road Kerb Blocks.		
2	<b>M/s Techfab (India) Industries Ltd,</b> 712, Embassy Centre, Nariman Point, Mumbai-400 021 Tel.:+91-22-2287 6224/2287 6225	<b>Geosynthetic Products:</b> 1. TECHFAB WOVEN GEOTEXTILE 2. TECHFAB TBG- WOVEN GEOBAGS & CONTAINERS 3. TECHFAB TECHGEOTEXTILE TUBES- WOVEN GEOTEXTILE TUBES 4. TECHFAB TECHGEO- NONWOVEN GEOTEXTILE 5. TECHFAB TBG- NONWOVEN GEOBAGS &	17.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>CONTAINERS</p> <p>6. TECHFAB TECHGEOTEXTILE TUBES- NONWOVEN GEOTEXTILE TUBES</p> <p>7. TECHFAB TECHPAVE- C040 PAVING FABRIC</p> <p>8. TECHFAB TECH DRAINAGE COMPOSITE- DRAINAGAE COMPOSITE (FIN DRAINS)</p> <p>9. TECHFAB TECHDRAIN-PVD (PRE-FABRICATED VERTICAL DRAINS) / BAND-DRAINS</p> <p>10. TECHFAB TECHGRID- PP EXTRUDED GEOGRIDS</p> <p>11. TECHFAB TECHGRID GEOGRID TGB/ TGU (UNIAXIAL &amp; BIAXIAL GEOGRIDS)</p> <p>12. TECHFAB TECHGLASS- (FIBRE GLASS GEOGRIDS)+ (GLASS FIBRE COMPOSITES)-AIC</p> <p>13. TECHFAB TGC- REINFORCED NONWOVEN COMPOSITES</p> <p>14. TECHFAB GEOSTRAPS</p> <p>15. TECHFAB GEOCELLS</p> <p>16. TECHFAB METAL GABIONS (ZINC COATED,ZINC+PVC COATED, 90% ZINC+10% AL+PVC COATED)</p> <p>17. TECHFAB TAIL MESH GABIONS (ZINC COATED,ZINC+PVC COATED, 90% ZINC+10% AL+PVC COATED)</p> <p>18. TECHFAB ROCK- FALL NETTING (ZINC COATED,ZINC+PVC COATED, 90% ZINC+10%</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		AL+PVC COATED)		
3	<b>M/s.AADIT CONCRETE PRODUCTS PVT. LTD.,</b> 80/85, Om Laxmi Niwas, Prabhat Main Road, Near Royalty Hotel, Erandawane, Pune, Maharashtra, Pin Code : 411 004 Tel.: 020-25679573	<b>Precast Concrete Pipes of NP3 Class:</b> 450mm/600mm/900mm/1000mm/1200mm/1600 mm & 1800mm Socket and Spigot Ended Vertically Vibrated Cast Pipes 600mm/900mm/1000mm/1200mm/1600mm & 1800mm Socket and Spigot Ended Vertically Vibrated Cast Pipes. <b>Precast Concrete Pipes of NP-4 Class:</b> 450mm/600mm/900mm/1000mm/1200mm/1600 mm & 1800mm Socket and Spigot Ended Vertically Vibrated Cast Pipes 600mm/900mm/1000mm/1200mm/1600mm & 1800mm Socket and Spigot Ended Vertically Vibrated Cast Pipes.	18.09.2019	
4	<b>M/s. Adjust Wire Products,</b> 06,GIDC, petlad-388450, Gujarat, India. <a href="mailto:naineshsoni@gurukrupawires.com">naineshsoni@gurukrupawires.com</a> tel: +912697-222449 mob: 9879148505	<b>1. Woven Mesh gabion boxes Mechanically woven double twisted hexagonal wire mesh gabion boxes-</b> Galvanized Mesh Zinc Alu Wire Mesh Galvanized + PVC Mesh Zinc Alu + PVC Wire. <b>2. Woven Mesh gabion Mattress Mechanically woven double twisted hexagonal wire mesh gabion Mattress-</b> Galvanized Mesh Zinc Alu Wire Mesh Galvanized + PVC Mesh Zinc Alu +	06.10.2019	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>PVC Wire.</p> <p><b>3. Woven Mesh Gabion rock Fall Netting Mechanically woven double twisted hexagonal wire mesh rock Fall Netting-Galvanized Mesh Zinc Alu Wire Mesh Galvanized + PVC Mesh Zinc Alu + PVC Wire</b></p> <p><b>4. Welded Mesh Gabion Boxes &amp; Mattresses Mechanically woven double twisted hexagonal wire mesh Gabion Boxes-Galvanized Mesh Zinc Alu Wire Mesh Galvanized + PVC Mesh Zinc Alu + PVC Wire</b></p>		
5	<p><b>M/s. Gurukrupa Wire Netting Industries,</b> 17/18,GIDC, Petlad-388450, Gujarat, India. <a href="mailto:naineshsoni@gurukrupawires.com">naineshsoni@gurukrupawires.com</a> tel: +912697-222449 mob: 9879148505 (Shri Nainesh Soni)</p>	<p><b>1. Arch Secure Weld mesh System-</b> AS per Customized requirements of client</p> <p><b>i. Arch Secure Standard</b></p> <p><b>2. Max Secure Weld mesh system-</b> AS per Customized requirements of client</p> <p><b>i. Max Secure A</b> <b>ii. Max Secure B</b> <b>04. Max Secure A Plus</b> <b>iv. Max Secure B Plus</b></p> <p><b>3. Link secure System-</b>AS per Customized requirements of client</p> <p><b>i. Link secure-A</b> <b>ii. Link secure-B</b> <b>iii. Link secure Plus A</b></p>	05.10.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p>iv. <b>Link secure plus B</b>  v. <b>Link secure Frames</b></p> <p>4. <b>Arm Secure Concertina Fence-AS</b> per Customized requirements of client  i. <b>Arm secure</b></p> <p>5. <b>Peri Secure Concertina Fence-AS</b> per Customized requirements of client  i. <b>Peri Secure A</b>  ii. <b>Peri Secure B</b></p> <p>6. <b>Tree Guard-AS</b> per Customized requirements of client  i. <b>Tree Guard A</b>  ii. <b>Tree Guard B</b>  iii. <b>Tree Guard C</b></p> <p>7. <b>Chain Link Fabric-AS</b> per Customized requirements of client  i. <b>Galvanized</b></p> <p>8. <b>Chain Link Fabric-AS</b> per Customized requirements of client  i. <b>Galvanized + PVC</b></p> <p>9. <b>Barbed-AS</b> per Customized requirements of client  i. <b>Galvanized</b></p> <p>10. <b>Barbed wire-AS</b> per Customized requirements of client  i. <b>Galvanized+ PVC</b></p> <p>11. <b>Concertina Razor coil- AS</b> per Customized requirements of client</p>		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>i. Galvanized</b></p> <p><b>12. Concertina Razor coil-</b> AS per Customized requirements of client</p> <p><b>i. SS 304 Blade+ Galvanized Core Wire</b></p> <p><b>13. Concertina Reinforced Barbed tape (RBT)-</b> AS per Customized requirements of client</p> <p><b>i. Galvanized</b></p> <p><b>14. Concertina Reinforced Barbed tape (RBT)-</b> AS per Customized requirements of client</p> <p><b>i. Stainless Steel</b></p>		
6	<p><b>M/s. B. M. Water Meters,</b> Village Salempur Musalmana, Near Active Tools, Jalandhar, Punjab. Mobile No. 9876110500. Email – <a href="mailto:info@bmwatermeters.com">info@bmwatermeters.com</a></p>	<p><b>Mechanical Water Meters :</b></p> <ol style="list-style-type: none"> <li>1) “Kranti” (Mechanical Bulk Enclosed Spiral) – Class A-Woltman Type – Size 40mm to 900 mm – For Cold &amp; Hot applications as per IS : 2373.</li> <li>2) “Kranti” (Mechanical Bulk Removable with Magnetic drive) – Class B – Woltman Type – Size 40mm to 600 mm – For Cold &amp; Hot applications as per IS: 4064.</li> <li>3) “Kranti” make woltman type flange ends pulse output meters – for Cold &amp; Hot applications – Size 40mm to 600mm.</li> <li>4) “Kranti” Make T-Type Strainer (Dirt Box) – Size 40mm to 1000mm.</li> <li>5) “Belanto” make Class-B Screwed &amp; Flanged – Size 15mm to 300mm.</li> </ol>	10.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
7	<b>M/s. Aahil Product Co Pvt. Ltd.</b> Flat No. 21, Bldg. No. C-1, Gagangiri Nagar, Laxminagar, Khopoli, Dist-Raigad – 410 203. Mobile No. 9657865515, 9657861050 Email – <a href="mailto:sales@aahilfenceproducts.com">sales@aahilfenceproducts.com</a>	<b>Gobion Boxes (Zinc &amp; Zinc + PVC Coated) :</b> Box Sizes : 1x1x1 m to 4x1x1 m Mesh Size : 100 x 120 mm Mesh Wire thickness : 2.70 to 3.70 mm.	11.12.2019	Civil Misc.
8	<b>M/s. Ram Ratna Electricals Ltd.</b> Ram Ratna House, Oasis Complex, P.B. Marg, Worli, Mumbai – 400013.	<b>Energy Saving Appliances :</b> RR Geysers / Fans / Lighting / Appliances	22.11.2019	
9	<b>M/s Steelfab Furniture,</b> S.No.32,Near Monginis Bakery, Behind Angaraj Dhaba, Kondhawa, Pune Email:sales@steelfab123.net Mob:9822114989(Nilesh Gandhi)	<b>All kinds of steel &amp; wooden furniture:</b> Branded furniture	16.01.2020	
10	<b>M/s. Ashoka Engineering Company,</b> Plot NO.7,Gali No.7, Anand Parbat Industrial Estate, New Delhi-110005(India) Kind Attn: Shri Farman Ali Mobile No. 08080172725	<b>1.Fire fighting equipments &amp; Accessories(Safe            Guard Brand):</b> Single landing valve, double landing valve, Branch pipe, RRL hose, CP Hose, Hose reel, Drum with hose & Nozzle, Coupling, Fire man axe, Two way,3 way,4 way ,Draw out connection, fire bucket& Fire extinguishers.	08.02.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
11	<b>M/s Mohan Metal Industries,</b> 500, Kucha Pati Ram, Bazar Sita Ram, Delhi-110 006(INDIA) Email:CROWNBRASS@ymail.com Tel No:011-43281052/092124-07515	1) C.P.BibCock: <b>15mm/AGRANI/Round/IS:8931</b> 2) C.P.BibCock(LONGBODY): <b>15mm/AGRANI/Round/IS:8931</b> 3) C.P.Bib Cock (LONG BODY) (HEAVY): <b>15mm/AGRANI/Round/IS:8931</b> 4) C.P. Basin Inlet Connection Angle Cock: <b>15mm/AGRANI/Round/IS:8931</b> 5) C. P. Basin Angle Cock- Two in one: <b>15mm/AGRANI/Round/IS:8931</b> 6) C.P.PillarCock: <b>15mm/AGRANI/Round/IS:8931</b> 7) C.P.ConcealedStopCock: <b>15mm/AGRANI/Round/IS:8931</b> 8) C.P. Concealed Stop Cock: <b>20mm/</b> <b>AGRANI/Round/IS:8931</b> 9) C. P. Pillar Cock- Long Neck: <b>15mm/AGRANI/Round/IS:8931</b> 10) C. P. Pillar Cock- With Swivel Spout: <b>15mm/AGRANI/Round/IS:8931</b> 11) C. P. Sink Cock- With Swivel Spout: <b>15mm/AGRANI/Round/IS:8931</b> 12) C. P. Bib Cock- Two in one: <b>15mm/AGRANI/Round/IS:8931</b> 13) C. P. Central Hole Basin Mixer with Aerator: <b>15mm/AGRANI/Round/IS:8931</b> 14) C.P. Sink Mixer with Swivel Spout and Aerator: <b>15mm/AGRANI/Round/IS:8931</b> 15) C.p. Wall Mixer Two in one with L Bend:	19.09.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<b>15mm/AGRANI/Round/IS:8931</b> <b>16)</b> C. P. Wall Mixer Three in one system with Bend set only: <b>15mm/AGRANI/Round/IS:8931</b>		
12	<b>M/s Arad Limited,</b> C/o Quest offices Pvt Ltd. Parinee Crescenzo, 8 <sup>th</sup> Floor, B wing C38 & C39 Block, Bandra-Kurla Complex Bandra(East) Mumbai-400051 Tel No:022 33040766 Fax No:022 33040779 Mob no:09821327323 Email Id:praveena@aradindia.com	<b>1)Single jet and Multi jet Water Meters:</b> 15mm upto 40mm (with and without AMR/AMI) <b>2)Woltman Type Water Meters:</b> 50mm up to 300mm (with and without AMR/AMI) <b>3)Ultrasonic Water Flow Meters:</b> 15mm up to 300mm (with and without AMR/AMI) <b>05. Automated Meter Reading (AMR) systems:</b> Dialog 3 G <b>5) Advance Metering Infrastructure (AMI-Fixed Network) solutions:</b> Dialog 3 G <b>6) Meter Data Management Software:</b> City Mind Software	30.06.2019	
13	<b>M/s Dimple Chemicals &amp; Services Pvt Ltd</b> Gat No 281,Village:Ghotawade, Hinjewadi Pirangut Road, Taluka:Mulshi, Dist:Pune-412 115 Email:anil@dimplechem.com/ <a href="mailto:sales@dimplechem.com">sales@dimplechem.com/</a> <a href="mailto:nikhil@dimplechem.com">nikhil@dimplechem.com</a> Tel:020 88888 55400 Mob:9850095600(Shri Nikhil Kelkar)	<b>DuraGuard™ System:</b> DuraGuard™ System	31.08.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
14	<b>M/s Kompres(India) Pvt Ltd.,</b> 39/202, MARYLANfd CORNER, Sion(East), Mumbai- 400 022 Email:info@kompresindia.com Tel.:(91-22) 2409 0563/2407 8230	Compactors, Lockers, Heavy Duty Storage System, Palletized Racking System, Cantilever Racking Systems	<b>27.08.2019</b>	
15	<b>M/s Shri Navkar Metals Limited,</b> “Shri navkar House”,plot No 342, GIDC, Odhav,Ahmedabad-382 415, Gujarat, <a href="tel:00917922871016">Tel:0091 79 2287 1016/2287 5515</a> Fax:0091 2297 5515 Email:nayan@shrinavakar.com Mob:098245 51515	<b>Stainless Steel Kitchen Sink</b> as per IS 13983:1994 <b>Stainless steel Floor Accessories</b> <b>Stainless Steel Door Kit set</b> <b>Aluminium Door Kit Set</b>	<b>20.06.2020</b>	
16	<b>M/s PRECISE Conchem (P) Ltd</b> 202, The Great Eastern Chambers Co.Op.Soc.Ltd.,Plot No 28, Sector 11, CBD Belapur, Navi Mumbai-400 614, Email:admin@preciseconchem.in <a href="tel:9320058635">Tel:9320058635/9320007906/07</a> (Shri Bhagwanbhai Movalia)	<b>Silicoplast:</b> Ready Mix Plaster <b>Silicoflix:</b> Block Jointing Mortar	<b>22.08.2020</b>	
17	<b>M/s Honey Fun-N-Thrill Co,</b> Survey No 18/6, Beside Neeta Travel, Near Hari Bhakti Industrial Estate, Ghodbunder Village Road, Mira Road(E), Thane-401 104 Contact:Mr Rajesh Kadam, Mob No:98200 79451/86550 74905 <a href="tel:+91-22-65704905">Tel:+91-22-6570 4905/3296</a> Fax:+91 22 2845 7673	<b>Children Playground Equipment's, Outdoor            Fitness Equipment's &amp; Rubber Floorings.</b> <b>A. Children Playground Equipment's</b> 1.Multi-purpose play system 2.Slides 3.Swings 4.See saw 5.Mery Go Round 6.Benches	<b>04.09.2020</b>	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Email:honeyfun@gmail.com	7.Dustbins <b>B.Outdoor Fitness Equipments</b> <b>C.Rubber Floorings</b>		
18	<b>M/s Eurasia Doordevices Ltd,</b> 287,Phatak Karore, Ajmeri Gate, Delhi-110 006, Contact:Mr Parag Doshi, Mob No:97696 65202 Email:rameshtrading19@gmail.com <a href="mailto:info@garg-hinges.com">info@garg-hinges.com</a>	<b>Mild Steel, Stainless Steel Door/Window Hinges, Door Handles &amp; Tower Bolts.</b> Brand: Garg, Gargs, Eurostar & Sichern Grades: 202,J4,304 &316	21.10.2020	
19	<b>M/s D.P. Garg &amp; Co Pvt Ltd,</b> 287, Phatak Karore, Ajmeri Gate, Delhi-110 006,India, Contact: Mr Parag Doshi, Mob No:97696 65202 Email: <a href="mailto:rameshtrading19@gmail.com">rameshtrading19@gmail.com</a> <a href="mailto:smg@garglocks.co.in">smg@garglocks.co.in</a>	<b>Mortice Locks, Locks, Latches &amp; Door Closures</b> Brand: Euro, Garg Materials: Stainless Steel & Brass	21.10.2020	
20	<b>M/s Arihant Industrial Corporation Limited,</b> Arihant Complex, NH-48, Sativali, Vasai (E), Palghar-401 208 Contact Person: Mr Anurag Adivarekar, Mob. No: 77988 84591/ 81495 16296 Tel: 022-4010 3001/02, E-mail: <a href="mailto:anurag.adivarekar@arihant.com">anurag.adivarekar@arihant.com</a>	<b>1) Play Ground &amp; Water Park Equipment's</b> G.I Pipes, FRP, Powder Coatings, HDP & LLDP <b>2)Open Air Fitness Equipment's</b> G.I Pipes, FRP, Roto Materials, Roto Materials, HDP & LLDP <b>3) Benches &amp; Dustbins</b> G.I Pipes, FRP Stripes, C.I Stands, HDP & LLDP <b>4)Rubber Floorings</b>	18.10.2020	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		Rubber Crumbs, EPDM & SBR Granules		
21	<b>M/s EPP Composites Pvt. Ltd.,</b> Plot No.2646, Kranti Gate Main Road, GIDC Lodhika Industrial Estate, Kalawad Road, Metoda, Rajkot-360 021, Gujarat, India Email:info@epp.co.in <a href="tel:+91-02827287059">Tel:+91-02827</a> 287059-60- 61/30405682 Mob:9819458535	<b>1.FRP Molded Door</b> <b>2.FRP Roof Sheet</b> <b>3.Prefab-Security cabin,Site</b> <b>4.Office, Porta Cabin, Toilet Blocks</b> <b>5.Schools</b> <b>6.Play Equipments</b> <b>7.Light Barriers</b> <b>8.Dust Bin</b> <b>9.FRP Buoys</b> <b>10.FRP Ladder</b> <b>11.Grating</b> <b>12.Man-Hole cover</b> <b>13.GRP Pipe-Water Supply</b>	02.09.2019	
22	<b>M/s. Aman Engineering Works,</b> 54-55 Focal Point Extension, Jalandhar -144 004 (India) E-mail :krantimeters@gmail.com Tel.:+91-181- 2603614/2603615/2603616 Mobile : 98155-44438	<b>1. KRANTI brand ISI Marked Water meter as per IS 779-1991 standard with screwed ends.</b> i)15mm to 50mm/class-B ii)15mm to 500mm AMR/AMR Compatible/Class-B iii)15mm to 50mm Multijet Magnetic Drive dry Dial type water meters/Class B	22.08.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<p><b>2.KFLOW brand Bulk water meter as per ISO 4064:2005 standard with flanged ends</b></p> <p>i)50mm upto 500mmWoltman type bulk water meter/Class B</p> <p>ii)AMR compatible bulk water meter size range 50mm to 500mm</p> <p><b>3.PARAS brand Electromagnetic flow meter as per ISO 4064 standard with flanged ends</b></p> <p>i)15mm to 2000mm Full Bore &amp; Insertion type Electromagnetic Flow meter.</p> <p><b>4.Paras brand Ultrasonic Flow meter as per ISO 4064 standard with flanged ends</b></p> <p>i)15mm to 600mm Full Bore type Ultrasonic flow meters.</p>		
23	<p><b>M/s.Galbro Ispat Galvanisers Pvt. Ltd.,</b>  802, 8<sup>th</sup> Floor, Palm Spring Centre,  Link Road, Malad(West),  Mumbai – 400 064  Tel.: 091-22 65720288/89/90/91  Mobile: 98200884400/9819018175</p>	<p><b>Manufacturing of GBARZ (Galvanized Reinforcement bars) and Hot dip Galvanizing M.S. &amp; C.I. materials</b></p>	31.07.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
24	<b>M/s Mauli Fibre Industries,</b> A-91, 5-Star, Shendra MIDC, Aurangabad-431 005, Contact Person: Mr Rohit R. Mumbre, Mob: +91 96890 65657/ 98812 95099 E-mail: maulifibre@gmail.com	<b>Fibre Reinforced Plastic (FRP) Door Shutters :</b> Brand: "RM FIBRO" FRP Door Shutters	13.03.2021	
25	<b>M/s Classic Roof India Pvt Ltd,</b> 31/1/1, Sadguru Niwas, Shivdattanagar, Near Ramkrishna Karyalay, Pimple GuravPune-411061, Maharashtra, Tele/Fax: 020-27250214, Contact Person: Mr Sanjay S. Unde (MD), Mob: +91 98810 39961, E-mail: classicroofind@gmail.com	<b>Classic Architectural Roof, Profile Sheets &amp; Wall  Claddings:</b> 1) Classic 1000 Profile 2) Classic 1015 Profile 3) Standing Seam Profile 4) Crimp Curved Sheets for all Profiles 5) Classic "CEE" & "ZEE" Purlins 6) Classic Deck 7) Pre-Engineered Buildings 8) Accessories for Roofing & Wall Cladding	14.03.2021	
26	<b>M/s Bigbloc Construction Limited,</b> 601-B,"A" Wing, International Trade Centre, Majura Gate, Ring Road, Surat-395 002,	<b>Autoclaved Aerated Concrete (AAC) Blocks as per  IS:2185: Part 3:1984 :-</b> Brand: "NXTBLOC" Sizes: 600X200 mm & 650X240 mm	17.03.2021	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Ph:+91-261-2463261,3463262, 2463263, 3234330, Fax: +91-261-2463264, Contact Person: Mr Akhilesh Kulkarni, (Senior Marketing Manager), Mob:9978900519, E-mail: akhilesh.kulkarni@nxtbloc.in	Thickness: 75/ 100/ 125/ 150/ 200/ 225 mm		
27	<b>M/s Magicrete Building Solutions Pvt Ltd,</b> 702, 22 Business Point, S.V Road, Andheri (W), Mumbai-400 058 Ph: 1800-274-5555, Tele Fax: +91-261-400 3061/ 62, Contact Person: Mr Tushar Dutta, Mob:9970465215,E-mail: tushar.dutta@magicrete.in	<b>Autoclaved Aerated Concrete (AAC) Blocks as per IS:2185: Part 3:1984:</b> Brand: "Magicrete" Sizes: 600X200 mm Thickness: 50 /75 /100 /125/150 /200 /225 mm Size: 625X240 mm Thickness: 100 /125 /150 mm	19.03.2021	
28	<b>Futura Kitchen Sinks India Private Limited,</b> Plot No 19, 20 & 21, Bommasandra 2 <sup>nd</sup> Stage,Opposite BNR Export, Jigani	<b>Stainless Steel Kitchen Sinks as per IS 13983:1994, Non IS &amp; Hand Carved Series:</b> Stainless Steel Kitchen Sinks Brand: "Futura"	25.03.2021.	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Link Road, Bengaluru-560 099, Tel: 080-4204 3451, Mob: 92434 35123, Contact Person: Mr Bhavesh K. Jain, Mob: +91-93200 05626, E-mail: bhavesh.j@futuresink.com	<b>Stainless Steel, Brass Plumbing Accessories:</b> Stainless Steel, Brass Accessories Brand: "Futura"		
29	<b>Spplicetek India Pvt Ltd</b> 202,The Great eastern Chambers premises, Plot No.28, Sector 11, CBD Belapur, Navi Mumbai-400 614 Email: <a href="mailto:admin@spplicetek.com">admin@spplicetek.com</a> Mob:Mrs Meena Shelke (9320007906/07) Web:www.spplicetek.com	<b>M.S. Coupler(Spplicetek Brand):</b> Parallel rebar coupler(from 16mm to 40mm dia)	17.03.2021	
E)	<b>ELECTRICAL MISCELLANEOUS ITEMS</b>			

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks	
1	Selec Controls Pvt.Ltd. EL-27/1,Electronic zone,TTC Industrial area, MIDC.Mahape, Navi Mumbai-400710,INDIA. Email : sales@selec.com Website: www.selec.com Mobile : Mr.Hemant Singh(9136105095)	S r. N o	Material description	Material/size/range/Type	29.11.2019	
		1	Meters	Multifunction Meters/ Energy Meters/ VAF Meters/ Digital Panel Meters- Voltage, Current, Frequency, Power Factor		
		2	Digital/Analog Protection Relays	Earth Leakage Relay/ Earth Fault Relay/ Current Protection Relay/ Voltage Protection Relay/ Phase Sequence Relay		
		3	Timers	17.5mm DIN Rail Timers/ 22.5mm DIN Rail timers/ 8 Pin Socket/ Panel Mount timers/ Digital Timers		
		4	PLC/ HMI	TFT touch panel mounted HMI/ Expandable PLCs with fast IO expansion/ PLCs with flexible card configuration		
		5	Temperature controllers/ Process Indicators	Economical PID Temp. Controllers/ Advanced PID Temp. Controllers/ Process Indicators		
		6	Counters	Counters- LED/ LCD/ Time Totalisers (Hour Meters)- LED/ LCD/ Rate Meter/ Programmable Counters/ Batch Controllers/		
		7	Current Transformers	Current Transformers (PC encapsulated CTs)		
		8	APFC	APFC (LED), APFC (LCD with inbuilt multifunction meter)		
2	<b>M/s. Sterling Generators Pvt. Ltd.,</b> Universal Majestic 10 <sup>th</sup> Floor, P.L. Lokhande Marg, Chembur (West),	<b>MV &amp; LV Electrical Panels:</b> 230 V to 33KV <b>Sterling Generators:</b> 10KVA to 3000 KVA		10.10.2019		

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	Mumbai – 400 043 E-mail : <a href="mailto:joshi@sterlingwilson.com">joshi@sterlingwilson.com</a> Tel.: 022 25526221 Mobile : 9324272305			
2	<b>M/s. Kirloskar Chillers Pvt. Ltd.,</b> Office No. 104, 1 <sup>st</sup> Floor, Tower P3, Pentagon, Magarpatta City, Pune – 411 028, INDIA. E-mail : Mumbai@kcpl.net.in/ aky@kcpl.net.in Tel.: 022-40916200	<b>Chillers – for centralized air conditioning / Heat Pumps:</b> 1. Water cooled centrifugal chiller from 200TR-2400 TR 2. Water and Air cooled screw chillers from 50TR- 550TR	05.10.2019	
3	<b>M/s. KPT Blowers,</b> Kulkarni Power tools ltd, Flat No 201, Runwal Shavari, Adj. to Talwalkar's Gym Baner, Pune-411045, Maharashtra, India. tel: 91 77093 56666/92256 86009	<b>KPT Blowers-</b> 10 M3/Hr to 12000 M3/Hr with Pressure ranging from 100 mbar to 1000 mbar	27.10.2019	
4	<b>M/s. TEKNIC Electric (I) Pvt. Ltd.</b> 116, Hammersmith Industries Estate, Mahim (West), Mumbai – 400 614. Email – <a href="mailto:teknico@teknico.co.in">teknico@teknico.co.in</a> Tel. 43626500 , 24451648.	<b>1) Industrial Plug &amp; sockets :</b> IP44, IP54 & IP67 range of plugs & Sockets for current ratings 16A, 32A, 63A & 125A Wall / Panel mounted Sockets & Plugs & Sockets in European & Indian Domestic types & junction boxes. <b>2) Distribution Assemblies &amp; Cable Reels :</b> Polycarbonate range of cable Reels & ROS, Interlocked BZS BZG, ROS4, ROS5, ROS11,	11.12.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		ROS12S, ROS24S series etc. PSDB & POWER DBS upto 630 Amps. Metal range of DBs with SPN TPN in single & double door, Metal Junction Boxes, VTPN HTPN 7 SEGMENT, FLEXI TIER, MCB Enclosure & Plug Socket Enclosure upto 630 Amps.		
5	<b>M/s. Ravel Electronics</b> Apoorva Towers, 2 <sup>nd</sup> floor, New No. 94, Old No. 38/6, Velachery Road, Little Mount, Chennai – 600 015 Email : <a href="mailto:marketing@ravelfire.com">marketing@ravelfire.com</a> <a href="mailto:sriram@ravelfire.com">sriram@ravelfire.com</a> Tel. : 91 44249631004/0825/3241/3251 Mobile : 919500034195	<b>1)Fire Alarm Systems:</b> Avani/RP/RE-717M/RE-317 <b>2)Public Address Systems:</b> Ekonics/Digital amplifier EK-720 series/Remote paging system/speakers	13.12.2019	
6	<b>M/s. M.B.Control &amp; Systems(P) Ltd.</b> 31/1,Ahiripukur road,Kolkata-700019 Email : <a href="mailto:mbcontrol@vsnl.com">mbcontrol@vsnl.com</a> Mobile : 7738525072(Ram Aswani)	1)RTU Sytems(SCADA,EMS,Telemetry) 2) Multifunction meters	20.01.2020	
7	<b>M/s Precision Electricals,</b> Plot No.26, Road No.9,MIDC, Phase II, Marol Indl.area.Andhri(E), Mumbai-400093 Shri Ravindra Pandey/Shri Sanjay sahani:9320497238/9810108499	<b>1)Switches :</b> 1.6amps to 32 amps-1 way & 2-way <b>2)Sockets:</b> 6 amps & 6-16 amps & 6-25 amps with shutter <b>3)Regulators/dimmers:</b> 100 watts to 1000 watts-Electronic type	12.03.2020	



Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
	ravindra_p1983@hotmail.com/sahniprecision@gmail.com	<b>4)Angle holder/batten holder:</b> 2amps to 6amps surface mounting <b>5)Ceiling roses:</b> 2-6 amps surface mounting <b>6)GI Boxes All modular sizes:</b> 0.8mm thickness to 1.6mm thickness <b>7)Surface boxes:</b> all modular sizes <b>8)Distribution boxes:</b> all modular sizes		
8	<b>M/s Seak s.r.o./M/s Empire Techno trades (P) Ltd</b> A/03,Holy Plaza,Noopur Complex,Mira Road(E) Thane-401107 Shri Asif Khan(CEO) 9820077813 <a href="mailto:assiffkhan@gmail.com">assiffkhan@gmail.com</a> / <a href="mailto:ett@empiregroups.in">ett@empiregroups.in</a> <a href="http://www.seakenergetics.com">www.seakenergetics.com</a>	<b>DIMBar Module:</b> 1)Lumibar SDM-DIG 2)Lumibar SDM-110 3)Lumibar SDM-W10 4) Lumibar SDM-DIG <b>Control Device:</b> 1)Lumibox SLM-125 2)Lumi box-SLM-140 3)Lumimaster SLC-NOM 4)DIMBar SDM 110 5)Panter PNT 340	09.02.2020	
9	<b>M/s Goel Power Engineers,</b> 27, Sona Udyog, Parsi Panchayat Road, Andheri(E), Mumbai- 400 069 Email: <a href="mailto:hitesh.thakkar@goelpower.in">hitesh.thakkar@goelpower.in</a> Mob:9870667690(Shri Hitesh B. Thakker)	<b>Diesel Generator:</b> DG Sets/Air-cooled/Liquid Cooled <b>LV/MV Panels:</b> 1-phase/3-phase	30.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
10	<p><b>M/s Anchor Electricals Private Ltd</b>  3<sup>rd</sup> Floor, B wing, I-think Techno  Campus, Thane West  Thane-400 607  Shri Nitin Mehta, Institutional sales  Head  Mob:9829204360  Email:nitin.mehta@anchor-world.com  Web:www.anchor-world.com</p>	<p><b>1)Switchgear &amp; distribution boards:</b>  <b>Anchor,</b>  <b>Panasonic,</b>  <b>UNO,</b>  <b>Gold,</b>  Isolator,  RCCB,  MCCB,  Change Over,  DB Box,  Guard</p> <p><b>2)Wires &amp; Cables &amp; PVC Conduits:</b></p> <ul style="list-style-type: none"> <li>• <b>Anchor</b></li> </ul> <p>a.FR &amp; EFFR  b.Single  c.Multi Core  d.Flat Three Core  e.Telephone Cables  f.PVC Conduit &amp; accessories</p> <p>3)Tape: Anchor Grip</p> <p><b>4)Indoor Air Quality(Fans):</b></p> <ul style="list-style-type: none"> <li>• Anchor</li> <li>• Panasonic</li> </ul> <p><b>5)Lighting:</b></p> <ul style="list-style-type: none"> <li>• Anchor</li> <li>• LED: Panasonic</li> <li>• CFL</li> <li>• Tubelight</li> </ul>	26.03.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
		<ul style="list-style-type: none"> <li>• Chock</li> </ul> <p><b>6)Time switch:</b></p> <ul style="list-style-type: none"> <li>• Anchor</li> <li>• Panasonic</li> </ul> <p><b>7)Modular metal &amp; plastic boxes</b></p> <ul style="list-style-type: none"> <li>• Anchor</li> <li>• Panasonic</li> </ul> <p><b>8)Electrical accessories</b></p> <ul style="list-style-type: none"> <li>• Smart anchor</li> </ul> <p><b>9)Bell:</b></p> <ul style="list-style-type: none"> <li>• Smart anchor</li> </ul> <p><b>10)Switches:</b></p> <ul style="list-style-type: none"> <li>• Home automation :anchor, Panasonic, AVE</li> <li>• Modular: Anchor, Panasonic, Roma, Roma Plus, Penta, Vision, Woods, rider, Viola</li> <li>• Semi Modular: Anchor, Panasonic, NOA, XL</li> <li>• Non Modular: Anchor, Panasonic, Penta</li> </ul>		
11	<p><b>M/s Novateur electrical &amp; Digital Syatems(P)Ltd.</b>  C-230, Corporate Avenue,  ATUL Project, Andheri-Ghatkoper Link Road,  Andheri(E), Mumbai-400099  Email:ujwala.hutgikar@numericups.com  Tel:7710070011</p>	<p><b>UPS System:</b>  1 Phase input-I phase output  3 phase input-I phase output  3 phase input-3 phae out put &amp; batteries</p>	27.05.2020	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
12	<b>M/s Hitech Systems &amp; Services Ltd.</b> White House, 119 Park Street, Kolkata- 700016 India. Email:info@hitech.in/vikas@hitech.in <a href="tel:7020600850">Tel:7020600850</a> (Shri Nilesh Chintalwar)	<b>LT Feeder Pillar Box</b> <b>APFC Panel</b> <b>Meter Box</b> 2 way, 4 way, 6 way,8 way with CRCA sheet & SMC enclosure with Jean Muller-Germany make, NH-Fuse Switch Disconnecter & HRC Fuse links	22.08.2020	
13	<b>M/s Kala Genset Pvt Ltd.</b> Plot #A32,"H" Block , MIDC, Pimpri, Pune-411018 Email:sushil.bagal@kalabiz.com <a href="tel:9545556104">Tel:9545556104</a> (Sushil bagal)	<b>Diesel generating sets: 5kVA -5200KVA</b>	03.09.2020	
14	<b>M/s. Western Cablex Engineering Pvt.Ltd.</b> 202,Universal Industrial estate, J.P.Road,Andheri West Mumbai-400058 Email : info@wcablex.com Mobile : 9833661342(Tej Dabholkar)	<b>Heat Shrinkable, low voltage cable jointing kits, cable termination kits, Quadcables, PIJF cables, Heatshrinkable wraparound cable repair sleeves</b>  Straight through and Branch type	19.10.2020	
15	<b>M/s. Consul Neowatt Power Solutions(P) Ltd.</b> Odyssey I.T.Park, Office No.503, 5 th floor, Road No.9,Wagle Estate, Thane-400604 Email : <a href="mailto:vishant.mantri@consulneowatt.com">vishant.mantri@consulneowatt.com</a> Mobile : 7700909344(Vishant Mantri)	<b>UPS systems, Servo stabilizers (Air cooled &amp; Oil Cooled):</b> 1)Air cooled 3-500 KVA, Oil cooled 3-3500 KVA Servo Control Voltage stabilizers 2)Online UPS(1 KVA to 10 KVA) single phase Model/Series Finch 11,Finch 31 3) Online UPS(3 phase input & 3 phase output(10-30 KVA)-Model series –Finch 33	24.09.2020	

Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
		4) Online UPS(30 KVA to 900 KVA) Conventional & Modular- Model /Series-Falcon Range						
16	<b>M/s. Hensel Electric India Pvt.Ltd.</b> No.35,Kunnam Village, Sunguvarchatram-Walajabad road, Kanchipuram Dist-631604 Email : mumbail@hensel-electric.in Mobile : +91-44-67127700(R.Ravichandran)	<b>Industrial Electrical Power Distribution systems:</b> 1. DK Cable Junction Boxes 2. KV Small type Distribution Boards & LES cable entry systems 3. Cable Glands 4. Insulated Plug Sockets 5. Standardized photovoltaic distributors 6. PV Solar AC Invertors & Collectors					27.05.2020	
17	<b>M/s. United Fire Equipments(P) Ltd.</b> B-38,Mangolpuri Indl.Area,Ph.II, N.Delhi-110034 Email : ufe126@gmail.com/suresh.dvs73@gmail.com Mobile : 8447449993(Amit Bharadwaj) 8097172858(K.Suresh)	<b>Sr No</b>	<b>Product Description</b>	<b>Available capacity</b>	<b>Extinguishing media</b>	<b>IS code &amp; Registration no.</b>	15.11.2020	
		1	POWDER FIRE EXTINGUISHER (STORED PRESSURE/ GAS CARTRIDGE)	1kg, 2kg, 4kg, 6kg & 9kg.	POWDER IS :14609/IS: 4308	IS : 15683 CM/L-8633079		
		2	POWDER FIRE EXTINGUISHER (TROLLEY MOUNTED),	25kg, 50kg & 75kg	POWDER IS :14609/IS: 4308	IS : 16018 CM/L-8765605		
		3	CO2 TYPE FIRE	2kg,	CARBON	IS :		

Sr. No.	Manufacturer Name	Item				Vendor's Registration Valid Up to	Remarks
			EXTINGUISHER	3kg & 4.5kg,	DI-OXIDE GAS	15683 CM/L-8633079	
		4	CO2 (TROLLEY MOUNTED) TYPE FIRE EXTINGUISHER	6.5kg, 9kg & 22.5kg	CARBON DI-OXIDE GAS	IS : 16018 CM/L-8765605	
		5	WATER TYPE FIRE EXTINGUISHER (STORED PRESSURE/ GAS CARTRIDGE)	6ltrs, 9ltrs	WATER	IS : 15683 CM/L-8633079	
		6	WATER (TROLLEY MOUNTED) TYPE FIRE EXTINGUISHER	45 ltrs	WATER	IS : 16018 CM/L-8765605	
		7	WATERMIST BACKPACK TYPE FIRE EXTINGUISHER HIGH PRESSURE AND LOW PRESSURE	9 ltrs, 15 ltrs	WATERMIST	EN : 3	
		8	WATERMIST TROLLEY TYPE FIRE EXTINGUISHER HIGH PRESSURE AND LOW PRESSURE	50 ltrs	WATERMIST	EN : 3, (TO BE INCLUDED IN IS : 16018)	

Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
		9	MECHANICAL FOAM (AFFF) TYPE FIRE EXTINGUISHER (STORED PRESSURE/ GAS CARTRIDGE)	6ltrs, 9ltrs	FOAM (AFFF IS: 4989)	IS : 15683 CM/L- 8633079		
		10	MECHANICAL FOAM (AFFF)(TROLLEY MOUNTED) TYPE FIRE EXTINGUISHER	45 ltrs	FOAM (AFFF IS: 4989)	IS : 16018 CM/L- 8765605		
		11	CLEAN AGENT TYPE FIRE EXTINGUISHER (ECO FRIENDLY)	2kg, 4kg & 6kg	CLEAN AGENT GAS (HFC -236)	IS : 15683 CM/L- 8633079		
		12	AUTOMATIC MODULAR TYPE FIRE EXTINGUISHER	2kg, 5kg, 10kg & 15kg	POWDER IS :14609/IS: 4308 CLEAN AGENT.(HFC- 236)	CE APPROVED		
		13	CO2 GAS CARTRIDGE FOR FIRE EXTINGUISHER	60gm, 120gm, 200gm, 300gm & 490gm.	CARBON DI-OXIDE GAS	IS : 4947 CM/L- 8247983		
		14	LANDING VALVE (SINGLE	----- ---	STAINLE SS STEEL	IS : 5290 CM/L-		

Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
			& DOUBLE HEAD) DIA 63MM TYPE 'A' & TYPE 'B'.		& GUN METAL	3201227		
		15	WATERFLOW CONTROL DELUGE VALVE	4", 6", 8"	-----	UL LISTED		
		16	WATERFLOW CONTROL ALARM VALVE	4", 6", 8"	-----	UL LISTED		
		17	FIRE HOSE DELIVERY COUPLING (MALE/FEMALE) DIA 63MM	----- ---	STAINLE SS STEEL, GUN METAL & ALUMINUM	IS : 903 CM/L-3201328		
		18	SHORT BRANCH PIPE & NOZZLE DIA 20MM	----- ---	STAINLE SS STEEL, GUN METAL & ALUMINUM	IS : 903 CM/L-3201328		
		19	MANUAL SWING TYPE HOSE REEL WITH SHUT-OFF NOZZLE COMPLETE.	----- ---	-----	IS : 884 CM/L-3202027		
		20	RRL (REINFORCED RUBBER LINE) FIRE HOSE DIA 63 MM ( TYPE - A ,TYPE	----- ---	-----	IS : 636 CM/L-9711381		



Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
			- B)					
		21	CP FIRE HOSE DIA 63 MM	----- ---	-----	IS : 8423. CM/L- 9783511		
		22	THERMOPLASTI C HOSE PIPE FOR HOSE REEL INLET – 20MM	----- ---	-----	IS : 12585 CM/L- 8958212		
		23	TRAILER MOUNTED HIGHER CAPACITY FIRE EXTINGUISHER UNITS	150kg 250 kg, & 300kg.	POWDER IS :14609/IS: 4308	CE APPRO VED		
		24	FIRE BRIDGE INLET CONNECTION	2 way, 3 way & 4 way	-----	CE APPRO VED		
		25	WATER & FOAM MONITOR	1800 lpm, 2580 lpm & 3750 lpm	WATER & AFFF	CE APPRO VED		
		26	FOAM MAKING BRANCH NOZZEL & INJECTOR	fb 2x, fb 5x, fb 10x		CE APPRO VED		
		27	CONVENTIONAL FIRE ALARM CONTROL PANEL, DETECTORS & ACCESSORIES	2 zone to 128 zone	-----	CE APPRO VED		

Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
		28	HOOTER, MCP, RI	----- ---	----- ---	----- ---		
		29	ANALOG ADDRESSABLE FIRE ALARM SYSTEM & ACCESSORIES (COFEM)	----- ---	----- ---	EN54		
		30	DETECTORS (COFEM)	----- ---	----- ---	EN54		
		31	AIR RELEASE VALVE	----- ---	----- ---	CE APPROVED		
		32	DRAW OUT CONNECTION	----- ---	----- ---	CE APPROVED		
		33	FIRE BUCKET AND STAND	----- ---	----- ---	CE APPROVED		
		34	GUM BOOT, FIRE BEATER, FIRE HOOK	----- ---	----- ---	----- --		
		35	FIRE MAN HELMETS	----- ---	----- ---	----- --		
		36	FIRE BLANKET	----- ---	----- ---	----- --		
		37	FIRE MAN AXE	----- ---	----- ---	----- --		
		38	EMERGENCY LIGHTS	----- ---	----- ---	----- --		
		39	GLOW/PHOTOLUMINESCENT SIGNAGE	----- ---	----- ---	----- --		

Sr. No.	Manufacturer Name	Item					Vendor's Registration Valid Up to	Remarks
		40	EDGELIT SIGNAGE	----- ---	----- -----	----- --		
		41	SPRINKLERS & FLEXIBLE DROP PIPE	----- ---	----- -----	----- --		
		42	HOSE BOX ( ALL SIZES)	----- ---	----- -----	----- --		
		43	FLOODING SYSTEM & ITS ACCESSORIES	----- ---	----- -----	----- --		
18.	<b>M/s Limitorque India Ltd.,</b> Plot no.901 to 912, Sector-58 Faridabad-121 004 Haryana. Email: <a href="mailto:bso@limitorqueindia.com">bso@limitorqueindia.com</a> / <a href="mailto:libabom@vsnl.net">libabom@vsnl.net</a> <a href="tel:022-24935682/30405682">Tel:022-24935682/30405682</a> 8230 Mobile:961943431700	<b>1.Electrical valve actuators:</b> L120 series conforming to IS IEC600791:2007					30.07.2019	
19	<b>M/s EPP Composites Pvt Ltd</b> Plot No. 2646, Kranti Gate Main road, GIDC Lodhika Industrial Estate, Kalawad Road, Metoda, Rajkot-360 021, Gujarat, India Email: <a href="mailto:info@epp.co.in">info@epp.co.in</a> <a href="tel:+91-02827">Tel:+91-02827</a> 287059-60- 61/30405682 8230 Mob: 9819458536	<b>1.FRP Fencing</b> <b>2.FRP Ladder</b> <b>3.Cable Treay</b> <b>4.SMC Meter Box, Distribution, Junction Box &amp; Distribution boc</b> <b>5.GRP Light poles</b> <b>6.SMC V Cross Arm</b> <b>7.Fire Extinguisher Box</b> <b>8.Central Hose Station</b> <b>9.Internal Panel for railways</b>					30.11.2019	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks												
20	<b>M/s Larsen &amp; Toubro Limited,</b> Electrical & Automation, L & T Business Park, TC-2 Tower B, 7 <sup>th</sup> floor, Gate No 5 Powai campus, Saki Vihar road, Powai Mumbai Email: Akshay.Pujara@Lntebg.com Mob: 7738855056 (Akshay pujara)	<b>1. Bus Bar Trunking Systems:</b> As per IEC 61439 part 1 & 6 <b>2. Distribution Boards:</b> As per IS 8623 Part I & IEC 61439 Part 3	25.11.2020													
21	<b>M/s Cona Industries,</b> 20/21, Niraj Industrial estate, Off Mahakali Caves road, Andheri (E), Mumbai-400093. Email : conaindustries@yahoo.com Mobile : 9819039749 (B H Sharma)	<b>1. Switches</b> : 6 Amps to 10 Amps  <b>2. Sockets</b> : 6 amps to 16 amps  <b>3. MCB</b> : 6 amp to 63 amp  <b>4. PVC wire</b> : 0.75 to 10 sq. mm  <b>5. PVC Tape</b> : 7 meters length width 18 mm thickness 0.125 mm  <b>6. 3 Pin Top</b> : 6 amps to 16 amps  <b>7. Fan Regulators</b> : 80 watts to 100 watts	09.01.2021													
22	<b>C&amp;S Electric Limited,</b> 222, Okhla Industrial Estate, Phase III New Delhi-110020 Email : Nilesh.gholap@cselectric.co.in Mobile : 9892528215 (Nilesh Gholap)	<table border="1"> <thead> <tr> <th data-bbox="846 1031 992 1098">S.No.</th> <th data-bbox="992 1031 1211 1098">Material description</th> <th data-bbox="1211 1031 1664 1098">Material Name/Size/ Range</th> </tr> </thead> <tbody> <tr> <td data-bbox="846 1137 992 1241">1</td> <td data-bbox="992 1137 1211 1241">RMU</td> <td data-bbox="1211 1137 1664 1241">11KV/22 KV</td> </tr> <tr> <td data-bbox="846 1241 992 1321">2</td> <td data-bbox="992 1241 1211 1321">VCB panel</td> <td data-bbox="1211 1241 1664 1321">11 KV/22 KV/33 KV</td> </tr> <tr> <td data-bbox="846 1321 992 1393">3</td> <td data-bbox="992 1321 1211 1393">Sandwich type</td> <td data-bbox="1211 1321 1664 1393">400 A-6600 A</td> </tr> </tbody> </table>	S.No.	Material description	Material Name/Size/ Range	1	RMU	11KV/22 KV	2	VCB panel	11 KV/22 KV/33 KV	3	Sandwich type	400 A-6600 A	30.12.2020	
S.No.	Material description	Material Name/Size/ Range														
1	RMU	11KV/22 KV														
2	VCB panel	11 KV/22 KV/33 KV														
3	Sandwich type	400 A-6600 A														

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks
			Bustrunking		
		4	Air Insulated type Bustrunking	125 A-1250 A	
		5	Light Bustrunking	25A-80A	
		6	Package Substation	USS up to 2000KVA Oil/ dry type	
		7	Domestic Modular Switches	Domestic Modular Switches	
		8	Commercial /Industrial/ Street light/luminaries /LEDs	Commercial/Industrial/ Street light/luminaries /LEDs	
		9	Protection & Controlling devices(Relay)	Protection & Controlling devices(Relay)	
		10	Solar PV Power plant	Solar PV Power plant	
		11	Air Circuit Breaker (ACB's)	630A to 6300A TP/ FP, Fixed, MDO / EDO type, 45kA to 150kA, AH / AHA & Win master Series, TM & MP type & All accessories	
		12	Moulded Case Circuit Breaker (MCCB's)	15A to 1600A SP/DP/TP/ TPN/FP New win break, Win break, Win break 1 & Win break 2 Series, 18kA to 150kA, TM &	

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks
		13	Miniature Circuit Breaker (MCB's, Isolators, MCB type Changeovers )	MP Type & All Accessories 0.5A to 125A B,C,D Curve Win trip & Win trip 2 Series, Isolators, MCB Type Changeovers, Accessories (SP,SPN,DP,TP,TPN,FP)	
		14	Residual Current Circuit Breakers (RCCB's)	16A to 125A DP/FP (30,100,300mA) RCCB's	
		15	Motor Protection Circuit Breakers (MPCB's)	0.1A to 100A, 15kA to 100kA TM/MP Type MPCB's & Accessories	
		16	Distribution Boards SPN, TPN, Vertical, Horizontal (DB's)	SPN/TPN 4,6,8,10,12,16 Way, Incomer MCCB Vertical Type, Flexi Tier, Per Phase Isolation, Phase selector DB's, Plug & Socket DBs Single & Do	
		17	HRC Fuse Links, Fuse Fittings & Firebase's (HRC FL/FF/FB)	2A to 800A Bolted & Din type Fuse links & firebase	
		18	Switch Disconnecto	32A to 3200A TP & FP With & Without	

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks
			rs	Enclosures & its accessories	
		19	Switch Disconnecto r Fuses with & without Enclosures	32a to 800A SDF's DP/TP/TPN/FP with or without Fuse links & with or Without Enclosures & Its Accessories	
		20	On Load / Off Load Changeover Switches & Rewire able & Kit Kat Switches	16A to 3200A TP/FP On load / Off Load Type Changeover & Its accessories, Rew & Kit Kat Switches	
		21	Fuse Changeover Switches & Bypass Switches	63A to 800A Changeover switch & Without Enclosures & Its accessories.	
		22	Power & Control Contacts	6A to 1000A Power & Control, Mini Contactors , Robusta, Robusta 2, Exceed, D Range, Cap Duty Contactors & Its accessories (SP / SPN / DP / TP / FP)	
		23	Protection Relays, Digital Meters, APFC Relays	0.1A to 1000A, Relay Thermal Overload Range, Numerical Protection Relays , Electronic Motor	

Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks
				Protection Relays, Electro-mechanical Tripping Relays, Digital Multifunction Meters with & without communication port, APFC Stage based relays & Its accessories.	
		24	DOL/ASD & Agri Motor Starters	0.5HP to 400HP, DOL, ASD, Pump Starters, Agri / Industrial Starters	
		25	Push Button Stations & LED Indicating Pilot / Barrel Lamps Signalling Devices & Control	Exceed Range, 22.5 Dia Push button & Pilot / Barrel Lamps, Metallic & Non Metallic range, Control Stations, Operating Heads & Accessories	
		26	Conventional & LED Lighting	6W to 24W Deep & Slim LED Down lighters Square And Circular, MR 16 LED Down Lights, LED Battens T5, T8 10W & 20W, LED T8 Retrofit Tube lights, 2,4 Feet, 10W, 16W, 20W & lamps 0.5W to 15W, Industrial Range	



Sr. No.	Manufacturer Name	Item		Vendor's Registration Valid Up to	Remarks
				Halogen, HPSV Fittings, LED Street Lights & Flood lights 12W to 150W, LED Low bay, Mid Bay, High Bay up to 200W, LED Bulk Heads & Bollards, LED 1 x 1, 1 x 2, 2 x 2, Panels, 18W, 24W, 28W, 36W, 45W, Copper Ballast, Starters, Electronic Ballasts	
		27	Modular Plate Switches & Accessories	Exclusive range of DIVINO & PRIMO Range of all modular switches & plates up to 24 Modules patterns & accessories & COMBI WEATER PROOF IP 65 Enclosures	
		28	Industrial & Industrial Plugs & Sockets	IP 44 to IP 67 Protection Type, Insulated Plug & Sockets 16A, 32A, 63A, 125A, AC Distribution box, 16A, 32A, 63A Combi Enclosures	

Sr. No.	Manufacturer Name	Item	Vendor's Registration Valid Up to	Remarks
23	<b>Vivid Electromech Pvt.Ltd.</b> "Vivid House"Plot No.A-173/7, TTC Industrial area,MIDC,Khairane, Navi Mumbai-400710 Email : sanjaygatkal@vividgroup.in Website : www.vividgroup.in Mobile : Mr. Sanjay Gatkal (9167980556)	<b>1. LT Panels:</b> Main LT Panels/PCC Panels Distribution panels/Boards Feeder Pillars APFC Panels/VFD & Soft starter panels AMF/DG synchronizing panels <b>2.HT Panels:</b> 11/22/33 KV VCB/LBS Panels, RMU /SF6 panels	28.02.2021	
24.	<b>Classic Electricals,</b> Unit No.19. Kala Udyog Industrial Estate,Opp.Shangrila Biscuit factory, LBS Marg,Bhandup(W), Mumbai-400 078 Email : <a href="mailto:classicnd620@gmail.com">classicnd620@gmail.com</a> Mobile:Mr.Nathu Dahibhate(9820598389/88)	<b>LT Panels:</b> MCC,PCC,PDB,APFC Panel, Feeder Pillars	14.03.2021	
25.	<b>Kala Genset Pvt.Ltd.</b> Plot;A32,"H" Block,MIDC, Pimpri,Pune-411018 Email:info@kalabiz.com/ Website: www.kalabiz.com Mobile : Sushil Bagal(9545556104)	<b>1.Automatic Mains Failure /Synchronizing, LT            Panels/PCC panels /Motor Control            Centre/Automatic Power factor Controller            panel/Programmable Logic controller            panel/distribution panel: Conforming to IEC 61439</b>	19.03.2021	

The user to ascertain quality of product before acceptance, capacity of vendor for supply schedule, to carry out all tests as per relevant IS code, past & present supply performance of various contractors in Mumbai & Navi Mumbai. Inclusion in the approved list does not absolve the user from acceptance of bad quality of product.

These materials shall be included in all future tenders and present ongoing works. Also the feedback on performance of the product is essentially expected from Executive Engineer<sub>s</sub>.

**Executive Engineer  
(PA & Registration)**